

COMMODORE 64

GAMES BOOK



COMMODORE 64

GAMES BOOK


CLIFFORD & MARK RAMSHAW Published in the United Kingdom by: Melbourne House (Publishers) Ltd., Church Yard, Tring, Hertfordshire HP23 5LU, ISBN 0 86161 125 X

Published in Australia by: Melbourne House (Australia) Pty. Ltd., Suite 4, Palmerston Crescent, South Melbourne, Victoria 3205.

Published in the United States of America by: Melbourne House Software Inc., 347 Reedwood Drive, Nashville TN 37217

Copyright (c) 1983 by Clifford & Mark Ramshaw

All rights reserved. This book is copyright. No part of this book may be copied or stored by any means whatsoever whether mechanical or electronic, except for private or study use as defined in the Copyright Act. All enquiries should be addressed to the publishers.





Publisher's Note

In keeping with our ongoing commitment to provide both literature and software for personal computers Melbourne House is very proud to be able to publish this book of games for the Commodore 64.

You will find complete program listings, comprehensive structures and useful hints on each program. We have taken care to design the format in such a way that the programs will be easily read, to reduce the possibility of transcription errors, expecially with the graphics characters.

After working through this book, I think you will agree that Clifford and Mark Ramshaw are immensely creative programmers and the programs in this book should set the standard future programs for the Commodore 64 will be judged by.

I know you will enjoy not only the games themselves, but also the insight you will gain about programming the Commodore 64.

Melbourne House are not just publishers — we are dedicated to microcomputer software, and we are always interested in your feedback: If you have an article or program that you think might be of value to other users we want to hear from you.

Until I hear from you, let me just wish you happy programming!

ALFRED MILGROM PUBLISHER



Contents

Key Symbols	
Chexsum	4
Paranoid	
Poetry	12
Turkey	
Quack	20
Laser Tower	
Moon Buggy	
Higher or Lower	
North Sea Copter	40
Flight Simulator	
Slalom	
Fruit Machine	
Sea Harrier	
Cats & Dogs	
Horse Racing	
Luna Landa	
Simon	
Racer	
Cosmic Bugs	
Star Duel	
Cowboy Shootout	
Earth Defence	
Jelly Maze	
Dark Star	
Tank Attack	
Star Pilot	
Martian Invasion	
Castle of Doom	
U.F.O	
Galaxy Raid	
Invaders	.197
A P A	
Appendix A —	000
Notes & Hints for Programmers	.203
Appendix B —	
To convert keyboard games to joystick games	.206
Appendix C —	-00-
Sprite generator program	.207
Appendix D —	
Assembly language routine	
from U.F.O	.211



SPECIAL CHARACTERS

In the program listings throughout this book spaces have been used ONLY as an aid to readability. When you type the programs in on your computer these spaces should be left out to conserve memory space.

As an example the line

100 POKE 54273,I: POKE V + 23,0

would be typed as

100POKE54273,I:POKEV+23,0

on your computer. As you can see the first verson is much more legible.

The only situation in which a space should be entered into a program listing is when the symbol

appears. This special character does not appear on your computer's keyboard but has been placed in the listings to tell you, the programmer, when a space is necessary.

One other symbol appears in the program listings which may not at first be recognised. This is the symbol

" + "

and is actually just the COLON symbol located on the key next to the L $\mbox{key}\,.$

The letter "I" and the number "1" can cause some confusion at times as well as the letter "O" and the number "0".

Once you are familiar with them they don't cause any problems, it's just a matter of recognising the difference.

The letter I looks like this:

1

The number 1 looks like this: The letter O looks like this:

1

The number 0 looks like this:

0

CHEXSUM

RUN THIS PROGRAM FIRST

The unique CHEXSUM program validation

WHY:

When a book of programs, such as this book, is keyed in everybody invariably makes reading and typing mistakes and then spends ages trying to sort out where and what is causing the error (or errors).

Even experienced programmers often cannot identify an error by just listing the relevant line and need to do the tedious job of going back to the book, especially with DATA statements.

Realising that this is a major cause of frustration in keying the programs we decided to do something about it.

There are two short routines in this book which you should key in and save BEFORE you key any other programs in.

Using these routines you will be able to find out if you have made any keying errors at all and in which lines, before you even run the program.

In effect this means that with this book you need not waste time looking for keying errors, you simply run the routines and look at the display to identify lines containing errors. It's just that easy.

The principle behind the routines is a unique chexsum which is calculated on each individual line of the program as you have keyed it in. Compare this chexsum value with the value for that line in the list at the end of the program listing, if they are the same the line is correct, if not there is an error in that line.

HOW:

The CHEXSUM program uses line 62000 onwards, and no other program in this book uses line numbers that large.

To use it, you need to type in the CHEXSUM program first (or load it from tape). You then type in the program you have chosen from the book.

At any stage of typing your game program, you can check on the correctness of your work by entering the command RUN 62000.

When you have completed entering your program, and are satisfied that all is correct, you can delete the CHEXSUM program by running it and answering DELETE to the question "TO PRINTER (Y, N OR DELETE)?". You can now save your program to disk or cassette as it will still be intact in memory.

WHEN:

The simplest method is to enter the CHEXSUM program in now and save it to tape or disk. Each time you want to enter a new program just load CHEXSUM and key the program.

You can type in the CHEXSUM program at any time, even if you have started to type in a program. You cannot, of course, load in CHEXSUM from tape or disk because it will erase all you have typed so far.

A partial solution to this is the MERGE program included here that will allow you to merge two programs. To use it, you will have to save all you have typed in so far onto your cassette or disk, load the MERGE program, and run it. You will be prompted to load in your program and the CHEXSUM program.

If you are using a Datasette it might be an idea to save CHEXSUM and MERGE on a seperate cassette, saving CHEXSUM first. This will enable you to save all your corrected programs on one cassette and allow you easy access to the CHEXSUM and MERGE routines without having to constantly run backwards and forwards through the tape.

HOW CAN YOU TELL IF CHEXSUM HAS BEEN CORRECTLY ENTERED?

After having keyed CHEXSUM (or MERGE) the logical thing would be to chexsum these programs too, to ensure that they are correct. But is it possible to do this? If you follow the instructions you will be able to check them both.

Type and save CHEXSUM

Edit line 62020 and change the value of E from 61999 to 62200

Type RUN and check output against the table of values at the end of the program.

If the program is incorrect then edit the incorrect lines and resave the program after having reset the values of E in line 62020.

Type and save MERGE.

You can only check the data in the MERGE routine, however this is the most important part of the routine. All you need to do is "RUN" merge, it will check its own data and prompt you if there is an error.

Here are the routines and instructions on how to use them:

CHEXSUM ROUTINE

```
62000 T=PEEK(62) #256+PEEK(61)+1
62010 INPUT "TO A PRINTER A ( A Y A , A N A OR A DELETE A ) A ";Q$:
      IF Q$="DELETE"THEN62200
62011 IF Q$(>"Y"THEN 62020
62015 CLOSE4,4:OPEN4,4:CMD4:PRINT CHR$(1);CHR$(129)
62020 PRINT CHR$(147); "CHECK & SUM &: - " :
      LINK = PEEK(44) #256 + PEEK(43) : E = 61999
62100 REM # MAIN LOOP #
62120 T=LINK
62:130 LINK = PEEK( T+1) #256+PEEK( T)
62135 LN=PEEK(T+3) *256+PEEK(T+2)
62136 IF LN>E THEN PRINT*PRINT*TOTAL=*;CH:CLOSE4,4:END
62137 S$=STR$(LN):L=LEN(S$)-1:S$=MID$(S$,2,L)
62138 PRINT SPC(6-L)/5#/
62140 CS=0 : N=0 : C=0
62:50 FOR P=T+4 TO LINK-2 :PK=PEEK(P)
62160 IF PK=143 THEN P=LINK-2:00TO 62190
62165 IF PK=34 THEN C=(C=0)
62170 IF C=0 AND PK=32 THEN 62190
62180 IF PK=137 THEN N=N+1:CS=CS+(2030RN):PK=164
62185 N=N+1:CS=CS+(PK OR N)
62190 NEXT P : CH=CH+CS : PRINT
      "=";RIGHT$(STR$(CS),LENKSTR$(CS))-1):GOTO 62120
62200 POKET, 0: POKET+1, 0: POKE46, PEEK(46)-2: CLR
62999 REM
```

INSTRUCTIONS

- 1: RUN 62000
- 2: answer the question.

"Y" if you want listing on printer "N" if listing is to be displayed "DELETE" to delete CHEXSUM

- 3: hit "RUN/STOP" to halt output.
- 4: type "CONT" to continue.
- 5: if all is correct then "RUN 62000" again and answer with "DELETE".
- 6: otherwise correct errors and start again from 1.

CHEXSUM

62170=1554 62000=1348 82180=3320 82010:4494 62185=1862 820:1=1281 62190=4228 82815=2125 62200=2275 82020=4255 62100=0 TOTAL = 45567 62120=577 62130=2067 62135=2115 82136=2530 62137=2308 62138=931 62140=1142 62150=2251 62160=2373 82185=1431

MERGE ROUTINE

10 POKE 55,0:POKE56,159:CLR
20 S=40705:FOR J=S TO S+76:READ V
30 C=C+V:POKE J,V:NEXT
40 IF C<>8756 THEN PRINT "DATA = ERROR":END
120 BATA 169,0,133,10,32,212,225,165
130 DATA 43,72,165,44,72,56,165,45
140 DATA 233,2,133,43,165,46,233,0
150 DATA 133,44,169,0,133,185,166,43
160 DATA 164,44,169,0,32,213,255,176
170 DATA 14,134,45,132,46,32,51,165
180 DATA 104,133,44,104,133,43,98,170
190 DATA 201,4,144,244,240,10,104,133
200 DATA 44,104,133,43,24,108,0,3
210 DATA 164,186,136,240,209,208,239
300 NEW

INSTRUCTIONS


- 1: LOAD and RUN MERGE.
- 2: type or LOAD your program.
- type SYS 40705 "CHEXSUM". (SYS 40705,8 for Disk.)
- 4: then follow CHEXSUM instructions.

Because MERGE, on running it, stores itself above BASIC memory it will reside there until you switch off the machine or change the top of BASIC RAM. From this it follows that you don't need to continually reload MERGE after running it the first time.

CHEXSUM AND GRAPHICS CHARACTERS

At times it might be difficult to recognise the difference between two graphics characters and when you run the CHEXSUM you will get a variance in the values. If, after having checked the line carefully, you come to the conclusion that the error must be in one of the graphics characters and you are reasonably sure that you keyed what you think the character should be, then don't worry about the CHEXSUM variance. When you run the program it will be obvious from the screen display what the character should be if it is an important character. Some characters don't really matter that much and at times you probably won't even be able to find the wrong one in the screen display.

Paranoid



Just sit back and watch the machine print a kaleidoscope of graphics patterns. When you've had enough just 'stop' the program. For an entirely different pattern re-run the program.

This is an easy, short program that has pretty impressive results. Use it in understanding your machine's graphics capabilities or just something to occupy your screen (and spectators) while you are doing something else.

PROGRAM STRUCTURE	LINES
INITIALIZATION	1 — 100
PLOT POINTS REVOLVING AROUND X, Y	105, 107
CHANGE X, Y AND CHECK IF IN SCREENS SIZE	110, 115
RANDOMLY CALCULATE DX, DY	120, 140
LOOP	145
SUBROUTINE PLOT X1, Y1	1000, 1010

VARIABLES


V = VIDEO CHIP X, Y = BASIC SCREEN COORDINATES DX, DY = OFFSETS FROM PREVIOUS X, Y X1, Y1, YA, YB, XA, XB = TEMPORARY STORAGE P(7) = BIT POSITIONS XC = BIT TO BE SET P = LOCATION OF BYTE TO BE PLOTTED TO

```
PARANOID
    O BACKGROUND = 1
    5 POKE 55,255 + POKE 56,31
    6 DIM P (7) + FOR I = 0 TO 7 +
        P(I) = 2 \wedge (7 - I) = NEXT
   10 V = 53248 + POKE V + 32,0 + POKE V + 33,0
   30 POKE V + 24, PEEK ( V + 24 ) OR 8
   40 POKE V + 17, PEEK ( V + 17 ) OR 32
   50 FOR I = 1024 TO 2024 + POKE I, BA + NEXT
   60 FOR I = 8192 TO 8192 + 8 # 1024 * POKE I,0 *
        NEXT
  100 X = 79 \div Y = 49 \div DX = INT (RND (1) * 3 - 1)
        \Rightarrow DY = INT ( RND ( 1 ) * 3 - 1 ) \Rightarrow
        IF DX = O AND DY = O THEN 100
  105 Y1 = Y \div X1 = X \div GOSUB 1000 \div X1 = 319 - X \div
        GOSUB 1000 + Y1 = 199 - Y + GOSUB 1000 +
        X1 = X \div GOSUB 1000
  107 Y1 = Y * 2 + X1 = X * 2 + GDSUB 1000 +
        Y1 = 199 - Y1 \div X1 = 319 - X1 \div GOSUB 1000
  110 X = X + DX + Y = Y + DY + IF X < 0 OR X > 159
        THEN DX = -DX = 60T0 110
  115 IF Y < 0 OR Y > 99 THEN DY = - DY + GOTO 110
  120 IF RND ( 1 ) > .9 THEN
  DX = INT ( RND ( 1 ) * 3 - 1 )

130 IF RND ( 1 ) > .9 THEN
        DY = INT (RND (1) * 3 - 1)
  135 IF DX < > 0 DR DY < > 0 THEN 105
  140 DX = INT ( RND ( 1 ) * 3 - 1 ) *
        DY = INT (RND (1) * 3 - 1) *
        IF DX = 0 AND DY = 0 THEN 140
  145 GOTO 105
 1000 YA = INT ( Y1 / 8 ) + YB = Y1 - YA * 8 +
        XA = INT (X1 / B) + XB = X1 - XA + B
 1005 P = 8 * 1024 + YA * 320 + XA * 8 + YB :
        XC = P (XB)
 1010 POKE P, PEEK ( P ) OR XC + RETURN
```

CHEXSUM	110=4168
0=1014	115=2536
5=983	120-2433
6=2548	130=2433
10=1973	135=1854
30=1482	140=4665
40=1536	145=525
50=1742	1000=4565
SØ=227 8	1005=3199
100=5606	1010=1205
105=4985	
187=4044	TOTAL= 55784

Poetry



Sit back and watch as the program writes poetry before your very eyes. Try making changes to the poem's words to make it ridiculous or humourous or just try and give it more to write.

Press'N' key to stop the program or any other key for another poem.

PROGRAM STRUCTURE	LINES
INITIALIZE ARRAYS	20 — 30
INITIALIZE SCREEN	50
CHOOSE WORDS	55 — 70
CHOOSE LINES	75
PRINT LINES OF POETRY	80 — 130
GO AGAIN?	500 — 515
WORDS DATA	1000 — 1045

VARIABLES

AJ\$ = ARRAY CONTAINING ADJECTIVES FOR LINE AV\$ = SAME AS AJ\$ EXCEPT ADVERBS FOR LINE FL = TO REPEAT A LINE MO = RAMDOM TO SET "MOOD" AJ, AV = RANDOM TO CHOOSE WORDS

POETRY

```
10 REM * * POETRY * *
 20 DIM AJ$ ( 9,2 ) ,AV$ ( 9,2 ) + FOR I = 0 TO 9
 30 READ AJ$ ( I,0 ) ,AJ$ ( I,1 ) ,AJ$ ( I,2 )
       ,AV$ ( I,O ) ,AV$ ( I,1 ) ,AV$ ( I,2 ) * NEXT
 50 PRINT " "; SPC( 14 ) ; " * POETRY . * ! !!;
       CHR$ (8)
 55 FL = 0 * MO = INT (RND (1) * 3)
 60 FOR I = 1 TO 4 + INT ( RND ( 1 ) * 4 ) *
       AV = INT (RND (1) * 10)
 65 \text{ AJ} = \text{INT (RND (1)} * 10) *
       IF AJ = AV THEN 65
 70 \text{ AJ$} = \text{AJ$} ( \text{AJ}, \text{MO} ) + \text{AV$} = \text{AV$} ( \text{AV}, \text{MO} )
 75 ON INT ( RND ( 1 ) * 11 + 1 )
       GOTO 80,85,90,95,100,105,110,115,120,125,130
 85 PRINT "A _ "; AJ$; " _ WOMAN _ ENCHANTED _ ME _ WITH
        ";AV#;" BLINKING EYES" + GOTO 500
 90 PRINT "IN _ "; AV$; " _ KEEPING _ WITH _ HER _ "; AJ$;
       " _ VOWS" + GOTO 500
 95 PRINT "ALAS, _ SHE _ MUST _ "; AV$; " _ LEAVE _ HIS
        _ "; AJ$; " _ PRESENCE" + GOTO 500
100 PRINT "A BREATH OF "; AJ$; " AIR "; A
RUSTLED IN THE TREES" $ GOTO 500
                                            "; AV$; "
105 PRINT "ANDTHER _ "; AJ$; " _ DAY _ "; AV$; " _ ENDED" ;
       GOTO 500
115 PRINT "AND THEN: # GOTO 500
120 PRINT "THE _ "; AJ$; " _ BELL _ TOLLED _ "; AV$;
       " _ ONCE _ AGAIN" + GOTO 500
125 PRINT "THE _ "; AV$; " _ "; AJ$; " _ HUMAN _ ARRIVED" =
       60TO 500
130 PRINT "LIFE _ "; AV$; " _ DAWNED _ ON _ THE _ "; AJ$;
       " _ UNIVERSE" + GOTO 500
500 NEXT I : IF FL = 0 AND RND ( 1 ) > .5 THEN
       FL = 1 + GOTO 60
505 GET A$ + IF A$ = "N" THEN PRINT CHR$ ( 9 ) +
510 IF A$ = "" THEN 505
515 GOTO 50
1000 DATA SORROWFUL, APPATHETIC, JOYFUL, SADLY
       , CARELESSLY, HAPPILLY
1005 DATA PUTRID, ODOURLESS, SCENTED, FOULLY
       , CAREFULLY, SWEETLY
1010 DATA BORING, ENLIGHTENING, INTERESTING, TIRELESSLY
       , EFFORTLESSLY, EASILY
1015 DATA UGLY, PLAIN, BEAUTIFUL, CLUMSILY, , GRACEFULLY
1020 DATA FAT, THIN, LEAN, NOISILY, QUIETLY,
1025 DATA PATHETIC, ORDINARY, SUPER, PATHETICALLY
       ,, SUPERBLY
1030 DATA IRRITATING, CALMING, EXCITING, SHARPLY
       .COOLY, EXCITEDLY
1035 DATA TORTUOUS, HATING, LOVING, , CONTEMPTUOUSLY
```


,LOVINGLY 1040 DATA DYING,LIVING,NEWLY BORN,PAINFULLY,EASILY, 1045 DATA STUPID,IGNORANT,INTELLIGENT,FOOLISHLY ,,INTELLIGENTLY

CHEXSUM

10=0 20=1889 30=3890 50=2263 55=1640 60=3083 65=2234 70=2233 75=3848 80=3558 85=5647 90=3916 95=4869 100=5163 105=3316 110=5313 115=1455 120=4107 125=3351 130=4283 500=2791 505=1837 510=852 515=476 1000=5167 1005=4661 1010=6211 1015=3690 1020 = 2536 1025=4266 1030=4885 1035=4533 1040=3581

1045=5021 TOTAL= 116565

Turkey



Attempt to keep the turkey in the air as long as possible by manoeuvering the waiter underneath it and then bouncing it off the platter.

You control the waiter with the 'Z' (left) and 'M' (right) keys. The turkey can be dropped twice but becomes inedible after the third time and the game ends.

PROGRAM STRUCTURE	LINES
INITIALIZATION	1 — 5
POINT SCORE AND NO. OF DROPS LEFT	10
READ KEY	20
MOVE LEFT	26
MOVE RIGHT	32
MOVE TURKEY	50
CHECK IF WAITER CAUGHT TURKEY	95 — 100
ANOTHER GAME	120
IF YES, RUN AGAIN	140
ELSE END	160
DATA	9000 — 9050

VARIABLES

V = VIDEO CHIP

CO = DIFFERENCE BETWEEN VIDEO DISPLAY AND SCREEN

MEMORY

LI = NO. OF DROPS LEFT

P = POSITION OF WAITER

X, Y = POSITION OF TURKEY

S = SCORE

PE = KEY PRESSED

XD, YD = DISPLACEMENTS FOR TURKEY

M, X1, Y1, P = TEMPORARY STORAGE

```
TURKEY
```

```
1 POKE 53281,0 + POKE 53280,9
   2 CO = 54272 + P = 150 + X = 150 + Y = 190 +
       V = 53248 \div SC = 0 \div LI = 3 \div
       XD = INT (RND (1) * 9 - 4) * YD = -1
   3 POKE V + 21,3 * POKE 2040,13 * POKE 2041,14
   4 FOR I = 0 TO 126 * READ Q * POKE 832 + I,Q *
       NEXT
   5 POKE V.P + POKE V + 1.200 + POKE V + 2.X +
      POKE V + 3, Y
   7 PRINT " D SUPER WAITER! .
                                  CSCORE * "
   8 FOR I = 55381 TO 55406 + POKE I.5 +
      POKE I - CO,86 : NEXT :
      FOR I = 55381 TO 56156 STEP 40
   9 POKE I,5 + POKE I - CO,86 + POKE I + 25,5 +
      POKE I + 25 - CO,86 : NEXT
  10 PRINT " 3 9 9 9 9 9 9 9 9 9
       9 9 9 9 9 9 9 9 9 5 ";S;" _ _
  20 PE = PEEK ( 197 )
  22 IF PE < > 12 AND PE < > 36 THEN 50
  26 IF PE = 12 AND P > 70 THEN P = P - 2
  32 IF PE = 36 AND P < 240 THEN P = P + 2
  40 POKE V,P
 50 Y1 = Y \div X1 = X \div M = 0
  60 \text{ Y1} = \text{Y1} + \text{YD} \div \text{X1} = \text{X1} + \text{XD}
  70 IF X1 < 70 OR X1 > 240 THEN XD = - XD =
      S = S + 1 + M = 1
 BO IF Y1 > 220 THEN X = P + Y = 200 +
       XD = INT (RND (1) * 9 - 4) * YD = -1 *
      LI = LI - 1 + GOTO 110
  90 IF Y1 < 70 THEN YD = 1 :
      XD = INT (RND (1) * 9 - 4) * S = S + 1 *
      M = 1
 95 IF Y1 < 210 AND PEEK ( V + 30 ) < > 0 THEN
      YD = -1 \div XD = INT (RND (1) * 9 - 4) \div
      S = S + 2
 100 IF M = 0 THEN X = X1 + Y = Y1 + POKE V + 2, X +
      POKE V + 3.Y
 110 IF LI > 0 THEN GOTO 10
 _ TURKEY _ IS _ INEDIBLE!!"
 TRY AGAIN?"
 140 GET A$ + IF A$ = "Y" THEN RUN
 150 IF A$ < > "N" THEN 140
 160 END
9000 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
       ,0,0,0,0,0,7,255,240,7,255,240,0,62,0,0
9010 DATA 64,128,0,92,128,0,92,128,0,73,0
       ,0,62,0,0,30,0,0,30,0,0,18,0,0,17,0,0,17
9020 DATA 0,0,49,128
9030 DATA 0,0,,0,0,0,0,0,0,0,0,192,0,7
       ,240,0,15,240,0,31,252,0,63,254,0,127,254
9040 DATA 0,255,127,1,248,63,9,224,14,7,128
       ,14,15,240,15,3,14,30,6,1,248,0,0,112
9050 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0
```

CHEXSUM

1=1179

2=6280

3=1833

4=2100

5=2520

7=2064

8=4206

9=3215 10=1720

20=796

22=1887

26=1942

32=1991

40=368

50=1287

60=1712

70=3238

80=5506

90=3815

95=4934

100=2933

110=1187

120=2713

130=2288

140=1263

150=1125

160=129

9000=4460

3010=4624


9020=660

9030=4589

9040=4559


9050=1473

TOTAL= 84596



SPRITE


WAITER



SPRITE

TURKEY

Quack




This is the old fair ground game but instead of using bullets you are equipped with a bow and arrow. An arrow will of course travel slower than a bullet and thus requires better anticipation. The ducks do not move at a uniform speed which makes the game a lot harder. You have a limited number of arrows and also a time limit.

Your controls are:

'Z' left

'C' right

'M' to fire an arrow




SPRITE

DUCK

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 9
GET KEY PRESSED	10
PRINT TIME, SCORE, ETC	11 — 12
IF OUT OF TIME GO TO END	
MOVE BOW AND ARROW	
IF 'S' FIRE ARROW	15
IF SPRITE COLLISION FLIP BIRD	18
POSITION BOW AND ARROW	21
MOVE DUCKS	30 — 40
FLIP BIRD ROUTINE	100 — 130
PRINT MESSAGES	200 — 280
FIRE ARROW ROUTINE	300 — 310
DATE	9000 — 9110

VARIABLES

S = SCORE
A1 = ARROWS LEFT
AR = 0: NOT IN FLIGHT
P = BOW POSITION
X, Y = ARROW POSITION
X ARRAY = DUCK POSITIONS
PE = CURRENT KEY
Z = SPRITE COLLISION



SPRITE

DEAD DUCK

QUACK


```
0 POKE 55,255 + POKE 56,47 + CO = 54272 +
     A1 = 10 \div S = 0 \div POKE 54296,15 \div
     POKE 54278,240 + POKE 54276,3
 1 PRINT "□" + POKE 53281,0 + POKE 53280,0 +
     V = 53248 \div POKE V + 21,63 \div POKE 2040,192 \div
     POKE 2041,193
 2 FOR I = 1 TO 4 + POKE 2041 + I,194 +
     POKE V + 40 + I,2 + I + NEXT +
     POKE V + 39,8 + POKE V + 40,1 + POKE V + 29,1
 3 FOR I = 0 TO 254 * READ Q * POKE 12288 + I,Q *
     NEXT
 4 P = 120 + X = 132 + Y = 217 + POKE V, 120 +
     POKE V + 1,220 + POKE V + 2,X +
     POKE V + 3, Y + FOR I = 0 TO 3
 5 \times (I + 1) = (I + 1) * 40 * Y (I + 1) = 90
     * POKE V + 4 + I * 2, X ( I + 1 ) *
     POKE V + 5 + I * 2, Y (I + 1) * NEXT
 6 I = PEEK ( V + 30 ) + FOR I = 55376 TO 56256
     STEP 40 + POKE I,4 + POKE I - CO,160 +
     POKE I + 32,4
 7 POKE I - CO + 32,160 * NEXT *
     FOR I = 55336 TO 55368 + POKE I,4 +
     POKE I - CO, 160 * NEXT
 ****** 🖼 QUACK 🔁 *************
 9 PRINT " 🔄 📵 🗐 🗐 🗐 💵 💵 💵 💵
     10 PE = PEEK ( 197 )
 11 PRINT " 🔄 📵 📵 📵 📵 📵 🗶 💵 💵 💵 🏗 📆 ";
     RIGHT$ ( TI$,2 ) : PRINT " [2] [6] [6]
      ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ **; S;
 12 PRINT " [4] [4] [5] IN BU . . BU UN BU"; A1 +
     IF TI$ = "000100" THEN 200
 13 IF PE = 12 AND P > 35 THEN P = P - 4 *
     IF AR = 0 THEN X = X - 4
 14 IF PE = 20 AND P < 237 THEN P = P + 4 =
     IF AR = 0 THEN X = X + 4
 15 IF PE = 36 AND AR = 0 AND A1 > 0 THEN
     A1 = A1 - 1 = AR = 5 = GOSUB 300
 18 Y = Y - AR + Z = PEEK ( V + 30 ) +
     IF Z > 3 AND Y > 90 THEN GOSUB 100
19 IF Y < 60 THEN Y = 217 \div AR = 0 \div X = P + 12 \div
     POKE V + 3.Y
20 POKE V,P + POKE V + 2,X + IF AR > 0 THEN
     POKE V + 3, Y
30 FOR I = 0 TO 3 \div X (I + 1) = X (I + 1) + 3 \div
     IF X ( I + 1 ) > 241 THEN X ( I + 1 ) = 35 \div
     POKE 2042 + I,194
40 POKE V + 4 + I * 2,X ( I + 1 ) :
     POKE V + 5 + I * 2, Y ( I + 1 ) + NEXT
50 GOTO 10
100 S = S + 10 \div Z = PEEK (V + 30) \star A = 5 \div
     IF Z AND B THEN A = 1
105 IF Z AND 16 THEN A = 2
```

```
110 IF Z AND 32 THEN A = 3
 113 IF Z AND 4 THEN A = 4
 115 POKE 2042 + A.195 + AR = 0 + Y = 218 +
       X = P + 12 + POKE V + 3, Y +
 120 POKE 54276.0 + POKE 54276.33
 125 FOR I = 15 TO 1 STEP - .5 + POKE 54273, I # 2 +
       POKE 54296, I + NEXT + POKE 54296, 15 +
       POKE 54273.0
 130 Z = PEEK (V + 30) = RETURN
 200 POKE 54276,0 + POKE 54276,17 +
       FOR I = 240 TO 1 STEP - 3 : POKE 54273.I :
       NEXT + POKE 54273,0
 210 FOR I = 1 TO 11 + POKE V + I,0 + NEXT
 220 PRINT "☑ MYOUR TIME IS UP!"
 230 PRINT " 🗷 🗷 🖭 YOU 🗼 SHOT"; S / 10; "BIRDS."
 240 IF S > 50 THEN PRINT " WELL DONE!!!"
 250 PRINT " @ @ # DO _ YOU _ WANT _ ANOTHER _ GO?"
 260 GET A$ : IF A$ = "Y" THEN RUN
 270 IF A$ < > "N" THEN 260
 280 END
 300 PDKE 54276,0 + PDKE 54276,129 +
       FOR I = 1 TO 80 STEP 2 + POKE 54273, I + NEXT
       * POKE 54273,0
 310 RETURN
9000 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
       ,0,0,0,0,0,0,56,0,0,238,0,1,199,0
9010 DATA 3,1,192,6,0,192,12,0,96,24,0,48,48
       ,0,24,110,0,236,1,199,0,0,56,0
9020 DATA 0,0,0,0,0,0,0,0,99
9030 DATA 0,0,0,0,0,0,16,0,0,56,0,0,56,0
       ,0,124,0,0,16,0,0,16,0,0,16,0,0,16
9040 DATA 0,0,16,0,0,16,0,0,16,0,0,16,0,0,16
       .0.0.16.0.0.16.0.0.16.0.0.16.0.0.16
9050 DATA 0,0,16,0,99
9060 DATA 0,0,0,0,0,0,0,0,0,0,0,6,0,7,232
       , 120, 7, 176, 252, 7, 232, 126, 3, 134, 63, 255, 0
9070 DATA 63,255,0,31,255,0,15,255,0,15
       ,255,0,15,255,0,3,248,0,0,128,0,1,0,0
9080 DATA 2,0,0,4,0,0,6,0,0,5,0,0,99
9090 DATA 0,0,0,5,0,0,6,0,0,4,0,0,4,0,0,2
       , 128, 0, 1, 248, 0, 0, 255, 0, 3, 255, 0, 15
9100 DATA 255,0,15,255,0,15,255,0,31,255,0,
       63, 3, 134, 63, 7, 232, 126, 7, 176, 252, 7, 232
9110 DATA 120,0,6,0,0,0,0,0,0,0,0,0,0,0,0
```

CHEXSUM


0=4717	9000=3768
1=4422	9010=3835
2=5406	9020=1190
3=2219	9030=3988
4=5124	9040=4336
5=60 04	9050=702
S=4577	9060=4505
7=4137	9070=4057
8=3 650	9080=1538
9=2857	9090=3794
10=796	9100=4536
11=4213	9110=1841

TOTAL = 153575




SPRITE

BOW




SPRITE

ARROW



Laser Tower



Escape from the Laser Tower, battling against gravity and evading the tractor beam. The tractor beam fires from the tower on the left of the screen. It alters its height as you move away from it, trying to land in the pit at the right.

Your controls are: cursor up for up, cursor right for right.

PROGRAM STRUCTURE	LINES
INITIALIZATION	5 — 35
PRINT GROUND	50 — 54
MOVE TOWER	55 — 80
FIRE LASER	85 — 95
GET MOVE	100
IF MOVEMENT MAKE NOISE	101 — 102
CALCULATE NEW POSITION	105 — 130
IF HOME: END	130, 2000 — 2025
DON'T LET GO OFF SCREEN	135 — 145
IF COLLISION THEN: END	150 — 1010
DATA	10000 — 10070

VARIABLES

GR = GRAVITY

VV = VERTICAL VELOCITY

HV = HORIZONTAL VELOCTY

FR = TRACTOR BEAM

A = X POSITION

TW = TOWER HEIGHT

PW = LASER

```
LASER TOWER
   5 POKE 55,255 : POKE 56,47
   10 V = 53248 \div C0 = 54272 \div POKE 54296,15
   12 FOR I = 12 * 1024 + 256 TO 12 * 1024 + 263 *
       POKE I,O . NEXT
   15 FOR I = 0 TO 47 * READ A * POKE 12 * 1024 + I.A
        * NEXT * POKE V + 22, PEEK ( V + 22 ) OR 16
  20 POKE V + 24,28 + POKE V + 34,2 + POKE V + 35,7 +
       POKE V + 33.0 = POKE V + 32.0
  25 FOR I = 12352 TO 12478 * READ A * POKE I, A *
       NEXT + POKE V + 37,2 + POKE V + 38,7
   30 POKE V,75 : POKE V + 16,0 : POKE V + 1,100 :
       POKE V + 28,0 + POKE V + 39,4 + POKE V + 21,1
   35 GR = .4 + VV = 0 + HV = 0 + FR = .5 +
       POKE 2040, 193
  50 PRINT " 🛂 🗐 📵 📵 📵 📵 📵 📵 📵 📵 📵 📵
        PRINT "ER (6) ##"; + NEXT + TW = 1625
  ▲ CCCCCCCC ■ ■";
  52 PRINT "DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD";
   53 FOR T=1945 TO TW+40 STEP-40 *POKE T,0 *POKE T+CO.10
      * NEXT
   54 A = PEEK (V + 31)
   55 R = INT ( RND ( 1 ) * 3 + 1 ) * ON R
       GOTO 85,60,70
   60 IF TW < = 1065 THEN 100
   65 POKE TW + CO,10 + POKE TW,0 + TW = TW - 40 +
        GOTO 80
   70 IF TW > = 1945 THEN 100
   75 POKE TW, 32 * TW = TW + 40
   80 POKE TW + CO,2 : POKE TW,1 : 60TO 100
   85 POKE 54276,0 + IF RND ( 1 ) < .95 THEN 100
   90 J = TW + 1 \div EN = TW + 38 \div PDKE 54273,72 \div
        POKE 54272,169 + POKE 54277,44 + POKE 54275,7
        PW = 0
   91 POKE 54274,0 + POKE 54276,65
   93 IF PEEK ( V + 31 ) THEN 1000
   94 POKE J + CO,7 * POKE J,2 * J = J + 1 *
        POKE 54272.PW + PW = PW + 6 +
        IF J < = EN THEN 93
   95 FOR EN = TW + 1 TO J + POKE 54274,PW +
        PW = PW - 6 + POKE EN, 32 + NEXT
  100 K = PEEK ( 197 ) : HV = HV - FR - ( K = 2 )
  101 IF K < > 2 AND K < > 7 THEN 105
  102 POKE 54273,2 : POKE 54272,37 : POKE 54277,47 :
        POKE 54276,0 + POKE 54276,129
  105 IF HV < - 4 THEN HV = - 4
  110 IF HV > 4 THEN HV = 4
  115 VV = VV + GR + ( K = 7 ) * IF VV < - 4 THEN
        VV = -4
  120 IF VV > 4 THEN VV = 4
  125 POKE V + 1, PEEK ( V + 1 ) + VV +
        A = PEEK (V + 1) + IF A < 48 THEN
        POKE V + 1,40
  130 IF A > 234 THEN 2000
  135 A = PEEK ( V ) + HV + B = PEEK ( V + 16 ) AND 1
```


```
* IF A > 255 THEN A = 0 * B = 1
 140 IF A < 0 AND B THEN B = 0 + A = 255
 142 IF A > 55 AND B THEN A = 55
 145 IF A < 32 AND B = 0 THEN 1000
 150 POKE V,A : POKE V + 16, PEEK ( V + 16 ) OR B
 155 IF B = 0 AND PEEK ( V + 16 ) AND 1 THEN
       POKE V + 16, PEEK ( V + 16 ) - 1
 160 IF PEEK ( V + 31 ) AND 1 THEN 1000
 165 GOTO 55
1000 POKE 2040,194 + POKE V + 28,1 + POKE 54273,34 +
       POKE 54272,75 : POKE 54277,143
1005 POKE 54276,129 + FOR I = 1 TO 500 + NEXT +
       POKE 54273,0 + POKE 54273,0 + POKE V + 24,20
GOTO 2010
2000 FOR I = 1 TO 5000 + NEXT + POKE 54273,0 +
       POKE 54272,0 + POKE V + 24,20
2005 PRINT " 2 @ @ @ @ " SPC( 15 ) "WELL , DONE!" :
       PRINT " ( ) ( ) ( ) ESCAPED
        _ ALIVE"
2010 PRINT " @ @ MANOTHER _ GAME?" + POKE V + 21,0 +
       POKE 54276,0
2015 GET A$ = "Y" THEN POKE V + 24,28 =
       GOTO 30
2020 IF A$ = "N" THEN END
2025 GOTO 2015
10000 DATA 220,236,220,236,220,236,220,236,0
       ,0,0,48,127,120,252,252
10005 DATA 0,0,0,0,255,0,0,0,0,0,0,8,157,255,255
       , 255, 255, 255, 255, 255, 255
10010 DATA 255,255,0,0,0,0,0,0,0,255
10015 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
       ,0,0,0,12,32,0,14,48,128,31,121
10055 DATA 240,63,135,160,31,121,240,14,48,128
       ,12,32,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10060 DATA 0,0,0,0,0,0,0,0,99,0,0,0,0,12,0,0,63
       ,0,0,55,0,0,55,0,252,55,0
10065 DATA 55,247,240,53,87,112,13,85,255,3
       ,85,87,0,245,95,0,213,240,0,55,0
10070 DATA 0,55,0,0,221,192,3,93,192,13,125,192
```

,13,205,192,55,3,0,0,0,0,0,0,0,0

XSUM	
5=981	165=477
10=1913	1000=3392
12=2958	1005=3806
15=4041	1010=2355
20=3591	2000=3038
25=3601	2005=4558
30=4135	2010=2643
35=2619	2015=2409
50=3587	2020=895
51=3601	2025=580
52=37 20	10000=3223
53=3 22 3	10005=3967
54=896	10010=1502
55=2497	10015=3988
60=1266	10055=4398
65=2794	10060=3490
70=127 0	10065=3838
75=1403	10070=4070
80=1886	TOTAL - 450400
85=1772	TOTAL= 153499
90=4842	
31=1227	
93=1 202	
9 4=4590	
85=3514	
100=2278	
101=1678	
102=3285	
105=1463	
110=1123	
115=3063	
120=1143	
125=3922	
130=947	
135=3812 140=1673	
142=1295	
145=1401	
150=1938	
155=3286	
100-0500	

160=1444

Moon Buggy



Manoeuvre your jumping moon buggy over the moon's surface attempting to reach the landing pad on the other side without running out of fuel or crashing into a star mine.

The moon buggy needs to build up thrust but be careful because once "lift-off" has occurred it has a lot of forward momentum. The star mines are everywhere in space and you have to manoeuvre between them to get to the landing pad.

Your controls are:

'Z' left

'C' right

'M' thrust

PROGRAM STRUCTURE	LINES
INITIALIZATION	1 — 15
DISPLAY SET-UP	20 — 45 & 200 — 2050
GET KEYBOARD CHARACTER	50
VERTICAL CONTROL OF BUGGY	52 — 77
THRUST SOUND	56
ZERO FUEL TEST	78
HORIZONTAL CONTROL	80 — 86
MINE COLLISION TEST	87
ERASE BUGGY	90, 102
DISPLAY BUGGY	100
TEST IF BUGGY ON PAD	101
DISPLAY REMAINING FUEL	102
MINE EXPLOSION	200 — 210
NEW GAME PROMPT	220 — 235
DATA	10000 — 10025

SC = SCREEN REFERENCE POINT

X1 = HORIZONTAL POSITION OF BUGGY

Y1 = VERTICAL POSITION OF BUGGY

X = PREVIOUS HORIZONTAL POSITION

Y = PREVIOUS VERTICAL POSITION

FU = FUEL

K = KEYBOARD VALUE

VV = VERTICAL VELOCITY

D = VERTICAL DISTANCE

```
MOON BUGGY
   1 POKE 55,255 \div POKE 56,47 \div V = 53248
        * POKE V + 32,0 * POKE V + 33,0
   5 FOR I = 12544 TO 12551 + POKE I.O + NEXT
        * POKE 54296,15
   10 FOR I = 0 TO 111 + READ A + POKE 12288 + I,A
        * NEXT
  12 POKE V + 24,28
  15 X = 4 \div Y = 17 \div SC = 1024 \div CO = 55296
       * KB = 197 * FU = 250 * VV = 0
  20 GOSUB 2000
  25 FOR I = 1 TO 25
  30 P = INT (RND (1) * 630)
       # IF PEEK ( SC + P ) < > 32 THEN 30
  35 POKE CO + P.10 + POKE SC + P,12 + NEXT I
  37 PRINT " E CCCCCCCCCCCCCCCCCCCCC";
  40 PRINT
        45 PRINT
        ☑ ☑ ☑ Ⅲ Ⅲ ☎HIJ";
  50 K = PEEK ( KB ) + IF FU < 2 THEN 60
  52 IF K < > 36 THEN 60
  55 \text{ VV} = \text{VV} - 1 \div \text{FU} = \text{FU} - 2
       \Rightarrow IF VV < - 5 THEN VV = - 5
  56 POKE 54273,72 + POKE 54272,169 + POKE 54277,15
       * POKE 54276,0 * POKE 54276,129
  60 VV = VV + .5 + IF VV > 10 THEN VV = 10
  65 D = VV / 10 = Y1 = INT ( Y + D )
       P = PEEK (SC + Y1 * 40 + X)
       \Rightarrow IF P = 2 AND VV > 0 THEN FU = FU - .05
       * VV = O * D = O
  67 IF P = 12 THEN 200
  70 IF P = 0 THEN X1 = X - 1 + Y1 = Y + 1
       * FU = FU - .1 * GOTO 86
  75 IF P = 1 THEN X1 = X + 1 \div Y1 = Y + 1
       * FU = FU - .1 * GOTO 86
  77 Y1 = Y + D = IF Y1 < 1 THEN Y1 = 1 = VV = 0
  78 IF FU < 1 THEN 400
  80 X1 = X + (K = 12) - (K = 20)
       * FU = FU + ( K = 12 ) + ( K = 20 )
        \Rightarrow IF X1 < 0 THEN X1 = 0
  85 IF X1 > 39 THEN X1 = 0
  86 IF X = X1 AND INT ( Y1 ) = INT ( Y ) THEN 90
  87 IF PEEK ( SC + INT ( Y1 ) * 40 + X1 ) = 12
       THEN 200
  88 IF PEEK ( SC + INT ( Y1 ) * 40 + X1 ) < > 32
       THEN 100
  90 POKE SC + INT ( Y ) * 40 + \times 32 + X = X1 +Y = Y1
 100 Y1 = INT ( Y ) + POKE CO + Y1 * 40 + X,7
       * POKE SC + Y1 * 40 + X,11
 101 IF X > 33 AND X < 37 AND INT ( Y ) = 19
       THEN 300
 102 POKE SC + FU / 10,32
```


105 GOTO 50 200 POKE SC + INT (Y) * 40 + X,32 * Y = INT (Y1) * POKE CO + Y * 40 + X,2* POKE SC + Y * 40 + X,13 205 POKE 54273,34 * POKE 54272,75 * POKE 54277,127 * POKE 54276,0 * POKE 54276,129 210 FOR I = 1 TO 2000 + NEXT + POKE V + 24,20 PRINT " 💟 💻 疝 YOU 🗼 CRASHED 🛕 INTO 🗼 A 🗼 MINE 👩 📵 📵 🔘 220 PRINT " ANOTHER _ GAME?" + POKE 54272,0 * POKE 54273,0 225 GET A\$ + IF A\$ = "Y" THEN 12 230 IF A\$ < > "N" GOTO 225 235 END 300 FOR I = 1 TO 2000 * NEXT 305 POKE V + 24,20 * PRINT " 🖸 💻 🖽 WELL , DONE, , YOU , COMPLETED , YOUR , MISSION (E) (E) (E) (E) (E) 310 GOTO 220 400 POKE V + 24,20 + FOR I = 1 TO 1000 + NEXT PRINT " MYOU _ RAN _ OUT _ OF _ FUEL! (2) (2) (2) (2) (2) (2) (2) * GOTO 220 2000 PRINT 888888888888888888888 2005 PRINT 2010 PRINT 2015 PRINT BOBBCCA B B B B B "; 2020 PRINT ■ accccc ■ ■ ■ ■ ■ cccccccccccccbba 8 8 8 8 89"; ■ ■ ■ acccccccbbbbbbacccccccc; 2030 PRINT 2035 PRINT "CCCCC"; 2040 PRINT 2045 PRINT

* POKE 2023,3

CHEXSUM

1=3071	101=2279	10025=	2473
5=2467	102=1089		
10=2201	105=473	TOTAL=	171732
12=672	200=5231		
15=3932	205=3417		
28=347	210=5069		
25=710	220=2450		
30=2994	225=1243		
35=1815	230=1327		
37=2328	235=129		
40=1583	300=1020		
45=2107	305=5190		
50=1598	310=527		
52=969	400=5072		
55=3204	2000=3823		
58=3417	2005=4092		
60=2150	2010=4889		
65=6957	2015=4241		
67=843	2020=5876		
70=3501	2025=6222		
75=3501	2030=6515		
77=2283	2935=639		
78=867	2040=3701		
80=4910	2045=4398		
85=1136	2050=738		
86=2012	10000=3074		
37=2426	10005=3759		
88=2612	10010=3373		
90=2522	10015=3936		
100=3544	10020=27,87		

Higher or Lower



Bet on the card being higher or lower than the previous one. If you win, you may get the chance to go for double or nothing.

The routines used to draw cards and select them from the deck are good. They would be useful in creating programs for your own card games.

All instructions necessary for the game are in the program.

PROGRAM STRUCTURE	LINES
INITIALIZE — SCREEN — DECK	0 — 1 4 — 8
WAIT FOR DEAL COMMAND	10
PRINT MONEY	11
PICK A CARD	14 — 16
PRINT CARD	17 — 37
BUZZ	38 — 39
IF WIN	40
MUSIC AND MESSAGES	50 — 52
PLAY AGAIN?	55 — 75
ELSE MESSAGES AND PLAY AGAIN?	80 — 95
CLEAD BOTTOM OF SCREEN	100 110

S\$ = SYMBOL OF SUITS

C = PACK OF CARDS

 $\mathbf{M} = \mathbf{MONEY}$

D = DOUBLE OR NOTHING

CU = HOW MANY TURNS

D = POINTER INTO PACK

HIGHER OR LOWER

```
O PRINT "□" + POKE 53281,7 + POKE 53280,6
         * DIM S$ ( 52 ) * DIM C ( 52 ) * M = 20 * D = 0
         * CU = 0
  1 POKE 54296,15 + POKE 54276,0 + POKE 54278,240
 4 FOR J = 0 TO 3 * FOR I = 1 TO 13
         * C ( I + J * 13 ) = I * S* ( I + J * 13 )
            = " | _ ^ "
 5 IF J = 1 THEN S$ ( I + J * 13 ) = " 🖾 ♥ "
 6 IF J = 2 THEN S$ ( I + J * 13 ) = " ■ ♣"
 7 IF J = 3 THEN S$ ( I + J * 13 ) = "™ ◆"
 8 NEXT I,J
10 POKE 54276,0 + POKE 54276,17
11 POKE 54273,34 ÷ POKE 54272,75 ÷ PRINT " 🗷 🖼 MONEY
13 POKE 54273,0 + POKE 54272,0 + CU = CU + 1
14 FOR I = 1 TO 4
15 P = INT (RND (1) * 52 + 1) * IF C (P) = 0
         THEN 15
16 N1 = N + N$ = STR$ ( C ( P ) ) + N = C ( P )
17 IF C ( P ) = 1 THEN N$ = " A"
18 IF C ( P ) = 11 THEN N$ = " J"
19 IF C ( P ) = 12 THEN N$ = " _Q"
20 IF C ( P ) = 13 THEN N$ = " _K"
21 IF C ( P ) = 10 THEN N$ = "10"
         HIGHER OR LOWER MITTH 17 MITHH 17 MITH
22 C ( P ) = 0 + PRINT " [ [ ]
23 IF I = 1 THEN 27
24 PRINT " 🗃 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
         HIGHER _ OR _ LOWER?"
25 PRINT " 🔁 👩 🗗 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🕳
         HIGHER . OR . LOWER?"
26 GET A$ + IF A$ < > "H" AND A$ < > "L" THEN 25
THEN PRINT " SOOD DODD DOD";
28 IF I = 3
         THEN PRINT " SO DO DO DO DO DO DO
                                 88888888";
29 \text{ IF I} = 4
         THEN PRINT " 😸 🗗 🗗 🗗 🗗 🗗 🗗 🗩 🗎 🗎
                                 0000000000000000";
81 51 91 54 80 18 🙉 🗸 🗸 🗸 🔠 🖾 61 91 91 98 95 91 91 83 🕸 🗸
               33 PRINT "😆 🗊 ";
         # IF I = 2 THEN
         34 \text{ IF I} = 3
         THEN PRINT "SEEDEDEDEDEDEDED
                                 999999999";
35 \text{ IF I} = 4
```

```
THEN PRINT " SO DO DO DO DO DO DO
        9999999999999999
37 PRINT "回回回回回回回回漏";N$;
    + PRINT "回回回";S$ (P); + PRINT "回回回遍"
    ; N$
38 POKE 54276,33 + POKE 54273,6 + POKE 54272,206
    * FOR Z = 1 TO 200 * NEXT * POKE 54273.0
39 POKE 54272,0
40 IF A$ = "H" AND N1 > N THEN 80
41 IF A$ = "L" AND N1 < N THEN 80
50 FOR J = 1 TO 300 * NEXT J, I * FOR I = 1 TO 244
    STEP 2 * POKE 54273, I * NEXT * POKE 54273, 0
51 IF D = 1 THEN PRINT " 🗃 🗵 🗷 🗷 🗷 🗷 🗷 🗷 🗷
    * M = M * 2 * GOTO 53
52 PRINT " 🔄 📵 🗷 🕼 🕼 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
    繼WELL _ DONE _ YOU'VE _ WON _ 5P" + M = M + 5
55 D = 0 + PRINT " 2 2 4 4 5 6 6 6 6 6 6
    Ø Ø Ø Ø Ø Ø Ø DO _ YOU _ WANT
     TO PLAY AGAIN?"
56 GET A$ + IF A$ = "N" THEN END
57 IF A$ < > "Y" THEN 56
58 IF RND ( 1 ) < .5 THEN 70
59 PRINT " 🗷 🖿 DO _ YOU _ WANT _ TO _ TRY _ "
    DOUBLE . OR . BROKE'?"
60 GET A$ = "N" THEN 70
63 IF A$ < > "Y" THEN 60
65 D = 1
70 IF CU > 9 THEN 4
75 GOTO 10
80 FOR I = 244 TO 1 STEP - 2 + POKE 54273, I + NEXT
    * POKE 54273.0
##HARD _ LINES _ YOU'VE _ LOST!"
85 M = M - 5 + IF M = 0 OR D = 1 THEN PRINT " □ YOU'
    RE _ BROKE! _ BYE" + END
86 D = 0 + PRINT "DO YOU WANT TO PLAY AGAIN?
88 GET A$ + IF A$ = "Y" THEN 70
90 IF A$ < > "N" THEN 88
95 END
106 NEXT
110 RETURN
```

28=1594 29=2125 30=7509 31=2008

32=8410


33=1717 34=1**59**4

35=2125 37=2582 38=3762 39=527 40=1461 41=1461


50=3818 51=5205 52=3509 53=2126

SUM	
0=4148	55=3524
1=1958	56=1248
4=4331	57=1085
5=1963	58=1 055
6=2088	59=3437
7=1973	60=1232
8=331	63=1080
10=1221	65=298
11=4369	70=757
13=1993	75=472
14=655	80=2694
15=2437	82 -290 7
16=1928	83=2126
17=1319	95=3948
18=1384	86=3194
19=1401	98=1245
20=1386	90=1060
21=1384	95=129
22=4816	100=1154
23=722	105=2034
24=2173	108=131
25=2173	110=143
86= 2265	
27=1717	TOTAL= 136621

SCREEN



North Sea Copter



This game really tests your skill and though it might seem otherwise it is possible to complete it.

You must land your copter on an oil rig, at night, in the height of a storm, visibility is nil and you rely on lightning to see the rig. The wind buffets you about and as you manoeuvre or hover, gravity will pull you down, you must correct this by increasing lift.

On the right of your screen are your instruments, watch your fuel and rate of descent, to land your rate must be below 2.

'A' moves you to the left, 'D' to the right and 'W' gives you lift.

PROGRAM STRUCTURE	LINES
INITIALIZATION	0-4
SETUP GRAPHICS	5 — 19
UPDATE GAUGES	20 — 21
LIGHTNING TIMING	22 — 35
READ KEYBOARD	36 — 55
UPDATE SPRITE POSITION	66 — 80
CRASH HANDLER	100 — 200
LANDING HANDLER	500 — 640
NOTE SEQUENCE FOR GOOD LANDING	800 — 890
SPRITE DATA	9000 — 9070

V = POINTER TO DISPLAY CHIP LOCATIONS

CO = DIFFERENCE BETWEEN VIDEO AND SCREEN MEMORY

T = LIGHTNING TIMER

X = SPRITE X COORDINATE


Y = SPRITE Y COORDINATE

D = WIND DIRECTION


PE = SPRITE COLLISION FLAGS

F = FUEL LEFT

G = DESCENT RATE



SPRITE



SPRITES No. 1 & No. 2 FORM A HELICOPTER

NORTH SEA COPTER


```
O PRINT "□" + POKE 53280,0 + POKE 53281,0
  * V = 53248 * CO = 54272 * POKE 54296,10
   * POKE 54276.0
1 POKE 54276,129 + POKE 54278.240
2 POKE 54273,0 \div T = 0 \div X = 35 +
  INT ( RND ( 1 ) * 180 ) * Y = 55
   D = (INT (RND (1) * 5) - 2) / 2
3 F = 10 \div POKE V + 21.3 \div POKE 2040.13
  * POKE V + 39,1 * POKE 2041,14 * POKE V + 40,4
  * POKE V + 28.3
4 POKE V + 37,5 + POKE V + 38,7 + FOR I = 0 TO 190
   * READ Q * POKE I + 832,Q * NEXT
編WIND _ _ [1] [6] ## ## ## ## ## ## ## ## ## ## | [1] _ _ _ _ _ _ _ _ _ _ _ _ _ _
   T: "
7 PRINT " 🕲 💵 💵 💵 💵 💵 💵 💵 💵 💵 🖽 🖽 🖽 🖽
                     8 FOR I = 56016 TO 56055 + POKE I,6
   * POKE I - CO,223 * NEXT
   * FOR I = 56056 TO 56296 * POKE I,6
9 POKE I - CO, 160 * NEXT * POKE V, X
   * POKE V + 2, X + 24 * POKE V + 1, Y
   * POKE V + 3, Y * PE = PEEK ( V + 31 )
▲ ■ □"
8 8 8 8 8 9 "
17 PRINT "9 9 9 2 2 9 9 . 9 9 9 9 9 9 9 9 2 2"
18 PRINT " P P P R Z P = 0 P P P P P P P R Z "
■ ■ _ _ A ■ ■ ■ ■ "; D ÷ PRINT " (2) (2) ■ ■ ■ ■ ■ ■ ■
   M _ _ M M M M H "; INT ( G $ 10 ) / 10
21 PRINT " (2) (4) BE BE BE BE BE BE BE BE A A A BE BE BE BE
   ; INT ( F * 10 ) / 10
22 T = T + 1 + POKE 2041,14 + POKE 54273,100
25 IF T = 30 THEN POKE 53281,11
   + Print " (3) (4) (4) (4) (5) 11 11 11 11 11 11 11 12 12 (6) 11 11 11 11 11
   30 IF T = 32 THEN
```

```
35 IF T = 35 THEN POKE 53281,0 * T = 0
36 POKE 54273.0
40 PE = PEEK ( 197 )
45 IF PE = 18 AND F > 0 THEN X = X + 2 = F = F - .1
50 IF PE = 10 AND F > 0 THEN X = X - 2 + F = F - .1
55 IF PE = 9 AND Y > 50 AND F > 0 THEN Y = Y - 2
     * G = 0 * F = F - .3
66 X = X + D = IF RND (1) < .1 THEN <math>X = X + 2
     * F = F - .1
68 POKE 2041,15 + POKE 54273,100 + Y = Y + G
     \div G = G + .2 \div IF X > 215 THEN X = 215
69 IF X < 32 THEN X = 32
70 POKE V.X + POKE V + 1.Y + POKE V + 2.X + 24
     * POKE V + 3,Y
71 IF F < 0 THEN POKE 54296,1
72 IF X > 11 AND X < 120 AND Y > 135 THEN 500
78 IF PEEK ( V + 31 ) < > 0 THEN 100
79 POKE 54273,0
80 GOTO 20
100 POKE 53281,11
     101 POKE 54296,15 \div FOR I = 20 TO 0 STEP - .2
     * POKE 54273,I * NEXT * POKE 54273,0
110 FOR I = 1 TO 20 + POKE V, X - I + POKE V + 2, X + I
     * NEXT
120 FOR I = Y TO 220 + POKE V + 1, I + POKE V + 3, I
     * POKE 54273, I * NEXT * POKE 54273,0
130 POKE V.0 + POKE V + 1.0 + POKE V + 2.0
     * POKE V + 3.0
150 POKE 53281,0
     180 FOR I = 1 TO 2000 * NEXT
200 RUN
500 IF G > 2 THEN 100
600 POKE 53281,2 * POKE V + 1,136 * POKE V + 3,136
     * POKE 54273.0 * POKE 54276.0 * POKE 54276.17
605 GOSUB 800
610 PRINT " 🔄 👩 👩 👩 🗑 🗑 🔘 🔘 🔘 🔘 🔘 🔘 🔘 🔘
     国 回 回 目 ****** _ WELL _ DONE _ *******
620 PRINT " LE DE DE DE DE LE LE LANOTHER LE GO? L L
625 GET A$ : IF A$ = "Y" THEN RUN
630 IF A$ < > "N" THEN 625
635 PRINT " I I I BYE _ BYE."
640 END
800 FOR I = 30 TO 100 STEP 2 * POKE 54273, I * NEXT
810 FOR I = 140 TO 95 STEP - 1 + POKE 54273, I + NEXT
820 FOR I = 5 TO 20 STEP .4 * POKE 54273, I * NEXT
830 FOR I = 90 TO 70 STEP - .3 + POKE 54273, I + NEXT
840 FOR I = 100 TO 0 STEP - 3 * POKE 54273, I * NEXT
850 FOR I = 20 TO 10 STEP - .2 * POKE 54273, I * NEXT
860 FOR I = 90 TO 70 STEP - .2 + POKE 54273, I + NEXT
870 FOR I = 0 TO 10 STEP .1 * POKE 54273, I * NEXT
880 POKE 54273,0 + POKE 54277,0
890 RETURN
```

- 9010 DATA 7,174,0,10,170,0,4,0,0,17,0,0,64,64,0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
- 9020 DATA 0,0,0,0,0,0,85,85,85,0,16,0,0,215,0,0,251, 0,3,184,192,3,184,240
- 9030 DATA 15,186,176,15,190,176,171,190,252,171,170, 252,187,255,252,15,255,240
- 9050 DATA 0,0,0,0,0,0,0,84,0,0,16,0,0,215,0,0,251,0, 3,184,192,3,184,240
- 9060 DATA 15,186,176,15,190,176,171,190,252,171,170, 252,187,255,252,15,255,240
- 9070 DATA 3,223,192,0,16,0,0,16,0,5,85,64,0,0,0,0,0,0,0,0,0,0,0,0,0

0=4299	68=4075	840=2037
1=1380	69=1083	850=2076
2=4814	70=2735	860=2 083
3=4526	71=1159	870=1861
4=3580	72=2114	880=1167
5=8609	78=1582	890=143
S=5161	79=528	9000=4441
7=8739	80=472	3010=4295
8=4469	100=6918	3020=37 04
9=5149	101=3420	9030=4321
10-3029	110=2803	9040=2987
11=9413	120=3698	9050=3510
15=1895	130=2279	9060=4321
16=2155	150=6966	307 0=2802
17=1331	180=1020	
18=1320	200=139	TOTAL= 219038
19=1142	500=776	
20=6522	S00=4027	
21=3433	605=302	
22=1905	€10=2617	
25=7912	620=1733	
30=5338	925=1 263	
35=1611	530=1125	
36=528	835=882	·
40=796	640=129	
45=2580	800=1927	
50=2572	310=2091	
55=3527	820=1 86 4	
66=2944	830=2084	

Flight Simulator



Test your skill at guiding your light aircraft onto the landing strip. Can you make a perfect landing? Watch your instruments as the runway comes up into view, you get all the feedback you need to do the job.

Your controls are:

'F1' gives a cockpit display

'F3' gives a map

'A' tilts the plane to the left

'D' tilts it to the right

'W' alters levelling up

'X' alters levelling down

Keys 1 — 9 decide your acceleration/deceleration


'-' reverses the acceleration/deceleration rate

'space bar' lifts or lowers your undercarriage depending upon its current position.

There are many ways in which to 'fail' your landing: if the plane is tilted on an angle if the last altitude reading was above 50 (you've dropped the plane) if your attitude is not level if your undercarriage is not lowered

Safe landing!

SCREEN DISPLAY



PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 25
GET KEY PRESSED (A\$)	30
PRINT COCKPIT DISPLAY	35
PRINT MAP DISPLAY	36
CHANGE ATTITUDE	50 — 56
RANDOM TILT	67
REVERSE ACCELERATION	70
READ SPEED KEY	75
LIFT OR LOWER UNDERCARRIAGE	80
CHANGE SPEED	90 — 95
CHANGE ALTITUDE	100 — 105
PRINT ALTITUDE, DISTANCE, SPEED	134 — 137
CHECK DISTANCE AND ALTITUDE	140 — 148
PRINT OUT COCKPIT MESSAGES	160 — 179
RESTART MAIN LOOP	180
SOUND ROUTINE	182 — 190
ROUTINES TO PRINT COCKPIT VIEWS	200 — 730
PRINT MAP	1000 — 1070
PRINT OUT DETAILS OF LANDING AND ASK IF PLAYER WANTS ANOTHER GAME	5000 — 6040

AL = ALTITUDE

AT = ATTITUDE

U = UNDERCARRIAGE

DI = DISTANCE

A\$ = HOLDS KEY PRESSED

CS = START OF COLOUR SCREEN MEMORY

SI = SPEED INCREMENT

SP = SPEED

SD = ACCELERATION OR DECELERATION

SC = SCREEN MEMORY

F = FUEL

H = TILT OF PLANE

M = 1 MAP VIEW, 0 COCKPIT VIEW

I = TEMPORARY STORAGE

FLIGHT SIMULATOR

```
0 PRINT "\" : POKE 53281.0 : POKE 53280.9 :
  SC = 1024 \div CS = 55296
1 POKE 54296,5 * POKE 54277,0 * POKE 54278,0 *
  POKE 54276,0 + POKE 54278,240 + POKE 54276,129
2 POKE 54273,0 : POKE 54272,0 : U = -1 : AT = 0 :
  F = .6 \div AL = 5000 + INT (RND (1) * 1000)
  DI = 2500
3 H = 0 : M = 0 : SP = 300 : SI = 5 : SD = 1
_____
8 PRINT " 🗷 🗷 🗗 🗗 🗗 🗗 🗗 🗷 🗷 🛍 💵 🗗
   10 FOR I = 440 TO 479 + POKE CS + I,9 +
  POKE SC + I,160 + NEXT
□ ▲ ▲ # □ □ □ A A A A MITOWER A MESSAGE:
   . 🗖 ";
_ (I) "
17 PRINT " _ _ _ _ ← _ _ _ _ _ _ _ ## ① □ ① 🛱
     L
20 PRINT " 🗷 . [] . . . [] . .
21 PRINT "国 _ ① 編 号 图 編 号 图 ① _ _ _ _ _
  A A A DISTANCE
22 PRINT " 🗷 🖈 🗓 🛕 🛈 🛕
        . • "
23 PRINT " 🗷 🛕 🖽 🖽 📛 💆 🗘 🛦
  UNDERCARRIAGE: . TUP"
24 PRINT " HORIZON. . .
                 A A MISPEED
25 POKE CS + 960,9 + POKE SC + 960,223 +
  POKE CS + 999.9 : POKE SC + 999.233
30 POKE 54273,0 + GET A$
35 IF A$ = "" AND M = 1 THEN PRINT " " : M = 0 ÷
  POKE 53281,0 : POKE 53280,9 : POKE 54273,100 :
  GOTO 5 Note: A$ = F1 Key
36 IF A$ = "■" AND M = 0 THEN PRINT "□" : M = 1 :
  GOSUB 1000 Note: A$ F3 Key
40 IF M = 1 THEN 90
50 IF A$ = "W" THEN AT = AT - 1 : IF AT < - 1 THEN
```

```
AT = -1
 55 IF A$ = "X" THEN AT = AT + 1 + IF AT > 1 THEN
     AT = 1
56 IF A$ = "X" OR A$ = "W" THEN GOSUB 500
 60 IF A$ = "A" THEN H = H - 1 + IF H < - 1 THEN
     H = -1
 65 IF A$ = "D" THEN H = H + 1 + IF H > 1 THEN H = 1
 66 IF A$ = "A" OR A$ = "D" THEN GOSUB 600
 67 \text{ IF RND } (1) < .05 \text{ THEN H} = INT
      ( RND ( 1 ) * 3 ) - 1 * GOSUB 600
 70 IF A$ = "-" THEN SD = - SD * POKE 54273.1
 74 POKE 54276.0
 75 IF VAL ( A$ ) > 0 AND VAL ( A$ ) < 10 THEN
     SI = VAL ( A$ ) + POKE 54276.0 + POKE 54276.33 +
     POKE 54273,100
80 IF A$ = " _ " THEN U = - U + GOSUB 700
90 SP = SP + SI * SD : IF SP < 50 THEN SP = 50
95 IF SP > 450 THEN SP = 450
100 IF F < 6 THEN AL = AL - INT ( SP / 50 + AT *
      (SP / 5 ) / 5 ) * GOTO 110
105 AL = AL - 100
110 IF F < 7 THEN F = F + ( SI / 3200 )
120 IF F < 7 THEN DI = DI - .1 -
     ( SP / 300 + U / 30 ) / 3 - SP / 50 ÷ 60T0 130
125 DI = DI - .2
130 IF DI < 0 THEN 5000
132 IF DI > 30 AND AL < 0 THEN 5000
133 \text{ IF M} = 1 \text{ THEN } 140
134 PRINT "77 5 0 0 0 0 0 0 0 0 0 0 0 0
      8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
          A A A A A 88 88 88 88 88 88"; AL
135 PRINT " 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
      BE BE BE BE BE BE"; INT ( DI )
136 PRINT " (4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
      ## ## ## ## ## ##"; SP
137 PRINT "0000000000000000000
      00000000000000";
138 IF F < 7 THEN FOR I = 1 TO INT ( F ) \Rightarrow PRINT
     " LE CO ... ; + NEXT
139 PRINT
140 IF F > 5 THEN PRINT " 🔄 📵 📵 📵 📵 📵 📵 📵 📵
      142 POKE 54273,0 : POKE 54276,0 : POKE 54276,129 :
     IF AL < 10 AND DI < 50 THEN POKE 54273,10
143 IF M = 1 THEN 30
144 IF INT ( DI ) > 600 AND INT ( DI ) < 700 THEN
     GOSUB 200
145 IF INT ( DI ) > 400 AND INT ( DI ) < 599 THEN
     GOSUB 250
146 IF INT ( DI ) > 200 AND INT ( DI ) < 299 THEN
     GOSUB 300
147 IF INT ( DI ) > 100 AND INT ( DI ) < 199 AND
     AL < 300 THEN GOSUB 350
```

```
148 IF INT ( DI ) < 80 AND INT ( DI ) > 30 AND
    AL < 200 THEN GOSUB 400
155 IF RND ( 1 ) < .8 THEN 30
156 PRINT "5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    _ _ (C)
    157 PRINT "5 0000000000000000000
    160 IF RND ( 1 ) < .7 THEN 176
161 IF F > 4 THEN PRINT " _ LOW _ ON @ 88 88 88 88 88 88
     FUEL" + 60TO 182
165 IF SP = 450 AND DI < 300 THEN PRINT "COMING
    _ IN (e) ## ## ## ## ## ## ## ## ## ## TOO _ FAST" :
    GOTO 182
170 IF AL < 500 AND DI > 500 THEN PRINT "YOUR . TOO
     . (C) 88 88 88 88 88 88 88 88 88 ALOW!" + GOTO 182
175 IF F > 3 AND SP > 300 THEN PRINT
    " 🖾 ##T00_FAST!" * GOTO 182
176 IF F > 4 OR SP = 450 AND DI < 300 OR AL < 500
    AND DI > 500 OR F > 3 AND SP > 300 OR
    RND ( 1 ) > .2 THEN 30
178 PRINT "LOOKING . . () II A GOOD'"
179 POKE 54276,0 * POKE 54276,17 * FOR I = 1 TO 30 *
    POKE 54273, I + NEXT + POKE 54273, 0
180 GOTO 30
182 POKE 54276,0 : POKE 54276,33
184 FOR I = 10 TO 20 STEP .4 + POKE 54273, I + NEXT +
    POKE 54273,50
185 FOR I = 1 TO 100 \Rightarrow NEXT
190 GOTO 30
200 PRINT " 🔄 📵 🗑 🗑 📵 🗑 🔘 🔘 🔘 🔘 🗩 🗩 🗩 🗩
    9 9 9 9 9 9 9 9 9 9 9 m.. @ # # # .. _ _ .."
210 RETURN
260 RETURN
300 PRINT " 😸 😭 😭 😭 😭 😭 😭 🗩 🗩 🗩 🗎
    9999999999";
310 RETURN
350 PRINT " 😹 🗷 🗷 🗷 🗷 🗷 🗷 🗩 🗎 🗎 🗎 🗎 🗎
    0000000000;
355 PRINT " 7 ... @ 81 81 81 81 .... @ 81 81 81 81 81 81.
      356 PRINT " (4) 81 81 81 81 81 81 81 81 81 81 . . . .
360 RETURN
89999999";
405 PRINT " 🚾 🗊 🖫 🖫 🙎 🕪 👭 👭 👭 🖫 ... 🖫 🕲 👭 👭
    A A A A A 🖼 ";
```


```
411 PRINT " 🕮 🔺 🗸 🗸 🗸 🗸
420 RETURN
THEN PRINT " P P P N N "
510 IF AT = 0 THEN PRINT " 🗐 🗐 🖹 🗎 📛 "
535 POKE 54276,0 * POKE 54276,129 * POKE 54273.20
540 RETURN
600 PRINT " 🔄 🗐 🗐 🕼 🕼 📵 📵 📵 📵 📵 📵 📵 📵 📵 📵
     610 IF H = - 1 THEN PRINT " O O O O O O O O
     ## ## ## Ø"
615 IF H = 0 THEN PRINT "口口自自管管"
616 POKE 54276,0 * POKE 54276,129 * POKE 54273,40
620 RETURN
999999999999";
710 IF U = - 1 THEN PRINT " TUP . .
720 IF U = 1 THEN PRINT " DOWN"
725 POKE 54276.0 + POKE 54276.33 + POKE 54273.5
730 RETURN
1000 POKE 53281,5 * POKE 53280,0
_ TOWER."
1030 PRINT " 🖹 🗐 📵 📵 📵 📵 🔂 🖽 🖽 🗒 RUNWAY"
1050 PRINT " 🖢 🙉 🙉 🙉 🙉 🙉 🙉 🙉 🙉 🗐 🗐 🗐
     D D D M D M D POINT"
1060 PD = 207 + INT ( DI / 150 ) * 40 * POKE CS +
    PO,0 + POKE SC + PO,160
1070 RETURN
5000 POKE 53280,0 + POKE 53281,0 + PRINT
    " 🗸 🖾 🖾 🖾 🖾 🖾 🛣 "
5010 IF AL > 50 THEN PRINT "YOU _ MISSED _ THE
     _ RUNWAY!" # GDTD 6000
5020 IF AL < 0 THEN PRINT " ← + YOU _ CRASHED ← + " +
    GOTO 6000
5030 IF H = -1 AND RND (1) < .7 THEN PRINT
    "YOUR LEFT WING HIT THE RUNWAY!" :
    GOTO 6000
5040 IF H = 1 AND RND ( 1 ) < .7 THEN PRINT
     "YOUR _ RIGHT _ WING _ HIT _ THE _ RUNWAY!" $
    GOTO 6000
5050 IF AT = 1 THEN PRINT "**YOU NOSE-DIVED!**" :
    GOTO 6000
5055 IF AT = - 1 THEN PRINT "**YOU _ BELLY-FLOPPED
     !**" * GOTO 6000
5060 IF SP > 95 THEN PRINT " ↑ ↑YOU _ CAME _ IN _ TOO
     ▲ FAST! ↑ ↑" * GOTO 6000
5065 IF U = - 1 THEN PRINT "YOU _ DIDN'T _ LOWER _ YOUR
```

```
▲ UNDERCARRIAGE."
5070 IF F > 5 OR SP > 90 THEN PRINT "YOU _ JUST _ MADE
       _ IT!" + GOTO 6005
5080 IF SP > 70 THEN PRINT "**A _ HARD _ LANDING! **" =
      GOTO 6005
5090 IF SP > 60 THEN PRINT " BE BEA GOOD LANDING
       5100 PRINT " THAT WAS A PERFECT LANDING!"
5105 POKE 54276,0 + POKE 54276,17 + FOR I = 1 TO 100
       STEP 2 * POKE 54273, I * NEXT
5106 POKE 54273,0
5110 PRINT " I TBRILLIANT! T L SUPER!" : GOTO 6005
6000 POKE 54296,15
6001 POKE 54276,0 + POKE 54276,129 + FOR I = 1 TO 10
       STEP .2 + POKE 54273, I + NEXT
6002 FOR I = 30 TO 0 STEP - .5 + POKE 54273, I + NEXT
6003 FOR I = 1 TO 300 + NEXT + POKE 54273.0
6005 PRINT " @ @ @ @ MDO _ YOU _ WANT _ ANOTHER _ GO?"
6010 GET A$ + IF A$ = "Y" THEN RUN
6020 IF A$ < > "N" THEN GOTO 6010
6030 PRINT " ■ BYE."
6040 END
```

NOOM		
0=3002	36= 255 7	135=3310
1=3898	40=735	136=3051
2=5296	50=3140	137=2624
3=2233	55=2760	138=2586
5=7026	56=1762	139=153
8=4190	6Ø=2737	140=2416
7=6856	65=2353	142=4114
2≈3 898	66=1723	143=727
10=2795	67=2793	144=2387
12=5563	70=2030	145=24 0 7
14=5690	74=527	146=2395
15=4113	75=4753	147=3143
18=4179	80=1627	148=2997
17=3186	90=2518	155=1046
18=4 880	95=1375	156=5476
19=2468	100=4019	157=2 75 7
20=2012	105=811	160=1119
21=3258	110=1777	161=3399
22=2321	120=4317	165=6061
23=3388	125=748	170=5369
24=2151	130=913	175=3161
25=2623	132=1554	176=5700
30=877	133=783	178=2992
35=4638	134=4655	179=3614

180=472	1050=2762
182=1219	1060=3668
184=2619	1070=143
185=964	5000=1804
190=472	5010=3454
200=2118	5020=2939
210=143	503 0=5329
250=3406	5040=5235
260=143	5050=3056
300=1045	5055=3516
305=6203	5060=3840
310=143	5065=4263
350=1045	5070=3 603
355=4 85 7	508 0=3085
356=2422	5090=3623
360=143	5100=2574
400=993	5105=3249
405=6167	5106=528
410=8806	5110=2449
411=1203	6000=595
420=143	6001=3342
500=2285	6002 =203 3
510=1399	S003=1587
530=1399	6005=2352
535=1964	6010=1263
540=143	6020=1570
800=2497	6030=517
605=1898	6040=129
810=2579	
S15=1667	TOTAL = 366336
818=1362	
820=143	
700=2515	
710=1481	
720=1227	
725=1838	
730=143	
1000=1176	
1005=761	
1010=2084	
1020=878	
1030=1760	

Slalom



Can you complete the slope? If you can, how many points can you get?

You gain points for passing through the posts and crash if you hit a tree or an ice crack.

Watch the skier jump for joy if he completes the course or end up, upside-down in the snow if he trips on a tree!

Your controls are:

'Z' tilts the skis left

'M' tilts the skis right

Movement continues in the chosen direction until changed!

PROGRAM STRUCTURE	LINES
INITIALIZATION Note: 6 clears collision register by PEEKing it	0-6
FINISHED COURSE?	10
READ KEY If course ending print finish line	11
GO LEFT?	12
GO RIGHT?	14
CHECK FOR LEFT, RIGHT BOUNDARIES	15 — 16
UPDATE POSITION OF SKIER	17—18
HIT ANYTHING?	19
PRINT AND MOVE TREES	20 — 80
FINISHED COURSE	100
WHAT HAS BEEN HIT?	101 — 108
SOUND ROUTINE	200 — 220
PRINT FINISH LINE ROUTINE	300 — 310
FINISHED ROUTINE WITH JUMPING SKIER	500 — 540
ANOTHER GAME?	550 — 580
MISSED FINISH POSTS	1000 — 1050
DATA	9000 — 10040

D = DIRECTION OF SKIER: 0 = LEFT, 1 = STRAIGHT, 2 = RIGHT

V = VIDEO CHIP

SL = LENGTH OF COURSE COVERED

S = SCORE

I, Q, A, Z = TEMPORARY STORAGE

X = POSITION OF SKIER (HORIZONTAL)

PE = KEY PRESSED

X1 = TREE POSITION

T = NO. OF TREES

```
SLALOM
   O POKE 55,255 * POKE 56,47 * POKE 53281,15 *
       POKE 53280,15 ÷ PRINT "□"
    1 D = 1 \div X = 140 \div V = 53248 \div SL = 0 \div S = 0 \div
       POKE V + 21,1
   2 POKE 2040,193 + POKE V + 39,2 +
       FOR I = 0 TO 318 \div READ Q \div
       POKE 12288 + I,Q = NEXT
   3 POKE 54278.0 * POKE 54276.0 * POKE 54273.0 *
       POKE 54272,0
   4 POKE 54296,10 + POKE 54278,240 + POKE 54276,129
   5 FOR I = 12800 TO 12871 + READ A + POKE I,A +
       NEXT + POKE V + 24,28 + FOR I = 12544 TO 12551
   6 POKE I,0 + NEXT + POKE V,X + POKE V + 1,60 +
       Z = PEEK (V + 31)
  10 S = S + 1 + SL = SL + 1 + PRINT " (2) (2) (2) (2) (3)
        IF SL = 220 THEN 1000
  11 POKE 54273,0 + PE = PEEK ( 197 ) +
       IF SL = 180 THEN GOSUB 300
   12 IF PE = 12 AND D > 0 THEN D = D - 1 :
       POKE 2040,192 + D + POKE 54273,100
   14 IF PE = 36 AND D < 2 THEN D = D + 1 :
       POKE 2040,192 + D + POKE 54273,100
   15 IF X < 45 THEN D = 1 + X = 45 +
       POKE 2040,192 + D + GOTO 18
   16 IF X > 239 THEN D = 1 + X = 239 +
       POKE 2040,192 + D = GOTO 18
   17 X = X + (D - 1) * 3
   18 POKE V, X
   19 IF PEEK ( V + 31 ) = 1 THEN 100
  20 IF RND ( 1 ) \langle .7 AND T = 0 AND SL \langle 175 THEN
       T = 1 \div X1 = INT (RND (1) * 30)
  25 IF PE = 12 OR PE = 36 THEN POKE 54273.0
  30 IF RND ( 1 ) < .1 AND T = 0 AND SL < 175 THEN
       PRINT TAB( INT ( RND ( 1 ) * 30 ) )
       ; " 🖿 II 💻 AAAAAAA 💻 II "
  31 IF RND ( 1 ) < .1 AND T = 0 AND SL < 175 THEN
       PRINT TAB( INT ( RND ( 1 ) * 30 ) )
       ;" 🖾 🏚 🏚 🛧 " ÷ GOTO 10
   40 IF T = 0 THEN PRINT : GOTO 10
  50 IF T = 1 THEN PRINT TAB( X1 ) ; " ■ ■ 🗥 🚞 " ÷
       T = 2 \div 60T0 10
  60 IF T = 2 THEN PRINT TAB( X1 ) " ■ 🗖 🚍 🗒 🗒 " ÷
       T = 3 \div 60T0 10
  T = 4 \div 60T0 10
  80 IF T = 4 THEN PRINT TAB( X1 ) " ■ 👢 🖽 "
       T = 0 = GOTO 10
  100 IF SL > 197 THEN 500
  101 IF PEEK ( 1104 + ( X - 20 ) / 8 ) = 1 OR
       PEEK ( 1405 + (X - 20) / 8) = 1 THEN
```

102 IF PEEK (1106 + (X - 20) / B) = 1 THEN

GOTO 20

GOTO 20

```
103 IF PEEK ( 1144 + (X - 20) / 8) = 1 OR
     PEEK ( 1145 + (X - 20) / 8) = 1 THEN
     GOTO 200
104 IF PEEK ( 1146 + (X - 20) / B) = 1 THEN
     GOTO 200
105 IF PEEK ( 1064 + ( X - 20 ) / 8 ) = 1 OR
     PEEK ( 1065 + (X - 20) / 8) = 1 THEN
     GOTO 20
106 IF PEEK ( 1066 + (X - 20) / 8) = 1 THEN
     GOTO 20
107 IF PEEK ( 1024 + (X - 20) / 8) = 1 OR
     PEEK ( 1025 + (X - 20) / 8) = 1 THEN
     GOTO 20
108 IF PEEK ( 1026 + (X - 20) / 8) = 1 THEN
     GOTO 200
110 POKE 54296,15
115 POKE 2040,196 : FOR I = 60 TO 170 :
     POKE 54273,175 - I : POKE V + 1, I : NEXT
116 POKE 54273.1
120 POKE 2040,195
130 FOR I = 1 TO 700 * NEXT * POKE 54273,0
140 POKE V,0 + POKE V + 1,0 + POKE 53280,0 +
     POKE 53281,0 * POKE V + 24,20
150 PRINT " MARD LUCK YOU'VE CRASHED!"
160 PRINT " 📵 📵 📵 🖎 YOU 🗼 COMPLETED 🖼 "
     INT ( SL / 2 ) ; " % . OF . THE"
170 PRINT "COURSE. ₩YOU _ SCORED _ "
      INT ( S / 4 ) "POINTS."
180 GOTO 550
200 S = S * 2 + POKE 54296,15 + POKE 54276,0 +
     POKE 54276,33 \div FOR I = 20 TO 50 \div
     POKE 54273, I * NEXT
210 POKE 54296,15 * POKE 54276,0 * POKE 54276,129 *
      POKE 54273,0
220 GOTO 20
300 PRINT " 🗷 🗷 🖪 🗊 🗊 🗊 🗊 🗊 🗎 🗎 🖸
      310 RETURN
500 POKE 54273,10 * POKE 2040,193 *
      FOR I = 1 TO 5 * FOR J = 1 TO 20 STEP 1 *
      FOR Z = 1 TO 20 \div NEXT
510 POKE V + 1,50 + J + NEXT J + FOR J = 20 TO 1
      STEP - 1 * FOR Z = 1 TO 20 * NEXT *
      POKE V + 1,50 + J = NEXT J,I
515 FOR I = 1 TO 240 STEP 5 + POKE 54273, I + NEXT +
      POKE 54273.0
520 POKE V,0 + POKE V + 1,0 + POKE 53280,0 +
      POKE 53281,0 : POKE V + 24,20
530 PRINT " ☑ ■ YOU'VE _ COMPLETED _ THE _ COURSE!"
540 PRINT " . S. . SCORED . . "; S ;
      " 🗯 🕍 POINTS."
550 PRINT " 🖭 🖭 🛣 DO , YOU , WANT , TO , PLAY , AGAIN?"
560 GET A$ : IF A$ = "Y" THEN RUN
```

```
570 IF A$ < > "N" THEN 560
 575 PRINT " [ ] [ ] MBYE"
 580 END
 1000 FOR I = 1 TO 240 + POKE 54273, I + NEXT +
        POKE 54273,0 + POKE 53280,0 + POKE 53281,0
 1010 POKE V,0 + POKE V + 1,0 + POKE V + 24,20 +
        PRINT " 🖸 🚮 HA 🗼 HA!"
 1020 PRINT " M L YOU _ MISSED _ THE _ FINISH _ POST!"
 1030 PRINT " I BAD LUCK."
 1040 PRINT "回 麵YOU _ SCORED _ "; INT ( S/4 ) ; " _ POINTS."
 1050 GOTO 550
9000 DATA 0,56,0,0,56,0,0,56,0,0,16,0,0,124
        ,0,0,187,0,1,57,0,1,57,0,0,185
9010 DATA 0,0,165,0,0,36,0,0,68,0,0,66,0,0
        ,34,0,0,35,0,0,50,0,0,36,0,0,72,0
9020 DATA 0,144,0,1,32,0,2,64,0,99
9030 DATA 0,56,0,0,56,0,0,56,0,0,16,0,0,124
        ,0,0,187,0,1,57,0,1,57,0,0,185
9040 DATA 0,0,165,0,0,36,0,0,68,0,0,66,0
        ,0,42,0,0,38,0,0,50,0,0,33,0,0,64,128
9050 DATA 0,128,64,1,0,0,2,0,0,99
9060 DATA 0,56,0,0,56,0,0,56,0,0,16,0,0
        ,124,0,0,187,0,1,57,0,1,57,0,0,185
9070 DATA 0,0,165,0,0,36,0,0,6B,0,0,66,0
        ,0,42,0,0,38,0,0,98,0,0,33,0,0,16,128
9080 DATA 0,8,64,0,4,32,0,2,16,99
9100 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
9110 DATA 0,0,0,16,0,8,8,0,16,4,0,32,2,0
        ,64,1,0,128,0,129,0,2,66,64
9120 DATA 0,0,0,0,255,0,99
9160 DATA 2,0,0,1,0,0,0,128,64
9170 DATA 0,64,128,0,33,0,0,50,0,0,38,0,0
        ,42,0,0,66,0,0,68,0,0,36,0,0,165,0
9180 DATA 0,185,0,1,57,0,1,57,0,0,187,0,0
        ,124,0,0,16,0,0,56,0,0,56,0,0,56,0
10000 DATA 255,255,255,255,255,255,255
10010 DATA 0,0,0,59,255,231,0,0,128,192,224
        , 240, 128, 128, 128, 128, 3, 3, 3, 3, 3, 3, 3, 3
10020 DATA 192,192,192,192,192,192,192
10030 DATA 0,0,24,24,60,126,126,255,3,3,7,15
        ,31,63,63,127,192,192,224,240,240
10040 DATA 248,252,252,60,60,60,60,60,60,60,60
```


LAGUIVI		
0=2830	160=3334	10010=4281
1=3026	170=3119	10820=1902
2=3673	180=530	10030=4066
3=2383	300=44 22	10040=2100
4=2089	210=2552	
5=4182	220=472	TOTAL= 229575
8=2753	300=5050	
10=3754	310=143	
11=2723	500=4251	
12=3453	510=5001	
14=3457	515=2516	
15=2994	520=2981	
15=3110	530=2644	
17=1153	540=2579	
18=376	550=2476	
19=1393	560=1263	
20=3777	57 0 =1129	
25=1955	57 5 =543	
30=53 92	580=129	
31=5193	1000=3519	
4 0=1 33 9	1010=2716	
50=2568	1020=2593	
80=2 907	1030=906	
70=2917	1040=2786	
80=2457	1050=530	
:00=1006	900 0 =36 98	
101=4334	9010=3934	
102=2449	9020=1449	
103=4395	3030=3 698	
104=2506	9040=4174	
105=4336	9050=1406	
106=2449	9060=3698	
107=4332	9070=4198	
108≕25 0 6	3080=13 80	
110=595	3100=3 861	
115=3526	9110=3293	
116=529	3120=977	
120=576	9160=1175	
130=1587	9170=3913	
140=2981	9180=3949	
150=2402	10000=1886	

Fruit Machine




A version of the old favourite. It costs you £10 a go and you can win up to £100. Pull the handle and try your luck!

The program contains some nice graphics. All instructions are included.



SPRITE

CHERRY



SPRITE

STRAWBERRY

PROGRAM STRUCTURE	LINES
SPRITE INITIALIZATION	1 — 10
DRAW MACHINE	20 — 115
GET KEY: CONTINUE OR END	120
CALL 'HANDLE DOWN'	122
GET 3 RANDOM FRUITS	125 — 140
POSITION FRUITS	141 — 142
CALCULATE PRIZE	160 — 170
DISPLAY FRUITS	171 — 175
DRAW HANDLE UP	178 — 180
CALCULATE WALLET	190 — 200
IF BROKE, CONTINUE OR END	210 — 5000
DRAW 'HANDLE DOWN'	8000 — 8030
SPRITE DATA	9000 — 9080

 $\mathbf{M} = \mathbf{MONEY}$

W = PRIZE MONEY FOR CURRENT SPIN

V = SPRITE POINTER

R(X) = FRUIT ARRAY (X = 1, 2, or 3)

```
FRUIT MACHINE
        1 M = 30 + W = 0
        2 DIM R ( 3 ) + V = 53248 + POKE V + 21.7
        3 POKE 2040,13 + POKE 2041,14 + POKE 2042,15
                 * POKE V + 39,2 * POKE V + 40,5 * POKE V + 41,9
        4 FOR N = 0 TO 190 + READ Q + POKE 832 + N,Q + NEXT
        5 POKE V,108 * POKE V + 1,100 * POKE V + 2,160
                 * POKE V + 3,100 * POKE V + 4,210
                 * POKE V + 5,100
      10 POKE 53281,0 : POKE 53280,0
      20 PRINT " D MONEY . £"
      30 PRINT " (2) (3) Til .
                                                                    _ 🖾 _
      31 PRINT "TIL .
      32 PRINT " TO
                                                               R
      33 PRINT "T
                                           ـ اھا ـ
                                                         _ IE
      34 PRINT
                                                                                                                 | E
                                                         . =
                                           _ 121 _
                                                                                    ᅟᅜ
      35 PRINT " TO .
                                                                                                              _ E3 _
                                                      _ _ 🖾 _ _
                                               ـ استا
      36 FOR I = 1 TO 7
      37 PRINT " 7 .
     38 NEXT
     39 PRINT " 🗷 📵 📵 📵 🔘 🔘 🔘 🔘 🔘 🔘 🐯 👪 👪 👪 🖼 🚨 🛦
                  42 PRINT " A S O O O O O O O O O O O O O O O O
                43 PRINT "BB _ _ _ BB _
     44 PRINT " 🗒 🗒 🗒 🛕 🗒 💂 🗸 🗒 💂
                                                                                                 _ 🕮 _ _
     45 PRINT " 🗒 🛕 🛕 📵 🛕 📵 🛕 📵 🗸 🗒 🗸 🖽
                 ▲ 🔞 🛕 MACHINE
    46 PRINT " M L YOU _ WIN _ £"
   回证'C'、TO、CARRY、ON @ BE BE BE BE BE BE BE BE BE BE
                ## ## ## 'Q' _ TO _ QUIT"
  115 POKE 198,0
  120 GET A$ : IF A$ = "Q" THEN 5000
   121 IF A$ < > "C" THEN 120
  122 GOSUB 8000
  125 \text{ FOR I} = 1 \text{ TO } 3
  130 R (I) = INT (RND (1) * 3 + 1)
                # IF RND (1) < .7 AND R (I) = R (I - 1)</pre>
               THEN 130
  131 IF R ( I ) = 3 AND RND ( 1 ) < .6 THEN 130
  140 NEXT
  141 IF I = 2 THEN PRINT " 2 ( ) ( ) ( ) ( ) ( ) ( ) ( )
```

```
999999999999";
142 IF I = 3 THEN PRINT " 5 @ @ @ @ @ @ @ D D D
     160 IF R ( 1 ) = 1 AND R ( 2 ) = 1 AND R ( 3 ) = 1
    THEN W = 10
161 IF R (1) = 1 AND R (2) = 1 AND R (3) \langle \rangle 1
    THEN W = 5
162 IF R (1) = 2 AND R (2) = 2 AND R (3) = 3
    THEN W = 20
163 IF R (1) < > 2 AND R (2) = 2
    AND R (3) <>2 THEN W = 15
164 IF R (1) = 3 AND R (2) = 3 AND R (3) = 3
    THEN W = 100
165 IF R ( 1 ) = 3 AND R ( 2 ) = 3 AND R ( 3 ) < > 3
    THEN W = 50
166 IF R ( 1 ) < > 3 AND R ( 2 ) = 3
    AND R (3) < > 3 THEN W = 50
170 IF W < > 0 AND RND ( 1 ) < .8 THEN 125
171 POKE V + 21,7 + FOR Z = 1 TO 3
172 IF R ( Z ) = 1 THEN POKE V + 38 + Z, 2
173 IF R ( Z ) = 2 THEN POKE V + 38 + Z,5
174 IF R ( Z ) = 3 THEN POKE V + 38 + Z, 9
175 POKE 2039 + Z,R ( Z ) + 12 + NEXT
178 PRINT " 🔄 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
     180 PRINT " 🗃 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑 🗑
     190 M = M - 10
200 M = M + W + W = 0 + IF M > 0 THEN GOTO 100
210 PRINT " 2 MYOUR BROKE!!"
220 PRINT " MWANT ANOTHER GAME?"
230 GET A$ : IF A$ = "Y" THEN RUN
240 IF A$ < > "N" THEN 230
250 END
5000 PRINT " " + PRINT "BYE BYE THEN"
5010 END
8020 POKE V + 21,0
8028 FOR I = 1 TO 500 * NEXT
8030 RETURN
9000 DATA 0,0,96,0,0,224,0,1,224,0,2,224,0,2,96,0,
    4,32,0,8,0,0,8,0,0,28,0,0,62
9010 DATA 0,0,127,0,0,255,128,1,255,192
9015 DATA 1,255,192,1,255,192,1,255,192,0,255,128,0
9020 DATA 127,0,0,62,0,0,28,0,0,0,0,99
9030 DATA 0,1,128,0,2,0,0,4,0,0,4,0,0,63,0,0,255,
```

128, 7, 255, 192, 15, 255, 224, 31, 255

- 9040 DATA 240,63,255,248,63,255,248,63,255,248,63, 255, 248, 31, 255, 240, 31, 255, 240 9050 DATA 31,255,192,15,255,192,7,255,128,3,255,0,1, 255,0,0,60,0,99 9060 DATA 0,0,0,0,24,0,0,36,0,0,36,0,0,24,0,0,60,0, 0,127,0,0,255,128,0,255,128 9070 DATA 0,255,128,1,255,192,1,255,192,3,255,224,3, 255, 224, 7, 255, 240, 7, 255, 240
- 9080 DATA 7,255,240,15,255,248,127,255,255,63, 255, 254, 0, 24, 0

CHEXSUM

:XOUM	
1=747	142=2050
2=1705	160=2495
3=3987	161=2636
4=2108	162=2498
5=4411	183=2911
10=1171	164=2556
20=946	165=2 695
30=1930	186=2915
31=1888	170=1780
32=1888	171=1385
33=2435	172=1743
34=2435	173=1745
35=2435	174=1749
36= 6 56	175=1456
37=1388	178=4440
38=131	173=4386 .
39=4986	180=2003
42=4097	130=616
43=2042	200=2241
44=3718	210=1173
45=3 005	220=1667
46=1096	230=1263
100=1659	240=1120
110=5948	250=129
115=420	5000=1624
120=1354	5010=129
121=1113	9000=4347
122=355	8010=4570
125=656	3020=616
130=3960	8028 =964
131=1765	8030=143
140=131	9000=4291
141=1609	9010=1762


9050=32 9 1
9060=4274
9070=4437
9080-2908
TOTAL= 165341

8015=2402 9020=1632 9030=4497 9040=4467

SPRITE

BELL

Sea Harrier



This is an exciting up-to-date warfare game!

You are the pilot of a carrier-based aircraft and your mission is to destroy an invading submarine using depth charges.

The enemy submarine must be destroyed in one minute, by dropping a depth charge on him, or he will escape to attack your country. When dropping your charges you must be careful not to detonate a nuclear mine placed by your own forces! The submarine will change depth and speed trying to avoid your assault.

On the right is you fuel gauge, if it reaches the top you have run out of fuel and will crash. To prevent this you can return to your carrier to replenish your fuel and launch another attack on the sub. Be careful to land gently and not crash.

Your controls are:

'Z' to move up

'C' to move down

'< ' to go left

 $^{\prime}$ >' to go right

'space bar' to drop

depth charge

PROGRAM STRUCTURE	LINES
INITIALIZATION	1 — 10
DECREMENT FUEL GAUGE	11
MOVE SUBMARINE	12 — 14
MOVE HARRIER — INPUT KEY	20
FIRE CHARGE	25
IF FIRED MOVE THE CHARGE	26
MOVE UP	30
MOVE LEFT	40
MOVE RIGHT	50
MOVE DOWN, CHECK IF HIT SEA	56
MOVE DOWN, CHECK IF HIT SHIP	57
CHECK TIME	59
MOVE CHARGE	100
HIT SUBMARINE?	125
HIT MINE?	126 — 130
DESTROYED SUBMARINE	200 — 260
HIT NUCLEAR MINE	300 — 360
TIME UP?	400 — 450
CRASHED INTO SHIP?	500 — 550
CRASHED INTO SEA?	5000 — 5040
START AGAIN?	5050 — 5090

V = VIDEO CHIP


CO = SOUND CHIP

X, Y = HORIZONTAL, VERTICAL FOR SPRITE #0 (HARRIER)

X1, Y1 = HORIZONTAL, VERTICAL FOR SPRITE#1 (SUB)


X2, Y2 = HORIZONTAL, VERTICAL FOR SPRITE #3 (CHARGE)

TIS = TIME LEFT




SPRITE

HARRIER (PLAYER)




SPRITE

SUBMARINE



SPRITE

MINE



SPRITE

BOMB (PLAYER)

SEA HARRIER

```
0 POKE 55,255 ÷ POKE 56,47 ÷ PRINT "♥" ÷ V = 53248
     * CO = 54272 * POKE 53281,0 * POKE 53280,2
     F = 10
 1 FOR I = 55816 TO 56296 + POKE I.6
     * POKE I - CO. 160 * NEXT * G = 0
 2 POKE V + 21.63 * POKE 2040.192 * POKE 2041.193
     * POKE 2042,194 * POKE 2043,195 * POKE V + 44,7
 3 POKE 2044,195 + POKE 2045,196 + POKE V + 39,1
     * POKE V + 40.14 * POKE V + 41.0
     * POKE V + 42,21
 4 POKE V + 43,7 + POKE V + 29,18 + POKE V + 23,16
    * FOR I = 0 TO 318 * READ Q * POKE 12288 + I,Q
     + NEXT + X = 26
 5 Y = 133 \div X1 = 29 \div Y1 = 160
    + INT ( RND ( 1 ) * 60 ) + POKE V, X
    * POKE V + 1, Y * D = 1 * POKE V + 2, X1
     * POKE V + 3.Y1
6 FOR J = 0 TO 24 + FOR I = 55330 TO 55335
     * POKE I + J * 40,2 * POKE I + J * 40 - CO,160
     * NEXT I.J
 7 POKE V + 5,160 + INT ( RND ( 1 ) # 60 )
    * POKE V + 4,70 + INT ( RND ( 1 ) * 180 )
▲ ▲ ■ 🗷 🖼 " ÷ POKE V + 8,210 ÷ POKE V + 9,55
     # GOSUB BO
9 POKE 54296,1 + POKE 54278,240 + POKE 54276,129
    TI$ = "000000"
10 PRINT " 🔄 📵 📵 🔞 👭 👭 👭 👭 🛗 🖼 TIME"
11 PRINT " [2] [0] [0] [0] ## ## [2]"; RIGHT$ ( TI$,2 )
     # POKE 55652 + INT ( F ) # 40,4
12 X1 = X1 + D * 2 = IF X1 > 240
    THEN D = INT ( RND ( 1 ) \$ 3 - 3 )
    * Y1 = 160 + INT (RND (1) * 60)
13 IF X1 < 28 THEN D = INT ( RND ( 1 ) * 3 + 1 )
    * Y1 = 160 + INT (RND (1) * 60)
14 POKE V + 2, X1 + POKE V + 3, Y1
20 PE = PEEK ( 197 )
25 IF PE = 60 AND X > 60 AND X2 = 0 THEN X2 = X
     * Y2 = Y + 8 * 61 = 0 * F = F - .1
     • POKE 53273,200
26 IF X2 > 0 THEN GOSUB 100
27 IF F < 1 THEN 53
28 IF PE < > 12 AND PE < > 20 AND PE < > 47
    AND PE < > 44 THEN POKE 54272,0 : POKE 54273,0
     $ GOTO 56
29 POKE 54273,108 + POKE 54272,223
30 IF PE = 12 AND Y > 50 THEN Y = Y - 2
40 IF PE = 47 AND X > 28 THEN X = X - 4
50 IF PE = 44 AND X < 230 THEN X = X + 6
51 F = F - .06 + IF PE = 20 THEN F = F - .1 + G = G + 2
     # GOTO 56
53 IF Y > 140 THEN 5000
54 IF F < 1 THEN Y = Y + G \div GOTO 56
55 G = 0 + 60T0 58
56 \ Y = Y + G \div G = G + .1 \div IF \ Y > 140 \ THEN 5000
```

```
57 IF X > 25 AND X < 59 AND Y > 133 AND G > 1.3
     THEN 500
58 IF X > 25 AND X < 59 AND Y > 133 THEN G = 0
     * F = 10 * Y = 133 * GOSUB 80
59 POKE V, X + POKE V + 1, Y + IF TI$ = "000100"
     THEN 400
60 GOTO 11
85 RETURN
100 X2 = X2 + .5 \div IF Y2 > 140 THEN Y2 = Y2 + G1 / 2
102 IF Y2 < 141 THEN Y2 = Y2 + G1
105 IF G1 = 0 THEN POKE 54272.0 + POKE 54273.40
106 \ G1 = G1 + .3
110 POKE V + 7, Y2
112 POKE V + 6, X2
120 IF Y2 > 230 THEN Y2 = 0 \div X2 = 0 \div POKE V + 7,0
     \Rightarrow G1 = 0
125 IF PEEK ( V + 30 ) = 10 THEN 200
126 IF PEEK ( V + 30 ) = 12 THEN 300
130 RETURN
200 POKE V + 2,0 + POKE V + 3,0 + POKE V + 10,X1
     POKE V + 11,Y1 + POKE 54296,15
210 FOR I = 70 TO 10 STEP - .3 + POKE 54273, I + NEXT
     * POKE 54273,0 * POKE 54272,0
220 FOR I = 1 TO 11 * POKE V + I,0 * NEXT
230 POKE V + 10,0 + POKE V + 11,0
      + PRINT " ☑ @ @ 🖪 YOU'VE _ DESTROYED _ THE
        ▲ SUBMARINE!!!!"
240 PRINT " (I) (I) AWELL _ DONE!"
250 PRINT " I TYOUR TIME WAS "; RIGHT$ ( TI$,2 )
      ; " _ SECONDS"
260 GOTO 5050
300 FOR I = 1 TO 11 + POKE V + I,0 + NEXT
      * POKE V + 29,32 * POKE V + 23,32
310 POKE V + 2,0 + POKE V + 3,0 + POKE V + 10.X2
      POKE V + 11, Y2 + POKE 54296, 15
      * POKE 53281,8
320 FOR I = 90 TO 0 STEP - .2 * POKE 54273, I
      * POKE 53280, I / 10 * NEXT * POKE 54273,0
      * POKE 54272,0
325 POKE 53280,0 : POKE 53281,0 : POKE V + 29,0
      PDKE V + 23,0
330 POKE V + 10,0 + POKE V + 11,0
      PRINT " ☑ @ @ 🖪 🗗YOU'VE _ HIT _ THE
        _ NUCLEAR _ MINE!!!!!!!!!
340 PRINT " ( ) ( ) IDIOT!!!!"
350 PRINT " M TO YOU _ LASTED _ FOR _ "; RIGHT$ ( TI$,2 )
      ; " _ SECONDS."
360 GOTO 5050
400 POKE 54296,15 + POKE 54276,0 + POKE 54276,33
410 FOR I = 255 TO 0 STEP - 2 * POKE 54273, I * NEXT
      * POKE 54273,0 * POKE 54272,0
420 FOR I = 0 TO 11 + POKE V + I,0 + NEXT
```


* POKE 53280,0 * POKE 53281,0

```
430 PRINT " 2 @ @ 2 YOU'VE RUN OUT OF TIME!"
 435 PRINT " 2 @ @ THE SUB WILL GO ON TO
       _ DESTROY _ YOUR _ _ _ _ COUNTRY!!!!!"
 440 PRINT " 🗹 🗹 🗹 🗗 AYOU 🛣 BUNGLING 🖫 FOOL!!!!!!"
 450 GOTO 5050
500 POKE V,0 + POKE V + 1,0 + POKE V + 10,X
      * POKE V + 11,Y * POKE 54296,15
510 FOR I = 70 TO 20 STEP - .2 + POKE 54273, I
      * NEXT * POKE 54273.0 * POKE 54272.0
520 FOR I = 1 TO 11 + POKE V + I,0 + NEXT
530 POKE V + 10.0 ÷ POKE V + 11.0 ÷ PRINT " ☑ 🗷 🖭 💌 💌 YOU'VE
      _ CRASHED INTO _ YOUR _ SHIP!!!!"
540 PRINT " @ @TOUGH _ LUCK!"
550 GOTO 5050
5000 POKE V,0 + POKE V + 1,0 + POKE V + 10,X
      * POKE V + 11,Y * POKE 54296,15
5010 FOR I = 80 TO 30 STEP - .2 * POKE 54273, I
      * NEXT * POKE 54273,0 * POKE 54272,0
5020 FOR I = 1 TO 11 + POKE V + I,0 + NEXT
CRASHED INTO THE SEA!!!!!"
5040 PRINT " ( THARD LINES."
5050 PRINT " 🔄 👩 🔘 🔘 🔘 🔘 🔘 🔘 🔘 🔘 🔘 🗘 DO 🗼 YOU
       _ WANT _ ANOTHER _ GO?"
5060 GET A$ : IF A$ = "Y" THEN RUN
5070 IF A$ < > "N" THEN 5060
5080 PRINT " @ @ #BYE _ BYE."
5090 END
9000 DATA 0,0,0,0,0,0,192,0,0,192,0,0,240,0,0,
      252, 3, 0, 255, 255, 192, 255, 255, 252
9010 DATA 63,255,255,63,255,240,31,240,0,63,252,0,
      43.0.0.0.0.0.0.0.0.0.0.0.0.0.0
9020 DATA 0,0,0,0,0,0,0,0,0,0,0,0,99
9030 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,56,0,0,56,0,0,124,
      0,3, 255,192,127,255
9040 DATA 252,255,255,255,255,255,252,15,255,224,0,
      0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
9050 DATA 0,0,0,0,0,0,0,99
9060 DATA 0,0,0,0,0,0,0,0,0,0,4,8,16,2,8,32,1,8,
      64,0,136,128,0,127,0,0,127,0
9070 DATA 7,255,240,0,127,0,0,127,0,0,136,128,1,8,
      64,2,8,32,4,8
9080 DATA 16,0,0,0,0,0,0,0,0,0,0,0,0,99
0,28,0,0,62,0,0,127,0,0
9100 DATA 127,0,0,127,0,0,62,0,0,28,0,0,0,0,0,0,0,0,0,
      0,0,0,0,0,0,0,0,0,0,0,0,0,0
9110 DATA 99,128,0,32,18,1,8,233,0,4,99,63,1,48,
      84, 32, 19, 8, 1, 89, 109, 22
9120 DATA 8,12,38,0,52,149,128,243,211,99,63,0,128,
      72,1,19,8,0,89,2,22
9130 DATA 99,0,2,18,76,149,2,64,1,99,4,7,91,16,0,
      19,8,54,1,109,22
```

\sim L	EVOL	
СП	EXSL	M

XSUM		
0=4547	120=2767	5090=129
1=3112	125=1456	9000=4154
2=4167	126=1456	9010=4267
3=4349	130=143	9020=1658
4=5113	200=3543	3030=4363
5=6075	210=3335	3040=4 505
6=5016	220=1586	9050=1073
7=3662	230=5195	9060=4352
3=3639	240=1024	9070=3090
3=2951	250=3231	9080=1729
10=1693	260=583	9090=3383
11=2818	309=3144	9100=4333
12=4928	310=4208	9110=3547
13=3797	320=4282	3120=3500
14=1404	325=2810	3130=3180
20=796	330=52 0 3	
25=5010	340=331	TOTAL= 258720
26=9 96	35 0=3353	
27=718	360=583	
28= 526 5	400=1906	
29=1376	410=3311	
30=1943	420=2804	
40=1940	430=2293	
50=1997	435=4916	
51=3427	440=2101	
53≃971	450=583	
54=1790	500=3128	
55=846	510=3334	
58=2312	520=1586	
57=2713	530=4981	
58=3539	540=1099	
59=2456	5 50 ≃583	
60=473	5000=3128	
30=5320	5010=3339	
85=143	5020=1586	
100=2708	5030=4708	
102=1593	5040=1138	
105=1881	5050=2839	
106=705	5060=1263	
110=658	5070=1188	
112=656	5080=1002	

Cats & Dogs



It's raining cats and dogs! You have to catch suicidal cats and dogs but if you don't they die. For every third miss, a cross will appear, but you are only allowed three crosses.

Controls are: 'Z' to move your animal lover to the left and 'M' to move him/her right.

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 9
CHECK ANIMALS AND MOVEMENT USING KEYS PRESSED	11 — 14
CAUGHT ANYTHING? YES: SCORE	15
NOISE	20 — 22
MOVE MAN	25 — 30
NOISE	60
IF THIS ANIMAL NOT ON SCREEN	65
PUT ONE ON (12% CHANCE)	66 — 69
ELSE MOVE HIM DOWN	70 — 85
IF HIT GROUND	86
PICTURE	90
SOUND	91 — 92
IF 3 HIT: TUNE AND CROSS	93
ELSE IF CAUGHT	94
NOISE	95 — 97
SCORE AND PICTURE	98 — 100
NEXT ANIMAL	105 — 110
DO ALL AGAIN	120
TUNE AND CROSS FOR HIT ANIMALS	1000 — 1040
IF 3 DEAD	1050
TUNE AND MESSAGES	2000 — 2110
DATA	8000 — 9045

LL = LIVES LOST

P = YOUR POSITION

L = ARRAY POSITION OF ANIMALS

SP = ARRAY WHETHER CAT OR DOG

CATS AND DOGS

```
0 L = 1 + POKE 55,255 + POKE 56,27 + V = 53248
     * FOR I = 1 TO 54 * READ R * NEXT
 1 PRINT "□" + POKE V + 32,3 + POKE V + 33,1
     * FOR I = 12544 TO 12551 * POKE I,0 * NEXT
     * POKE V + 24,28
 2 POKE 54296,10 + POKE 54276,0 + POKE 54278,240
     * FOR I = 12288 TO 12407 * READ R * POKE I,R
     * NEXT
 3 POKE 54290.0 + POKE 54292,240
4 P = 11 ÷ DÍM L (3), SP (3) ÷ FOR I = 1 TO 3

÷ L (I) = 0 ÷ SP (I) = 0 ÷ NEXT
 5 S = 0 \div SC = 1024 \div C0 = 54272 \div CS = 55296
 6 PRINT
     ## ## ## ## J⊟KM @ ## ##NM @ ## ##N"
      + FOR I = 1824 TO 2023 
 7 POKE I + CO,2 + POKE I,4 + NEXT + POKE 198,0
 B POKE V + 33,0 + POKE V + 32, RND ( 1 ) * 16
     # GET A$ # IF A$ = "" THEN 8
9 POKE V + 32,6
10 FOR I = 1 TO 3
12 P1 = P + M = PEEK ( 197 )
     * IF M < > 12 AND M < > 36 THEN 50
13 P1 = P1 + (M = 36) * (P1 < 38) - (M = 12)
     * ( P1 > 1 ) * IF P1 = P THEN 50
14 PE = PEEK ( 1744 + P1 )

    IF PE > 5 AND PE < 32 THEN 50</li>

15 PE = PEEK ( 1784 + P1 )
     * IF PE < > 32 THEN DS = S / 2
     * IF S < 60 THEN S = S * 2 * GOTO 60
20 POKE 54277,0 + POKE 54286,240 + POKE 54276,0
     * POKE 54273,40 * POKE 54272,200
21 POKE 54276,129 + POKE 54290,0
22 POKE 54291,0 + POKE 54292,240 + POKE 54287,57
     * POKE 54286,172 * POKE 54290,17
25 POKE 1744 + P,32 + POKE 1784 + P,32
     * POKE 1704 + P.32
30 POKE 1744 + P1 + CO,3 + POKE 1744 + P1,0
     POKE 1784 + P1 + CO,3 + POKE 1784 + P1,1
50 P = P1
60 POKE 54273,0 + POKE 54272,0 + POKE 54287,0
     * POKE 54286,0
65 IF L ( I ) < > 0 THEN 70
66 IF RND ( 1 ) > .12 THEN 110
67 L ( I ) = 1146 + INT ( RND ( 1 ) * 36 )
     * POKE 54277,0 * POKE 54286,240 * POKE 54276,0
     * POKE 54276,129
68 POKE 54273.72 \div FOR J = 254 TO 235 STEP - .5
     * POKE 54272,J * NEXT * POKE 54272,0
     * POKE 54273.0
69 SP ( I ) = INT ( RND ( 1 ) * 2 )
70 L1 = L ( I )
80 L1 = L1 + 40
85 PE = PEEK ( L1 + 40 )
```

```
86 IF PE < > 4 AND PE < > 5 THEN 95
 90 POKE L1 + 40,4 + POKE L1 + CO,4 + SP ( I )
       * POKE L1,5 * POKE L ( I ) ,12
 91 POKE 54277,0 ÷ POKE 54286,240 ÷ POKE 54276,0


• POKE 54276,129 ÷ POKE 54273,34
 92 FOR J = 150 TO 135 STEP - 1 : POKE 54272, J
       * NEXT * POKE 54272,0 * LL = LL + 1
 93 POKE L ( I ) ,32 \div L ( I ) = 0
       * IF LL = 3 THEN 1000
 94 GOTO 110
 95 IF PE < > 0 AND PEEK ( L1 ) < > 0 THEN 100
 96 POKE L ( I ) ,7 * POKE 54296,10 * POKE 54291,0
       * POKE 54290,0 * POKE 54292,240
       * POKE 54290,33
 97 POKE 54287,64 * POKE 54286,188 * FOR J = 1 TO 50
       * NEXT * POKE 54287.0 * POKE 54286.0
 98 POKE L ( I ) ,32 \div L ( I ) = 0
       $ S = ( S + ( LL + 10 ) ) + ( 2 * L )
       GOTO 110
 100 POKE L ( I ) ,32 + POKE L1 + CO,4 + SP ( I )
       * POKE L1,2 + SP ( I )
 105 L (I) = L1
 110 NEXT
 120 GOTO 10
1000 L = L + 1 + POKE 54287,0 + POKE 54276,0
       * POKE 54283,0 * POKE 54272,0 * RESTORE
       * POKE 54296,15
1010 PRINT " 151"; TAB( 18 + ( L # 4 ) ) ; "F"
       * POKE 54276,0 * POKE 54290,0 * POKE 54292,0
       * POKE 54278.0
1015 POKE V + 32,0 : POKE 54291,9 : POKE 54277,96
1020 FOR Z = 1 TO 18 + READ A, B, LE + B1 = B * 2 + 1
       * A1 = A * 2 * IF B1 > 255 THEN A1 = A1 + 1
       * B1 = B1 - 257
1025 POKE 54287,A + POKE 54286,B + POKE 54273,A1
       * POKE 54272,B1 * POKE 54290,17
1030 POKE 54276,33 + FOR K = 1 TO LE + NEXT
       * POKE 54273,0 * POKE 54272,0 * POKE 54287,0
1035 POKE 54286,0 + POKE 54290,0 + POKE 54276,0
       * NEXT Z
1040 POKE V + 32,6 : LL = 0 : POKE 54278,240
       * POKE 54292,240 * POKE 54277,0 * POKE 54291,0
1050 POKE 54296, 10 + IF L < 4 THEN 94
2000 POKE V + 32.0 + POKE V + 24.20 + PRINT " □"
2010 PRINT " THARD _ LUCK"
2020 PRINT " YOU _ SCORED"S"POINTS"
2030 PRINT " ( ANDTHER _ GAME?"
2040 PRINT " MOR . WAS
                       THE LAST ONE TOO TOUGH"
2070 GET A$ : IF A$ = "Y" THEN RUN
2080 IF A$ < > "N" THEN 2070
2090 PRINT " BYE BYE THEN."
2100 PRINT " YOUR COMPUTER IS";
2110 END
8000 DATA 34,75,400,0,0,40,34,75,300,0,0,40,34,75,
       100, 34, 75, 400, 0, 0, 40
B010 DATA 40,200,300,38,126,100,0,0,40,38,126,300,34,
```

75,100,0,0,40,34,75,300 8020 DATA 0,0,40,34,75,100,0,0,40,34,75,500 9000 DATA 0,0,129,129,185,186,146,124,56,56,56,40,68, 68,68,198 9010 DATA 4,7,4,56,112,208,72,72,14,14,4,14,31,142, 110,60 9015 DATA 255,255,255,255,255,255,255 9020 DATA 0,0,28,60,254,255,255,255,24,24,255,255,24, 24,24,24 9025 DATA 0,73,42,0,99,0,42,73 9030 DATA 0,0,3,13,25,62,96,192,56,232,28,28,62,62, 127,8 9040 DATA 28,22,59,56,124,124,254,16,0,0,192,176,152, 124,6,3 9050 DATA 0,0,0,0,146,68,1,82,128,128,128,128,128,128, 128, 128, 1, 1, 1, 1, 1, 1, 1, 1

CHEXSUM


NOO!VI		
0=3393	80=721	2030=1267
1=4571	85= 1039	2040=2706
2=4360	86=1786	2070=1263
3=1279	90=3206	2080=1184
4=3520	91=3328	2090=1204
5=2356	92=3684	2100=1745
6=4157	93=21 56	2110=129
7=1746	94=526	8000=3465
8=3201	95 = 2 088	8010=4034
9=619	96=3837	8020=1959
10=656	97=3711	9900=3015
12=3038	98=37 0 5	8010=2737
13=4202	100=3010	9015=1886
14=2754	105≃555	9020=2945
15=4912	110=131	9025=1214
20=3315	120=472	9030=2710
21=1269	1000=3979	9040=2917
22=3397	1010=3965	9050=4197
25=2595	1015=1913	
30=4256	1020=5631	TOTAL= 184141
50=395	1025=3336	
60=2393	1030=3547	
85=1101	1035=2089	
66=1169	1040=3836	
67=4537	1050=1402	
68=4258	2000=1852	
69=1350	2010=933	
70=554	2020=1773	

Horse Racing




Bet on the horses without losing anything. The game begins with the names of the four horses displayed against their odds. You must choose a horse and place your bet.

Program contains full instructions.



SPRITE HORSE SHAPE No. 2



SPRITE HORSE SHAPE No. 1

PROGRAM STRUCTURE	LINES
INITIALIZATION	1 — 9
DISPLAY PLAYER'S FINANCE	20 — 21, 500
GENERATE ODDS	11
DISPLAY ODDS	25 — 36
PROMPTING FOR BETS	20
SETUP RACE DISPLAY	100 — 120
RUN THE RACE	130 — 140
DISPLAY RESULTS	205 — 5040
DATA FOR 'SPRITE' CHARACTERS	9000 — 9050

M = PLAYER'S MONEY
OD() = ODDS OF EACH HORSE
B = PLAYER'S BET
H = HORSE CHOSEN
H() = POSITION OF EACH HORSE
Z = DELAY LOOP VARIABLE
HN = WINNING HORSE

```
HORSE RACING
   O REM * A DAY AT THE RACES *
    1 M = 100 \div CO = 54272 \div POKE 53280,0
       * POKE 53281,0
    2 FOR N = 0 TO 126 * READ Q * POKE 832 + N,Q
       * NEXT N
    3 V = 53248 \div POKE V + 21,15 \div POKE 2040,13
       * POKE 2041,13 * POKE 2042,13 * POKE 2043,13
    4 POKE V + 39,2 : POKE V + 40,3 : POKE V + 41,4
       * POKE V + 42,5
   5 POKE 54296,15 + POKE 54277,64 + POKE 54278,128
       * POKE 54276,129 * POKE 54273,0
   9 POKE 54272,0
   10 PRINT " 🖸 🗎 🍃
                                       A A DAY AT
        THE RACES"
  11 FOR I = 1 TO 4 \div OD ( I ) = INT ( RND ( 1 )
       * 10 + 1 ) * NEXT
  20 PRINT " ( ) ( ) TYOU _ HAVE _ £"; M; "LEFT."
  21 IF M = 0 THEN 500
  25 PRINT " 🙋 🙋 🗯 HORSE 🔔 💂
                                                   _ ODDS"
  26 PRINT " 📟 📟 📟 📟 📟 📟 📟 📟 📟 📟 📟
       □ □ □ □ "
  30 PRINT "回目1. MIRED DEVIL A A A A 国"
       ;OD ( 1 ) ;"/1"
  32 PRINT " [ ] [ ] 2. _ L THE _ BLUE _ MAX _ _ [ ] "; OD ( 2 )
       ; "/1"
  34 PRINT "回回3. _ 編PINK _ LADY _ _ _ _ 国"
       ;OD (3);"/1"
  36 PRINT " [ ] [ ] 4. _ [ ] GREEN _ GOBLIN _ _ [ ] "; OD ( 4 )
       ;"/1"
  40 PRINT " 🖭 🖭 🏗 . _ BET _ HOW _ MUCH"
  50 INPUT B : IF B > M THEN PRINT " . .
        . . . D D D D" + GOTO 40
  60 PRINT " @ON _ WHICH _ HORSE _ (1,2,3,4)"
70 INPUT H = IF H < 1 OR H > 4 THEN PRINT " [] _
  BO PRINT " I RELATION AND A PRESS
                  - - - GOTO 60
        ANY KEY
  90 GET A$ : IF A$ = "" THEN 90
 100 PRINT "□" + POKE 53281,5 + POKE 53280,8
       • FOR I = 55496 TO 56135 • POKE I,0
       * POKE I - CO,160
 101 NEXT
 102 FOR I = 55456 TO 55495 * POKE I,1
       * POKE I - CO.35 * NEXT
 103 FOR I = 56136 TO 56175 : POKE I,0
       * POKE I - CO, 163 * NEXT
 88 I @ 88 S Ø 88 H @ 88 _ @ 88 _ @ 88 _ @ 88 _ @ 88 "
 106 PRINT " 5 0 0 0 0 0 0 1 1 2 4 0 1 1 4 0 1 1 4 0 1 1 4 1
        _ (0 81 _ (0 815 (0 817 (0 814 (0 816 (0 817 (0 81 _ (0 81 _
       110 H ( 1 ) = 20 \div H ( 2 ) = 20 \div H ( 3 ) = 20
       \div H ( 4 ) = 20 \div LE = 1
```


```
120 FOR I = 0 TO 3 + POKE V + I * 2,H ( I + 1 )
       * POKE V + I * 2,90 + ( I * 35 ) * NEXT
 125 IF LE = 1 THEN LE = 0 + GOTO 130
 126 IF LE = 0 THEN LE = 1
 130 \text{ FOR I} = 0 \text{ TO } 3
 131 POKE 2040 + I,13 + LE : IF LE = 0
       THEN POKE 54273,2 + POKE 54272,37
 132 IF RND ( 1 ) < .45 OR ( OD ( I + 1 ) < 5
       AND RND ( 1 ) < .4 ) THEN H ( I + 1 )
       = H ( I + 1 ) + INT ( RND ( 1 ) * 5 )
       $ GOTO 135
 133 H ( I + 1 ) = H ( I + 1 ) + 1
 135 POKE V + I # 2,H ( I + 1 ) * POKE V + 1 + I
       *2.90 + (I * 35) = IF LE = 0
       THEN POKE 54273.0 * POKE 54272.0
 136 IF H ( I + 1 ) > 240 THEN 200
 140 NEXT # GOTO 125
 200 FOR Z = 1 TO 500 + NEXT
205 POKE 53281,0 + POKE 53280,0 + PRINT " ₩ \ "
       * FOR Z = 0 TO 3 * POKE V + Z * 2,0 * NEXT
       + HN = I + 1
206 GOSUB 5000
210 PRINT " _ INWINS."
 220 PRINT " 2 YOU _ BET _ ON _ "; + HN = H + GOSUB 5000
230 IF I + 1 < > H THEN 300
240 PRINT " _ TOO!"
 245 M = M + OD (I + 1) * B
250 PRINT " MSO _ YOU'VE _ WON _ £"; OD ( I + 1 ) * B
 260 GOTO 30
300 PRINT * PRINT " MYOU'VE LOST LE"; B
 310 PRINT " [ BBAD LUCK!"
 315 M = M - B
320 IF M < 1 THEN FOR I = 1 TO 3000 + NEXT + GOTO 10
 350 PRINT "DO _ YOU _ WANT _ TO _ PLAY _ AGAIN?"
 360 GET A$ + IF A$ = "Y" THEN 10
 370 IF A$ < > "N" THEN 360
 380 PRINT " 🔳 🔘 🔘 BYE 🗼 BYE! "
 390 END
500 PRINT " TYOU'RE _ BROKE!"
505 M = 100
510 GOTO 350
5000 IF HN = 1 THEN PRINT " MRED _ DEVIL";
5010 IF HN = 2 THEN PRINT " THE BLUE MAX";
5020 IF HN = 3 THEN PRINT "細THE _ PINK _ LADY";
5030 IF HN = 4 THEN PRINT " TGREEN _ GOBLIN";
5040 RETURN
9000 DATA 0,14,0,0,14,20,0,12,28,0,28,26,0,31,
       63,0,28,255,0,28,247,0,127,227,3
9010 DATA 255,224,7,255,224,15,255,224,25,255,224,
       25, 255, 224, 57, 216, 112, 49, 222
9020 DATA 112,97,192,48,97,192,48,225,128,96,3,
       128,96,3,0,224,7,0,224,99
9030 DATA 0,14,0,0,14,20,0,12,28,0,28,26,0,31,63,0,
       28, 255, 0, 28, 247, 0, 127, 227, 3
9040 DATA 255,224,7,255,224,15,255,224,25,255,224,25,
       255, 224, 57, 216, 112, 49, 222
```

9050 DATA 112,97,192,48,97,192,48,48,192,96,3, 128,192,3,1,128,0,0,0

CHEXSUM

Ø=0	136=1338
1=2358	140=718
2=2201	200=979
3=3798	205=4619
4=2787	206=352
5=3423	210=652
9=527	220=2077
10=2413	230=1234
11=2632	240=545
20=1824	245=1301
21=782	250=2399
25=1873	260=472
26=4167	300=1643
30=2107	310=906
32=2309	315=580
34=2210	320=2266
36=2216	350=2300
40=1462	360=1243
50=3006	370=1125
60=1890	380=852
70=3450	330=129
80=2588	500=1359
90=1150	505=41!
100=4266	510=525
101=131	5000=1754
102=2647	5010=1986
103=2717	5020=2227
105=7151	5030=2039
106=5027	5040=143
110=2852	9000=4274
120=3915	9010=4325
125=1704	9020=3597
126=1092	9030=4274
130=655	9040=4325
131=3102	9050=3299
132=5952	0000-0000
133=1349	TOTAL= 161253
135=5850	ronna- igitoo

Luna Landa



This is one for all you budding young astronauts. The surface of the moon is looming closer, and you must control the horizontal and vertical velocities of your module to achieve a feather-light landing.

Keep an eye on your fuel gauge at the bottom of the screen, don't run out of fuel. The more difficult the landing site the more points you get for a successful mission, each perfect landing increases the difficulty of the next. Be careful not to damage your module by landing too hard.

Controls are:

'C' move right

'Z' move left

'F3' 1/4 power thrust

'F5' 1/2 power thrust

'F7' full power thrust

•	
PROGRAM STRUCTURE	LINE
INITIALIZATION (SET GRAVITY, VELOCITIES (HORIZONTAL AND VERTICAL) LINE 35)	1 — 35
INITIALIZE LUNAR MODULE	44
AFFECT MODULE WITH GRAVITY	50 — 80
CONTINUE HORIZONTAL & VERTICAL MOTION INPUT KEY	85
CHANGE HORIZONTAL VELOCITY IF C OR Z	87
CHANGE VERTICAL VERLOCITY IF THRUST	88 — 92
CHECK LANDING ON PAD 1 Y? THEN 1000	100
CHECK LANDING ON PAD 2 Y? THEN 1000	105
CHECK LANDING ON PAD 3 Y? THEN 1000	110
CHECK FOR CRASH	115
IF CRASHED, EXPLODE	120 — 130
ASK FOR NEW GAME	135
YES? THEN 160	140
END	150
REDRAW LANDSCAPE, REINITIALIZE VELOCITIES, POSITIONS, ETC GO TO MAIN BODY	160 — 180
LANDED SAFELY? N? THEN 120 GIVE SCORE FOR SAFE LANDING INCREASE DIFFICULTY FOR NEXT TIME	1000 — 1010
DATA	1000 — 10080

V = ADDRESS OF VIDEO CHIP

G = GRAVITY

VV = VERTICAL VELOCITY

HV = HORIZONTAL VELOCITY

NO = NO. OF SAFE LANDINGS


X1 = X POSITION

Y1 = Y POSITION

K = KEYBOARD PORT


K = KEY PRESSED

FU = FUEL



SPRITE

LUNA MODULE



SPRITE

FUEL MARKER

LUNA LANDA


```
1 POKE 55,255 + POKE 56,47 + V = 53248
     * FOR I = 12544 TO 12551 * POKE I,0 * NEXT
 5 FOR I = 0 TO 103 + READ A + POKE 12 * 1024 + I,A
     * NEXT
10 FOR I = 832 TO 894 + READ A + POKE I.A + NEXT
     * POKE 2040,13 * POKE V + 24,28
     * POKE V + 39,15 * NO = 1
15 POKE V + 33,0 + POKE V + 32,0 + FU = 1000
    SC = 0
20 PRINT " 🔼 🖪 🕼 😢 🗷 🕼 🕼 🕼 🕼 🕼 😭 😭 😭 😭 🖽 D 📵 H 🚳 💵 J 📵 H
     ☑ 88 J ☑ 88 I ☑ 88 K ☑ 88 88 E ② 88 88 88 9A ◎ 88 88
     25 PRINT " O BOJ O BOH O BOE OE OOA OE OK O BOI OK O BOI
     OLLLKO III O IIID O II IID O III JA OE OK O
     ## I □ F @ D GG @ H @ ##J @ H @ ##J";
30 PRINT " @ ... I @ ... K @ ... H @ ... J @ H @ ... J @ ... E @ ... ...
     ☑ ■■H ☑ ■■J ☑D ☑ BCLLLLEBC ☑ BC ☑ D";
35 G = .040875 + VV = 0 + HV = .5 + POKE V,2
    * POKE V + 1,29 * POKE V + 16,0
    POKE\ V\ +\ 21,1\ FB\ =\ 197\ FX\ =\ 2
40 FOR I = 0 TO 190 + READ A + POKE 13 * 1024 + I.A
    * NEXT I
42 FOR I = 896 TO 958 + POKE I.0
    * IF INT ( ( I + 1 ) / 3 ) * 3 = I
    THEN POKE I,128
43 NEXT
44 POKE V + 3,232 + POKE V + 21, PEEK ( V + 21 )
    OR 2 * POKE 2041,14 * POKE V + 40,2
    A = PEEK (V + 31)
45 PRINT " 🔄 🗵 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
     50 VV = VV + G + POKE V + 2, FU / 10 + 96
    * IF VV > 4 THEN VV = 4
55 A = PEEK (V + 1) + A = A + VV + IF A > 230
    THEN A = 230
57 IF A < 29 THEN A = 29
60 POKE V + 1,A + B = PEEK ( V + 16 ) AND 1
65 A = X + HV + IF A > 255 AND B = 0
    THEN POKE V + 16, PEEK ( V + 16 ) OR 1 \div B = 1
    A = 0
70 IF A < 0 AND B THEN POKE V + 16, PEEK ( V + 16 )
    AND 254 \div B = 0 \div A = 255
75 IF A < 0 THEN POKE V + 16, PEEK ( V + 16 ) OR 1
    * B = 1 * A = 87
80 IF A > 87 AND B THEN POKE V + 16. PEEK ( V + 16 )
    AND 254 : B = 0 : A = 0
85 POKE V, A + X = A + K = PEEK ( KB ) + IF FU < 1
    THEN K = 0
87 HV = HV + ( K = 20 ) * ( HV < 4 ) * .1 -
     (K = 12) * (HV > -4) * .1 * FU = FU +
     (K = 20) + (K = 12)
88 IF (FU < 3 AND K = 6 ) OR (FU < 4 AND K = 3 )
```

```
THEN K = 0
     90 \text{ VV} = \text{VV} + (\text{K} = 5) * .0625 + (\text{K} = 6) * .125
               + (K = 3) * .25
     92 FU = FU + ( K = 5 ) + ( K = 6 ) * 3 + ( K = 3 )
     95 Y1 = PEEK ( V + 1 ) + X1 = PEEK ( V )
                * B = PEEK ( V + 16 ) AND 1
   100 IF Y1 = 228 AND X1 \Rightarrow = 63 AND X1 < = 67
               THEN LA = 1 + GOTO 1000
   105 IF Y1 = 132 AND X1 \Rightarrow = 143 AND X1 < = 147
               THEN LA = 2 \div 6000 1000
   110 IF Y1 = 204 AND X1 > = 7 AND X1 < = 13 AND B
               THEN LA = 3 \div 6000 1000
   115 A = PEEK ( V + 31 ) AND 1 = IF A < > 1 THEN 50
   120 FOR I = 208 TO 210.9 STEP .025 : POKE 2040, I
               * NEXT * FOR I = 210.5 TO 209 STEP - .05
   125 POKE 2040, I + NEXT + POKE V + 21.0
   130 FOR I = 1 TO 5000 + NEXT + PRINT " ♥ "
               * POKE V + 21,0 * POKE V + 24,20
                ÷ PRINT " 🖾 🖾 🐼 🔯 YOU 🛓 CRASHED!"
   135 PRINT " @ @ @ TaSCORE"; SC
                ÷ PRINT " 図 図 図 網 ANOTHER 및 GAME?"
   140 GET A$ + IF A$ = "Y" THEN 160
   145 IF A$ < > "N" THEN 140
   150 END
   160 \text{ FU} = 1000 \div \text{ SC} = 0 \div \text{ POKE } 2040.13
                * POKE V + 24,28
   165 PRINT " 🖾 🖪 🥥 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
                HAE (C) HA HAE (C) HAD (C) D (C) DLLLK (C) HAI";
   170 PRINT " O BUJ O BUH O BUE OE OOA OE OK O BUI OK O BUI
                DLLLK D IN I D IND D IN IND D IN JA DE DK D
                ■■I OF @DGG @H @ ■■J @H @ ■■J";
   175 PRINT " (2) 881 (2) 884 (2) 884 (2) 883 (3) 481 (4) 885 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4) 886 (4
                ( BEH ( BEJ (D D BCLLLLEBC (BC (D";
   180 VV = 0 \div HV = .5 \div POKE V, 2 \div POKE V + 1, 29
                POKE\ V\ +\ 16.0\ POKE\ V\ +\ 21.1\ POKE\ X\ =\ 2
                $ GOTO 44
 1000 IF VV > 5 OR ABS ( HV ) > .4 THEN 120
 1005 SC = SC + ( 4 - LA ) * 50 ÷ FOR I = 1 TO 5000
                * NEXT * NO = NO + 1
 1010 POKE V.2 * POKE V + 1,29 * POKE V + 16,0
                POKE V + 21,1 + KB = 197 + X = 2
                + HV = NO * .5 + GOTO 44
10000 DATA 0,0,0,5,10,16,96,128,1,5,8,144,96,0,0,0,
                128,64,64,80,105,6,0,0
10005 DATA 0,0,0,0,132,74,49,1,128,64,48,8,4,4,6,1,
                1, 1, 2, 10, 20, 16, 32, 192
10010 DATA 0,0,8,20,36,66,65,129,0,0,0,0,4,42,209,
                129, 128, 64, 64, 32, 16, 16, 8, 8
10015 DATA 1,1,2,4,2,2,4,8,4,2,2,4,2,2,1,1,8,16,
                32, 32, 32, 64, 64, 128
10020 DATA 0,0,0,0,0,0,0,255
8,0,1,255,0,1,141,0,3,167,0,0
10030 DATA 132,0,0,239,0,0,169,0,0,255,0,7,131,
```

CHEXSUM


1=3492	110=3743	10070=4121
5=2434	115=2121	10075~4255
10=4629	120=3765	10082=692
15=2449	125=1399	
20=7077	130=4842	TOTAL= 215315
25=9367	135=2795	
30=46 0 7	140=1306	
35=5451	145=1125	
40=253 0	150=129	
42=3732	160=2430	
43=131	165=7077	
44=4772	170=9367	
45=2992	175=4607	
50=3406	180=4562	
55=2875	1000=1784	
57=1042	1005=3464	
60=1840	1010=5069	
65=4349	10000=3608	
70=3395	10005=3506	
75=2942	10010=3997	
80=3369	10015=3159	
85=2696	10020=1004	
87=6197	10025=4116	
88=2856	10030=3833	
90=3582	10035=2013	
92=2820	10050=4096	
95=3021	10055=3679	
100=3547	10060=3998	
105=3666	10065=4387	

Simon



Simon plays a series of tones incrementing the number each time. You must repeat the sequence. The screen displays the numbers 1 — 6 and one of these will light up to correspond with the tones played. Each time Simon repeats a sequence he adds a note and plays the 'tune' faster. You win by repeating his tune until it is eight notes long. Use the keys 1 — 6 to reproduce the tones and lights.

Remember, this game tests your speed as well as your memory and you only have a limited amount of time to react!



SPRITE

SIMON'S HEAD

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 3
DRAW SIMON, CAPTION: CALL 'DRAW LIGHTS'	4 — 9
CALL INTRO' DIMENSION NOTE ARRAY	10
PLAY NOTE AND ENTER INTO ARRAY: CALL 'LIGHT KEY'	20 — 25
CLEAR NOTE: CALL 'LIGHT KEY'	30 — 35
PROMPT FOR KEY INPUT	40
GET KEY (IF ANY) FROM QUEUE AT END OF DELAY	45 — 50
WRONG KEY, CALL 'END'	55
COMPARE WITH ARRAY, IF WRONG CALL 'END'	56 — 80
PRINT CONGRATULATIONS AND GET KEY TO RESTART	90 — 99
PRINT LIGHTS ONTO SCREEN	100 — 190
CHANGE COLOUR OF SELECTED LIGHT	200 — 270
TURN OFF SOUNDS AND GET KEY TO RESTART	500 — 560
PLACE CAPTIONS IN BUBBLE AND DELAY	5000 — 5140
DELAY AND CLEAR CAPTION	6000 — 6030
DATA FOR SIMON	9000 — 9050

V = POINTER FOR SPRITE HANDLING

N(X) = NOTE ARRAY

I = POINTER TO LAST NOTE PLAYED (I = -1, INTRO CAPTIONS INPROGRESS) A = PLAYER'S INPUT

SIMON

```
O PRINT " □ " + POKE 53281,1 + POKE 53280,4 +
     POKE 54296.15 + POKE 54276.0 + POKE 54276.17
 1 POKE 54277,0 * POKE 54278,240 * POKE 54273,0 *
     V = 53248 \div POKE V + 21,3 \div POKE 2040,13
 2 POKE 2041,14 + POKE V + 39,0 + POKE V + 40,5 +
     POKE V + 28,2 + POKE V + 38.0 +
     FOR I = 0 TO 126 * READ Q
 3 POKE 832 + I,Q + NEXT + POKE V,140 +
     POKE V + 2,140 + POKE V + 1,61 + POKE V + 3,82
 6 PRINT " ()
                            A A 🛮 "
                        •
                          •
 7 PRINT " [] . . .
                  • •
 8 PRINT " . COCOCOCOCO
 9 PRINT " L B ◆ A ◆ A ◆ A ◆ A
     . . . . . . . . .
     ▲ ♦ ▲ " # GOSUB 100
10 GOSUB 5000 + DIM N ( 8 )
20 FOR I = 1 TO 8 + N ( I ) =
     INT ( RND ( 1 ) * 6 ) + 1 + FOR J = 1 TO I +
     POKE 54276,17
25 POKE 54273,N ( J ) # 20 * PRINT " 24" *
     GOSUB 200
30 FOR X = 1 TO 400 - I * 30 * NEXT * POKE 54273.0
35 PRINT " . GOSUB 200
40 FOR X = 1 TO 200 - I * 20 * NEXT X,J * PRINT
     " [3] [4] [6] [6] A REPEAT [6] ## ## ## ## ## ## ## ## ## ##
     NOTES!"
45 FOR J = 1 TO I + POKE 54276,0 + POKE 54276,33 +
     POKE 198.0 : FOR X = 1 TO 250 - I * 20
50 GET A$ : IF VAL ( A$ ) > 0 AND VAL ( A$ ) < 7
     THEN 55
51 NEXT X # 60TO 500
55 GOSUB 6000
56 IF VAL ( A$ ) < > N ( J ) THEN 500
60 POKE 54273, VAL ( A$ ) $ 20 * PRINT " [2] " *
     GOSUB 200
62 FOR X = 1 TO 500 - I * 50 * NEXT * POKE 54273.0
     * PRINT " ▶ " * GOSUB 200
BO FOR X = 1 TO 1500 - I * 80 * NEXT J *
     FOR X = 1 TO 600 \div NEXT X.I
90 GOSUB 6000 : PRINT " 3 ( ) ( ) 1 24 _ YOU ( ) 11 11 11
      _ WIN!!"
91 GOSUB 6000 + PRINT " 2 0 0 0 1 1 PLAY 0 1 1 1 1
     ##AGAIN?"
92 GET A$ + IF A$ = "Y" THEN 20
95 IF A$ < > "N" THEN GOTO 92
98 GOSUB 6000 + PRINT " 🔄 🗹 🕡 🔘 🗖 💄 BYE!"
99 END
100 PRINT "5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
         A 🔼 "
```

```
130 PRINT " (( ( ( ) ) ) ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | ( ) | (
             190 RETURN
 200 PRINT " 15 (4) (4) (4) (4) (4) (4) (4) (5) (6) (6) (6) (6) (7) (7) (7) (7)
            IF N ( J ) > 3 THEN PRINT
            210 IF N ( J ) = 1 THEN PRINT " \square \square \square \square \square
             . . . . . .
 220 IF N ( J ) = 2 THEN PRINT " ( ) ( ) ( )
             明言口图 4 4 4 单位"
 230 IF N ( J ) = 3 THEN PRINT " ( ) ( ) ( ) ( ) ( ) ( )
             240 IF N ( J ) = 4 THEN PRINT " ■ 🗷 🛕 🛕 🕒 📵 💵
             _ _ _ _ ■ 2 "
250 IF N ( J ) = 5 THEN PRINT " © © © © © ©
             260 IF N ( J ) = 6 THEN PRINT " @ @ @ @ @ @ @ @
             270 RETURN
 500 POKE 54276,0 + POKE 54276,33
 510 FOR I = 20 TO 1 STEP - .2 * POKE 54273.I * NEXT
 520 POKE 54273,0
 525 GOSUB 6000
 530 PRINT " 🔄 👩 🖸 🗊 🖽 BAD _ LUCK."
 535 PRINT " PLAY"
 540 PRINT " FIAGAIN?"
 545 GET A$ : IF A$ = "Y" THEN POKE 54276,0 :
            POKE 54276,17 : GOSUB 6000 : GOTO 20
 550 IF A$ < > "N" THEN GOTO 545
 555 GOSUB 6000 + PRINT " 5 @ @ @ 1 1 1 1 BYE! @ @ @
            6 6 6 "
 560 END
5000 I = - 1 : PRINT " ( ) ( ) ( ) ( ) HI _ I'M"
5005 PRINT " . CALLED"
5010 PRINT " E _ SIMON"
5020 GOSUB 6000
5025 PRINT " 2 0 0 1 1 1 4 WANT . TO"
5030 PRINT " | PLAY _ MY"
5035 PRINT " [ ] . . . GAME?"
```

```
5036 GET A$ + IF A$ < > "N" AND A$ < > "Y" THEN 5036
5037 IF A$ = "N" THEN 5500
5038 IF A$ = "Y" THEN GOSUB 6000
5040 PRINT " 5 (1) (1) REPEAT"
5045 PRINT " E . . . THE"
5050 PRINT " SEQUENCE"
5055 GOSUB 6000
5060 PRINT " S ( ) I TOF _ LIGHTS"
5065 PRINT " E . . AND . "
5070 PRINT " 🗈 🛓 SOUNDS. "
5075 GDSUB 6000
5080 PRINT " 3 ( ) THERE'S"
5085 PRINT " MORE _ EACH"
5090 PRINT " . TIME."
5095 GOSUB 6000
5100 PRINT " 图 图 图 图 和YOU _ MUST"
5105 PRINT " . BE . VERY"
5110 PRINT " 🗐 🔔 QUICK!"
5115 GOSUB 6000
5120 PRINT " 🔄 🗵 🗵 🖬 🔁 🛕 🛣 STAND"
5125 PRINT " 1 A BY"
5130 GOSUB 6000
5135 GOSUB 6000
5140 RETURN
5500 GOSUB 6000
5502 PRINT " 2 (1) (1) BYE _ BYE"
5505 PRINT " 🗈 🗲 🛣 THEN!! 🙆 🗐 🗐 🗐 🗐 🗐
5510 END
6000 IF I = - 1 THEN FOR Z = 1 TO 2000 + NEXT +
       POKE 54276,0 : POKE 54276,33 : POKE 54273,50
6010 PRINT " 🗐 🛕 🗸 🛕
6020 PRINT " . .
6025 IF I = - 1 THEN POKE 54273.0
6030 RETURN
9000 DATA 0,0,0,0,255,128,1,255,192,3,255
       , 224, 2, 0, 32, 2, 0, 32, 2, 54, 32, 2, 99, 32
9010 DATA 2,99,32,14,193,184,10,8,40,10,8
       ,40,8,24,8,8,193,136,8,99,8,8,28,8
9020 DATA 4,0,16,4,0,16,7,128,240
       ,5,255,208,2,231,32,99
9030 DATA 2,255,128,10,190,160,42,255,168
       , 170, 255, 170, 174, 235, 186, 174, 235, 186
9040 DATA 174,235,186,174,235,186,46,170,184
       , 43, 170, 232, 10, 235, 160, 10, 235, 160
9050 DATA 10,190,160,10,195,160,3,60,192,3
       ,255,192,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
```

CHEXSUM

92=1245

85=1445

98=1321

99=129

100=2094

110=1236

120=2145

130=1878

140=1239

150=2145 160-1878

170=1238

180=2145

190=143 200=2870

XSUM		
0=3620	210=4524	5:05=833
1=3919	220=4847	5110=777
2=4728	230=4950	5115=351
3=3668	240=4528	5120=858
4=1386	250=4848	5125=532
5=1157	280=4954	5130=351
8=1028	270=143	5135=351
7=1013	500=1219	5140=143
8=2145	510=2028	5500=351
9=6328	520=528	5502=892
10=769	5 25 =351	5505=897
20=3805	530=1018	5510=129
25=1737	535=587	8000=3867
30=2133	540=691	6005=716
35=7 58	545=3405	6010=625
40=5486	550=1506	8020=625
45=3987	555=1448	SØ25=1352
50=2275	560=129	5 030=14 3
51=818	5000=1417	3 000 = 3 92 7
55=351	5005=749	9010=3382
56=1492	5010=699	9020=2603
60=1919	5020=351	9030=4211
82=2997	5025=959	9040=4203
80=3042	5030=834	3050=4491
90=2071	5035=693	
91=2394	5036=2388	TOTAL= 18757

5037=1001

5038=1158

5040=982

5045=607

5050=904

5055=351

5070=846

5075=351

5080=872

5085=921

5090=699 5095=351


5100=1154

5060=1052 5085=640


TOTAL = 187570

SPRITE

SIMON'S **BODY**



Racer



This is a Grand Prix simulation with a different twist.

You have anticipated your win and celebrated before the race, as a result you are drunk and end up driving the race in the wrong direction. Instructions are contained within the program which allows you to select different levels of speed and skill.

Watch out for oil slicks!

PROGRAM STURCTURE	LINES
INITIALIZE SPRITE	0 — 9
PRINT LINE OF TRACK ETC	10 — 54
GET KEY PRESSED	100
MOVE CARS	110 — 130
SOMETHING IN ROAD?	140
CRASH ELSE NEXT LINE	200 — 240
CRASH SPIN OUT	500 — 580
THREE CRASHES?	1000
END, ELSE START AGAIN	1000 — 1050
DATA	9000 — 9120

SP = SPEED

LA = NO. OF LAPS

OS = OBSTACLE (OTHER)

C = OBSTACLE (CAR) SK = SKILL LEVEL

P = POSITION OF OBSTACLE

L = NO. OF CRASHES

X = YOUR POSITION

RACER

```
0 GOSUB 2000 + POKE 55,255 + POKE 56,48 +
     V = 53248
  1 POKE 53281,5 + POKE 53280,7 +
     POKE V + 22, PEEK ( V + 22 ) OR 16 =
     PRINT " [2]"
 2 POKE 53265,151 + FOR I = 0 TO 111 + READ A +
     POKE 12 * 1024 + I,A + NEXT + POKE V + 24,28
 3 POKE 54276,0 + POKE 54296,4 + POKE 54277,132 +
     POKE 54278,240 + POKE 54272,18 + POKE 54273,1
 4 POKE 54276,129
 5 L = 0 + LA = 0 + X = 150 + PDKE V + 34,4 +
     POKE V + 35.7
 6 FOR I = 0 TO 62 + READ A + POKE 832 + I.A +
     NEXT : POKE 2040,13 : POKE V + 39,7 :
     POKE V + 37,6
 7 POKE V + 38,2 * POKE V + 28,1 * POKE V,X *
     POKE V + 1,100 + POKE V + 21,1
 8 FOR I = 12544 TO 12551 + POKE I.O + NEXT
 9 PRINT "[5]"; + FOR I = 1 TO 25 + PRINT
      \blacksquare \blacksquare \blacksquare \blacksquare \blacksquare \blacksquare \blacksquare \blacksquare NEXT \div \blacksquare \blacksquare PEEK ( V + 31 )
 10 LA = LA + .02 + PRINT " (3) (8) (8) (8) (8) (8) (9) (9) (9)
      11 IF SP > 1 THEN FOR I = 1 TO SP * 20 : NEXT
 12 PRINT "5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
      13 IF OS > 0 THEN 21
 14 IF C > 0 THEN 51
 15 IF INT ( RND ( 1 ) * 10 + 1 ) < 7 + SK THEN 100
 16 IF RND ( 1 ) < .95 THEN 50
 20 \text{ OS} = 1 + P = INT (RND (1) + 11 + 1)
 21 IF OS = 1 THEN PRINT SPC( P ) ; "JK"; + OS = 2 +
     GOTO 25
 22 IF OS = 2 THEN PRINT SPC(P); "LM"; \div OS = 0
 25 IF C = 0 THEN 100
50 C = 1 \Rightarrow P = INT ( RND ( 1 ) \Rightarrow 10 + 1 )
 51 IF C = 1 THEN PRINT SPC( P ) ; "@AB"; + C = 2 +
      GOTO 100
 52 IF C = 2 THEN PRINT SPC( P ) ; "CDE"; + C = 3 +
      60TO 100
54 IF C = 3 THEN PRINT SPC*( P ) ; "FGH"; + C = 0
100 PE = PEEK ( 197 )
110 IF PE = 12 THEN X = X - 4
120 IF PE = 36 THEN X = X + 4
130 IF PE = 12 OR PE = 36 THEN POKE V, X +
     POKE V + 1,100
140 IF PEEK ( V + 31 ) = 1 THEN 500
200 IF LA < 12 - ( SK # 2 ) THEN GOTO 10
205 POKE V.O + POKE 54273.0 + POKE 54272.0
210 POKE V + 24,20 ÷ PRINT " □ ■WELL _ DONE!!!!"
220 PRINT " L @ @ TYDU'VE L COMPLETED L THE L GAME!"
230 PRINT " [ ] L CRASHES: "; L
240 GOTO 1020
```

```
500 D = -1 \div IF RND (1) < .6 THEN D = 1
503 POKE 54272,137 + POKE 54273,43
505 FOR I = 100 TO 200
508 POKE 53280, I / 10
515 X = X + (D * 4)
520 IF X < 118 THEN D = 1
525 IF X > 185 THEN D = -1
530 POKE V,X + POKE V + 1,I
540 NEXT
550 X = 150 + POKE V.X + POKE V + 1,100
560 L = L + 1
570 IF L = 3 THEN 1000
575 POKE V + 31.0 + PRINT " " + OS = 0 + C = 0 +
      POKE 53280,7
578 POKE 54272,18 + POKE 54273,1
580 GOTO 9
1000 POKE V.0 + POKE V + 24,20 +
      PRINT " ☑ ■ KABOOM!!!!!!
1002 POKE 54272.43 + POKE 54273.137
1005 POKE 54272,0 + POKE 54273,0 + POKE 54278,0
1006 PDKE 54296.15 : PDKE 54277.236 : PDKE 54278.236
       + POKE 54276,129
1007 POKE 54273,7 + POKE 54272,53
1010 PRINT " 🔚 📵 🙆 YOU _ CRASHED _ THREE _ TIMES!"
1015 FOR I = 1 TO 700 + NEXT + POKE 54278,0 +
      POKE 54272,0 + POKE 54273,0
1020 PRINT " (3) (2) (2) TO WANT ANDTHER GO?" 1030 GET A$ + IF A$ = "Y" THEN RUN
1040 IF A$ < > "N" THEN 1030
1050 END
2000 POKE 53281,0
2005 PRINT " D ROAD _ RACER!!"
2010 PRINT " . A . GAME . OF . SKILL. . DODGE
       THE CARS AND A A A COMPLETE FIFTEEN
        LAPS."
2020 PRINT " 2 3YOU . HAVE . BEEN . DRINKING . TOO . MUCH
       BEFORE A THE RACE AND YOU ARE"
2030 PRINT "DRIVING THE WRONG WAY!"
2040 PRINT " I I MAND . IF . THATS . NOT . ENOUGH . YOU
       _ CAN'T _ STOP!"
2050 PRINT " CONTROLS ARE: "
2060 PRINT " 2 TAZ- TALEFT"
2070 PRINT " ( TAM- TARIGHT"
2080 PRINT " DON'T CRASH INTO THE SIDE OF THE
        ROAD!"
2090 PRINT " [ ] [ ] # PRESS _ A _ KEY"
2100 GET A$ : IF A$ = "" THEN 2100
™OPTIONS ■<<<<<<"
2110 PRINT " ( SPEED? (1 FAST - 5 SLOW) "
2120 GET A$
2130 IF VAL ( A$ ) < 1 OR VAL ( A$ ) > 5 THEN 2120
2140 SP = VAL (A$)
2150 PRINT " M SKILL LEVEL? (1 HARD - 3 EASY)"
2160 GET A$
2170 IF VAL ( A$ ) < 1 DR VAL ( A$ ) > 3 THEN 2160
```


```
2180 SK = VAL ( A$ ) + IF SK = 1 THEN SK = 1.5
2190 PRINT " @ @ 76000 LUCK!"
2200 PRINT " 图 图 細PRESS A A KEY"
2210 GET A$
2220 IF A$ = "" THEN 2210
2230 RETURN
9000 DATA 0,0,4,7,15,7,4,0,48,48,252,255,255
        , 255, 236, 236, 0, 0, 64, 64, 192, 64, 64, 0
9010 DATA 0,0,0,79,127,127,255,79,236,252,204
       , 3, 255, 255, 255, 255, 0, 0, 0, 196, 244, 244
9020 DATA 252,196,64,79,15,63,0,0,0,0,48
       ,255,171,255,0,0,0,0
9030 DATA 4,196,192,240,0,0,0,0
9040 DATA 126, 126, 126, 126, 60, 60, 60, 60
9050 DATA ,3,15,14,14,58,234,58,0,0,192
       ,192,192,192,252,172
9060 DATA 14,14,58,58,236,243,3,0,171,188
       ,240, 192, 176, 176, 176, 192
9100 DATA 63,255,240,15,171,192,79,255,196
       , 64, 48, 4, 79, 255, 196, 255, 255, 252, 127, 255
9110 DATA 244,127,255,244,79,3,196,0,204
       ,0,0,252,0,0,236,0,0,236,0,4,236,64,7
9120 DATA 255,64,15,255,192,7,255,64,4
       ,252,64,0,48,0,0,48,0,0,0,0
```

CHEXSUM

0=2048	51=2515	540=131
1=3375	52=2521	550=1626
2=4062	54=1878	560=561
3=3 958	100=796	570=841
4=646	110=1344	575=2545
5=2727	120=1346	578=1212
6=4183	130=2590	580=428
7=3283	140=1393	1000=2631
8=1766	200=1898	1002=1323
9=3984	205=1552	1005=1765
10=3576	210=2161	1006=2825
11=2013	220=2681	1007=1229
12=1373	230=1167	1010=2275
13=814	240=581	1015=28 0 9
14=714	500=1785	1020=1718
15=2224	503=1332	1030=1263
16=1113	505=883	1040=1185
20=1875	508=837	1050=129
21=2606	515=923	2000=530
22=2009	520=1065	2005=1255
25=770	525=1237	2010=5988
50=1774	530=1025	2020=5899

2030=1969
2040=3555
2050=1262
2060=309
2070=975
2080=3344
2090=1279
2100=1276
2105=3140
2110=1931
2120=267
2130=2013
2140=737
2150=2431
2160=267
2170=2011
2180=2045
2190=1161
2200=1279
2210=267
2220=9 0 6
2230=143
9000=4332
9010=4643
9020=2915
9030=1287
9040=1656
9050=2844
9060=3224
9100=4674
3110=4202
9120=3179


TOTAL = 190694



SPRITE

PLAYER'S CAR

Cosmic Bugs



In this game creatures attempt to get from the top of the screen to the bottom where they turn into Crabs which close in on you.

You defend yourself with a blaster that can fire nets or energy blasts. Nets trap the creatures and earn you double points, energy blasts kill them but sometimes only split them in which case you only get half points. If the screen turns yellow you must prepare to move your blaster as it moves up the screen to the top, once successfully at the top the game will resume in a new play area.

The creatures are:

Scorpions — These are red and worth 10 points for a kill.

Spikers — These are green and worth 20 points, or 30 when they leave a spike behind.

Cutters — These are blue and can free other creatures from nets. They are worth 40 points and cannot be netted themselves.

Crabs — These are other creatures who have reached the bottom. Your only method of killing them is to use the super-zapper, (space bar) this uses 25 points. The screen is grey when you have enough points. The first time it is used it kills all life, otherwise only crabs.

Controls:

'Z' blaster left

'C' blaster right

'>' fire nets

'<' fire energy blaster

'space bar' super-zapper

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 10
SET VARIABLES: SC, LI, P, NE, N, S, SZ, RE, BO, TO INITIAL VALUES	20
PRINT "FUNNEL" GRAPHICS	25 — 40
GET KEY PRESSED — LEFT OR RIGHT?	50
MOVE LEFT OR RIGHT DEPENDING ON KEY PRESSED	52 — 55
DETERMINE MOVEMENT/ACTIONS OF DIFFERENT ALIEN TYPES	80
TEST FOR CRAB CAPTURED BLASTER	85
ACTION FOR CUTTERS	100 — 112
ACTION FOR SPIKERS	115 — 130
ACTION FOR SCORPIONS	135 — 165
CRABS LANDED!?!	170 — 195
FIRING A NET, FIRING AN ENERGY BLAST	601 — 615
TRAPPED OR HIT AN ALIEN?	615 — 700
MOVE BLASTER UP TO NEW GAME	707 — 725
SPACE BAR HIT TO DESTROY CRABS	805 — 820
BLASTER DESTROYED	1000 — 1020
PLAY AGAIN/HIGH SCORE	1030 — 1055

SC = SCORE

HI = HIGH SCORE

P(0 — 4) = CONTAINS POSITIONS OF 'BUGS'

T(0-4) = CONTAINS TYPE OF 'BUGS'

P = POSITION OF BLASTER

PC = POSITION OF CRAB

L = 'MOVE LEFT'

R = 'MOVE RIGHT'

NE = 'NET'

TI\$ = TIME

PO = POSITION OF INDIVIDUAL BUG

CA = ALIEN COUNT

KB = KEYBOARD KEY

K = CHARACTER KEY PRESSED

PE = TEMPORARY

CL = CLASS

NE = NET POSITION

I = VARIABLE

J = VARIABLE

J1 = VARIABLE

V = VIDEO CHIP START ADDRESS

COSMIC BUGS

```
1 POKE 55,255 + POKE 56,47 + V = 53248 +
     POKE V + 33,0 * POKE V + 32,0 * POKE 54296,15
 5 DIM P ( 4 ) ,T ( 4 ) + FOR I = 0 TO 4 +
     T ( I ) = 0 \div NEXT \div CO = 54272 \div KB = 197 \div
     LS = 1024 \div CA = 0
 7 PC = 11 + L = 12 + R = 20 + HI = 0 +
     FOR I = 12544 TO 12552 + POKE I,0 + NEXT
10 FOR I = 12288 TO 12415 + READ A + POKE I,A +
     NEXT # POKE V + 24,28
20 SC = 0 + LI = 3 + P = 2004 + NE = 20 + N = - 1
     S = -1 + SZ = 0 + RE = 0 + BO = 0
25 PRINT "□ □ , "; + FOR I = 1 TO 24 +
     PRINT " (4) 110"; + NEXT + PRINT " (5) (6) 111" +
     FOR I = 1 TO 23 + PRINT " (4) 11A";
30 NEXT + POKE 56295,1 + POKE 2023,1 + PRINT
     @D @D @D @D @D @ ■■ ";
A A A A A A A DBBBB C SI SI SI SI SI SI C
     40 PRINT " CC CC CC CC CC"; + TI$ = "000000" +
     POKE 54278,32 + POKE 54277,0 + POKE 54276,0
45 POKE 54276,17
50 FOR I = 0 TO 4 + K = PEEK ( KB ) + IF K <> L
     AND K <> R THEN 60
52 POKE P,32
55 P = P + ( K = L ) - ( K = R ) +
     IF PEEK (P) \langle \rangle 32 THEN P = P - (K = L)
     + (K = R)
60 POKE P + CO,7 + POKE P,PC
65 IF T ( I ) > 0 THEN 80
70 IF RND ( 1 ) < .9 THEN 600
72 P ( I ) = INT ( LS + RND ( 1 ) * 40 )
75 T ( I ) = INT ( RND ( 1 ) *2 + 1 ) *
     IF RND ( 1 ) < CA / 6 THEN T ( I ) = 4
80 ON T ( I ) GOTO 85,100,115,135,170,185,185,185
85 CL = 2 + CH = 12 +
     D = INT (RND (1) * 3 - 1) + 40 
     PO = P (I) + D = PEEK (PO) =
     IF PE = PC THEN 1000
86 IF PE = 5 THEN PE = 32
87 IF PE = 7 THEN T ( I ) = 6 + POKE P ( I ) .32 +
     P (I) = P0 + CA = CA + 1 + SC = SC + 20 +
     GOTO 185
88 IF PE < > 32 AND RND ( 1 ) > .5 THEN
     D = INT (RND (1) * 3 - 1) *
     PO = P (I) + D = PEEK (PO) = GOTO 87
90 IF PE \langle \rangle 32 THEN D = 0 # GOTO 500
95 IF PO > 1983 THEN 130
97 GOTO 500
100 CL = 5 + CH = 13 +
     D = INT (RND (1) * 3 - 1) + 40 =
```

```
PO = P (I) + D = PEEK (PO) =
            IF PE = PC THEN 1000
101 IF PE = 5 THEN PE = 32
102 IF PE = 7 THEN T ( I ) = 7 + POKE P ( I ) ,32 +
            CA = CA + 1 + P (I) = PO + SC = SC + 40 +
            GOTO 185
103 IF PE < > 32 AND RND ( 1 ) > .5 THEN
            D = INT (RND (1) * 3 - 1) *
            PO = P (I) + D = PEEK (PO) =
            GOTO 102
105 IF PE < > 32 THEN D = 0 + GOTO 500
110 IF PO > 1983 THEN 130
111 IF RND ( 1 ) > .9 AND D > 0 THEN T ( I ) = 3
112 GOTO 500
115 POKE P ( I ) ,5 + CL = 5 + CH = 13 + D = 40 +
            PO = P (I) + D = PEEK (PO) =
            IF PE = PC THEN 1000
116 IF PE = 7 THEN T ( I ) = 8 + POKE P ( I ) ,32 +
            P (I) = PO + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + SC = SC + 60 + CA = CA + 1 + CA + 1 + CA = CA + 
            GOTO 185
117 IF PE = 5 THEN PE = 32
120 IF PE < > 32 THEN T ( I ) = 0 : GOTO 600
125 IF PO < 1984 THEN P ( I ) = P ( I ) + D +
            GOTO 505
130 T ( I ) = 5 \div POKE P ( I ) ,32 \div
            P(I) = P(I) + D + POKEP(I) + CO,10
            * POKE P ( I ) ,15 * GOTO 600
135 CL = 14 + CH = 14 +
            D = INT (RND (1) * 3 - 1) + 40 *
            PO = P (I) + D + PE = PEEK (PO) +
            IF PE = PC THEN 1000
136 IF PE = 5 THEN PE = 32
140 IF PE < > 8 THEN 153
145 FOR J = 0 TO 4 + IF P ( J ) = PO AND
            T (J) > 5 THEN T (J) = T (J) - 5 
            D = 0 \div J = 4 \div CA = CA - 1 \div NE = NE + 1
150 NEXT J # GOTO 500
152 IF PE < > 32 AND RND ( 1 ) > .5 THEN
            D = INT (RND (1) * 3 - 1) *
            PO = P (I) + D + PE = PEEK (PO) + GOTO 136
153 IF PE < > 32 AND RND ( 1 ) > .5 THEN
            D = INT (RND (1) * 3 - 1) *
            PO = P (I) + D = PEEK (PO)
155 IF PE < > 32 THEN D = 0 : GOTO 500
160 IF PO > 1983 THEN POKE P ( I ) ,32 :
            T (I) = 0 \div GOTO 600
165 GOTO 500
170 CL = 10 + CH = 15 +
            D = INT (RND (1) * 3 - 1) *
            IF RND ( 1 ) > .1 THEN
            D = (P(I) > P) - (P(I) < P)
175 PO = P ( I ) + D + PE = PEEK ( PO ) +
            IF PE = PC THEN 1000
180 IF PE < > 32 THEN D = 0
182 GOTO 500
185 CL = INT ( RND ( 1 ) * 15 + 1 ) * CH = 8 * D = 0
```


```
190 IF CA = 5 THEN POKE P ( J ) ,32 + T ( J ) = 0 +
      CA = CA - 1 + NE = NE + 1 + GOTO 600
195 GOTO 505
500 POKE P ( I ) ,32 + P ( I ) = P ( I ) + D
505 POKE P ( I ) + CO,CL + POKE P ( I ) ,CH
600 IF K < > 44 OR N > - 1 OR NE = 0 THEN 605
601 N = P + NE = NE - 1 + POKE 54290.0 +
      POKE 54291,71 + POKE 54287,34 + POKE 54286,75
602 POKE 54290,17
605 IF K < > 47 OR S > - 1 THEN 610
606 S = P + POKE 54290,0 + POKE 54291,71 +
      POKE 54287,72 * POKE 54286,169 * POKE 54290,33
610 IF N = - 1 THEN 650
615 POKE N. 32 * N = N - 40 * IF N < LS THEN N = - 1
      $ 60TO 650
617 IF RND ( 1 ) > .95 THEN N = N + 40 +
      POKE N + CO,4 + POKE N,7 + N = - 1 + GOTO 650
620 IF PEEK ( N ) = 32 THEN POKE CO + N,4 :
      POKE N.6 + GOTO 650
640 N = N + 40 + POKE N + CO,4 + POKE N,7 + N = - 1
650 IF S = - 1 THEN 700
655 POKE S.32 \Rightarrow S = S - 40 \Rightarrow IF S < LS THEN S = - 1
      $ GOTO 700
660 PE = PEEK ( S ) + C = PEEK ( S + CO ) +
      POKE S + CO,8 + POKE S,9 + IF PE = 32 THEN 700
661 POKE 54290,0 + POKE 54287,8 + POKE 54286,37 +
      POKE 54291,36 + POKE 54290,129
665 POKE S + CO,7 + POKE S,10 + FOR J = 0 TO 4 +
      IF T ( J ) = 0 OR P ( J ) < > S THEN 680
670 IF T ( J ) > 5 THEN T ( J ) = T ( J ) - 5 +
      SC = SC + 5 \div J = 100 \div CA = CA - 1 \div
      NE = NE + 1 = GOTO 680
675 SC = SC + T ( J ) * 10 + IF RND ( 1 ) < .7
      THEN T ( J ) = 0 + J = 100 + 60T0 680
677 FOR J1 = 0 TO 4 + IF T ( J1 ) = 0 THEN
      T (J1) = T (J) + P (J1) = P (J) +
      J1 = 100 \div J = 100
678 NEXT J1 * IF J1 < 99 THEN T ( J ) = 0 * J = 100
680 NEXT J : IF J > 5 THEN POKE S,32 : GOTO 690
682 IF PE = 7 THEN NE = NE + 1 : PE = 32
683 IF PE = 5 THEN PE = 32
685 POKE S + CO,C + POKE S,PE
690 S = -1
700 POKE 54273, RND ( 1 ) * 50 * POKE 54272,
      RND ( 1 ) * 256 + IF K = 60 THEN 800
701 RE = 0 + IF SC < 25 THEN POKE V + 32,0
702 IF TI$ > "000250" THEN POKE V + 32,7 * GOTO 704
703 IF SC > = 25 THEN POKE V + 32,11
704 IF BO = 0 AND SC > 1000 THEN SZ = 0 + BO = 1
705 NEXT I : IF TI$ < "000300" THEN 50
707 IF S > - 1 THEN POKE S, 32 \div S = - 1
708 IF N > - 1 THEN POKE N, 32 \div N = - 1
710 FOR I = 0 TO 4 * IF T ( I ) > 0 THEN
      POKE P ( I ) ,32 \div T ( I ) = 0
715 NEXT + NE = 20 + RE = 0 + SZ = 0 + CA = 0
717 POKE V + 33,7 \div FOR I = 1 TO 1000 \div NEXT \div
```

```
POKE V + 33,0
 720 K = PEEK ( KB ) + POKE P,32 +
       P = P - 40 + (K = L) - (K = R)
 725 PE = PEEK ( P ) + POKE P + CO,7 + POKE P,PC +
        IF P < LS THEN P = 2004 + SC = SC + 100 +
        60TO 25
 727 FOR I = 1 TO 50 + NEXT
 730 IF PE = 32 THEN 720
 735 LI = 0 \div I = 0 \div P (I) = P \div GOTO 1000
 800 IF SC < 25 DR RE THEN 705
 805 POKE V + 33,13 + SC = SC - 25 + FOR J = 0 TO 4
        * IF T ( J ) = 0 THEN 820
 806 POKE 54290,0 + POKE 54287,72 + POKE 54286,169 +
        POKE 54291,17 + POKE 54290,129
 810 IF SZ = 1 AND TJ < > 5 THEN 820
 811 IF T ( J ) > 5 THEN CA = CA - 1 \div NE = NE + 1
 B15 POKE P ( J ) ,32 ÷ T ( J ) = 0
 820 NEXT J + SZ = 1 + POKE V + 33.0 + RE = 1 +
        GOTO 705
1000 POKE P ( I ) .32 + POKE V + 33,11 +
        FOR J = 1 TO 1000 * NEXT
1002 POKE 54290.0 : POKE 54287.4 : POKE 54286.73 :
        POKE 54291,240 + POKE 54290,129
1005 POKE V + 33,12 + FOR J = 1 TO 1000 + NEXT
1010 POKE V + 33,15 \div FOR J = 1 TO 1000 \div NEXT
1015 POKE V + 33,0 + FOR J = 1 TO 1000 + NEXT
 1020 T ( I ) = 0 + SZ = 0 + LI = LI - 1 +
        IF LI > 0 THEN 700
1025 POKE V + 24,21 + PRINT " □ TGAME OVER" +
        PRINT " @ @ @ YOU _ SCORED"; SC
1030 IF SC > HI THEN HI = SC
1035 PRINT " 🖪 👩 📵 @HI 🛕 IS"; HI
1040 PRINT " @ @ MANOTHER . GAME?"
1042 FOR I = 0 TO 4 + T ( I ) = 0 + P ( I ) = 0 +
        NEXT
1045 GET A$ : IF A$ = "Y" THEN RESTORE : GOTO 10
1050 IF A$ < > "N" THEN 1045
1052 POKE 54272,0 + POKE 54273,0 + POKE 54287,0 +
        POKE 54286,0
1055 END
10000 DATA 128,128,128,128,128,128,128,128,1,1
        ,1,1,1,1,1,1,0,0,0,0,0,0,0,0,255
10005 DATA 1,2,4,8,16,32,64,128,128,64,32,16,8
        ,4,2,1,8,8,8,8,8,8,8,8
10010 DATA 8,28,62,28,8,0,8,8,62,107,73,119
        ,73,107,62,0,62,65,65,73,65,65,62,0
10015 DATA 8,28,42,42,8,0,8,0,65,34,54,60,252
        ,60,34,65,0,65,65,65,107,107,62,28
10020 DATA 56,214,124,214,56,16,40,68,0,146
        ,124,56,254,56,68,130
10025 DATA 0,16,40,68,130,68,40,16,0,68
        ,56,84,254,124,130,68
```

CHEXSUM

CHEXSUM			
Ø = Ø	135=6098	685=11 96	10005=3289
1=3793	136=1183	690=485	10010=4222
5=4738	140=1062	700=3346	10015=4315
7=3757	145=6107	701=1879	10020=3113
10=2899	150=802	702=2432	10025=2887
20=4733	152=5927	703=1645	
25=4275	153=5272	704=2346	TOTAL - 045101
30=4119	153=1866	705=1545	TOTAL= 345191
35=8548	160=2715	707=1772	
40=4524	165=529	708=1738	
45=591	170=5387	710=2764	
50=3247	175=2930	715=2047	
52=390	130=1263	717=2467	
55=4610	182=529	720=3232	
60=1180	185=2323	725=4964	
65=918	130=4218	727=908	
70=1110	195=529	730 =930	
72=1667	500=1631	735=2032	
75=3428	505=1666	800=1291	
30=2468	60 0=2283	805=3418	
85=6024	601=3842	806=3372	
86=1163	602=597	810=1682	
87=5129	605=1735	811=2378	
88=5980	606=3769	815=1130	
30=1886	610=964	820=2512	
95=1072	615=3084	1000=2487	
97=529	617=4044	1002=3339	
100=5024	620=2712	1005=1794	
101=1163	640=2362	1010=1797	
102=5152	650=964	1015=1737	
103=5925	655=3117	1020=2829	
105=1866	660=4070	1025=3777	
110=1072	661=3290	1030=1294	
111=1945	665=3964	1035=884	
112=529	670=5598	1040=1350	
115=5192	675=3915	1042=2024	
118=5127	677=4478	1045=1809	
117=1163	678=2 05 4	1050=1182	
120=2069	680=1936	1052=2392	
125=2562	682=1954	1055=129	
130=4680	683=1163	10000=3940	

Star Duel



Ram challenges you to a dog fight. The game begins when you accept the challenge.

You must avoid the ground, his craft and his missiles while trying to manoeuvre your craft into a position which will enable you to fire your missiles at him.

Your craft is controlled by using the 'W' and 'X' keys to move up and down, and the 'A' and 'D' keys to shift left and right. When you have Ram in your sights use the 'S' key to fire your missile.

Remember, if either craft is hit it will crash to the ground.

Yours is the blue craft. See if you can outsmart him!

PROGRAM STUCTURE	LINES
INITIALIZATION	0 — 25
CHANGE DIRECTION OF OPPONENT (OR ON COLLISION)	26
CALCULATE NEW POSITION AND MOVE OPPONENT	27 — 48
IF HIT (YOU): DROP, MUSIC AND MESSAGES	49
GET KEY PRESSED, IF HIT OPPONENT: DROP, MUSIC AND MESSAGES	50
CHANGE DIRECTION OR HEIGHT ACCORDING TO KEY	55 — 70
IF 'FIRE KEY' PRESSED	72
POSITION BULLET	73
NOISE	74
MOVE IN DIRECTION D	75
WRAP AROUND SCREEN	80 — 101
IF HIT (YOU): DROP, MUSIC AND MESSAGES	102 — 104
IF BULLET TRAVELLING	110
MOVE	120 — 131
IF IT HITS: DROP, MUSIC AND MESSAGES	132
IF OPPONENT BULLET TRAVELLING	150
MOVE	170 — 181
IF IT HITS: DROP, MUSIC AND MESSAGES	182
GO TO CHANGE DIRECTION OF OPPONENT	

DROP ROUTINE (YOU)	1000 — 1020
DROP ROUTINE (OPPONENT)	2000 — 2020
MUSIC AND MESSAGE ROUTINE (OPPONENT)	5000 — 5040
MUSIC AND MESSAGE ROUTINE (YOU)	6000 — 6040
SPRITE DATA	9000 — 9110

X, Y = YOUR POSITION

X1, Y1 = OPPONENT'S POSITION


D = YOUR DIRECTION

D1 = OPPONENT'S DIRECTION

SX = BULLET POSITION


SD = BULLET DIRECTION

SZ = OPPONENT'S BULLET POSITION DZ = OPPONENT'S BULLET DIRECTION



SPRITE

PLAYER/ALIEN SHIP MOVING RIGHT



SPRITE

PLAYER/ALIEN SHIP MOVING LEFT


STAR DUEL

```
O POKE 54296,10 + POKE 54277,0 + POKE 54278,240 +
    POKE 54276,0 \div POKE 54276,129 \div SX = 0
 1 POKE 54272,0 ÷ POKE 54273,0 ÷ PRINT "□" ÷
    POKE 53280,4 \div POKE 53281,4 \div CO = 54272
2 V = 53248 \div POKE 2040,192 \div POKE V + 39,14 \div
    POKE 2041,193 + POKE 2042,194 + POKE 2043,194
 3 POKE 2044,195 * POKE V + 40,5 * POKE V + 43,0 *
    POKE V + 28,31 \div POKE V + 37,2 \div POKE V + 38,7
 4 FOR I = 0 TO 254 * READ Q * POKE 12288 + I,Q *
    NEXT # POKE V + 21,31 # POKE V + 29,19 #
    POKE V, 100
5 POKE V + 2,200 + POKE V + 4,50 +
    POKE V + 6,230 + POKE V + 8,165
 6 GOSUB 4000
 7 PE = PEEK ( V + 30 ) + PE = PEEK ( V + 31 ) +
    X = 100 \div Y = 60 \div D = 4 \div X1 = 200 \div
    Y1 = 120 \div D1 = -4
12 PRINT " 🗔 🗸 🛕 🐧 🗐 🗐 🗗 🗸 🐧 🗐 🗐
    _ _ _ _ _ ";
15 PRINT " 🖼 🛕 🛕 🐧 🐧 🐧
    S" + TA = INT ( RND ( 1 ) * 10 )
16 FOR I = 56256 TO 56295 * POKE I - CO, 160 *
    POKE I,9 * NEXT
18 FOR I = 56256 + TA TO 55837 + TA STEP - 39 =
    POKE I - CO, 233 + POKE I,5 + NEXT
19 FOR I = 56278 + TA TO 55837 + TA STEP - 41 :
    POKE I - CO, 223 + POKE I,5 + NEXT
20 FOR I = 0 TO 10 + FOR J =
    56257 - I * 40 + I + TA TO 56277 - I * 40 - I
    + TA + POKE J - CO, 160 + POKE J, 5 + NEXT
25 NEXT
26 IF RND (1) < .05 OR PEEK (V + 30) = 2
    THEN D1 = - D1 \div POKE 54273,10
27 X1 = X1 + D1 + FRND (1) < .1 THEN
    Y1 = Y1 + ( (Y1 > Y ) - (Y1 < Y ) ) * 4 
    GOTO 30
28 \ Y1 = Y1 + (INT (RND (1) * 3) - 1) * 4
30 IF X1 < 10 AND D1 = -4 THEN X1 = 320
35 IF X1 > 320 AND D1 = 4 THEN X1 = 0
36 \text{ IF } Y1 < 60 \text{ THEN } Y1 = 60
40 IF Y1 > 200 THEN Y1 = 200
41 IF RND ( 1 ) > .2 OR Y1 < Y - 10 AND
    Y1 > Y + 10 AND RND ( 1 ) < .30 OR
    S2 < > 0 OR X1 > 280 THEN 45
43 S2 = X1 + (D1 * 5) * D2 = D1 * 3 *
```

```
IF D1 = 4 THEN S2 = S2 + 30 + POKE V + 7, Y1
 44 FOR I = 50 TO 0 STEP - 2 * POKE 54273, I *
      NEXT + POKE 54273,0
 45 IF D1 = - 4 THEN POKE 2041,193
 46 IF D1 = 4 THEN POKE 2041,192
 47 POKE V + 3,Y1 : IF X1 > 255 THEN
      POKE V + 2.X1 - 256 = POKE V + 16.
      PEEK ( V + 16 ) OR 2 + GOTO 49
 48 POKE V + 2, X1 + POKE V + 16, PEEK ( V + 16 )
      AND 253
 49 IF PEEK ( V + 30 ) = 3 THEN 1000
 50 PE = PEEK ( 197 ) : IF PEEK ( V + 30 ) = 6 THEN 2000
 55 IF PE = 9 AND Y > 60 THEN Y = Y - 4 =
      POKE 54273,200
 60 IF PE = 23 THEN Y = Y + 4 + POKE 54273,200
 65 IF PE = 10 THEN D = - 4 * POKE 54273,10
 70 IF PE = 18 THEN D = 4 + POKE 54273,10
 72 IF PE < > 13 OR SX < > 0 OR X > 200 THEN 75
 73 SX = X + ( D * 5 ) * POKE V + 5, Y * SD = D * 3
       \Rightarrow IF D = 4 THEN SX = SX + 30
 74 FOR I = 50 TO 0 STEP - 2 * POKE 54273, I *
       NEXT + POKE 54273,0
 75 X = X + D = IF D = 4 THEN POKE 2040,192
 80 IF D = - 4 THEN POKE 2040,193
 90 IF X < 10 AND D = -4 THEN X = 320
 95 IF X > 320 AND D = 4 THEN X = 0
 100 PDKE 54273,0 + PDKE V + 1,Y + IF X > 255 THEN
       POKE V, X - 256 : POKE V + 16, PEEK ( V + 16 )
       OR 1 # GOTO 102
 101 POKE V, X + POKE V + 16, PEEK ( V + 16 ) AND 254
 102 IF PEEK ( V + 300 ) = 3 THEN 1000
 103 IF PEEK ( V + 30 ) = 9 THEN 1000
 104 IF PEEK ( V + 31 ) = 1 THEN 1000
 110 IF SX = 0 THEN 150
 120 IF SX < 10 OR SX > 310 THEN SX = 0 + SD = 0 +
      POKE V + 5,0 + POKE V + 4,50
 130 SX = SX + SD = IF SX > 255 THEN
       POKE V + 4,SX - 256 * POKE V + 16,
       PEEK ( V + 16 ) OR 4 + GOTO 132
 131 POKE V + 4,SX + POKE V + 16, PEEK ( V + 16 )
       AND 251
 132 IF PEEK ( V + 30 ) = 6 THEN 2000
 150 IF S2 = 0 THEN 26
 170 IF $2 < 10 OR $2 > 310 THEN $2 = 0 * D2 = 0 *
       POKE V + 7,0 = POKE V + 6,230
 180 S2 = S2 + D2 + IF S2 > 255 THEN
       POKE V + 6,52 - 256 * POKE V + 16,
       PEEK ( V + 16 ) OR 8 + GOTO 182
 181 POKE V + 6,S2 : POKE V + 16, PEEK ( V + 16 )
       AND 247
 182 IF PEEK ( V + 30 ) = 9 THEN 1000
 190 GOTO 26
1000 POKE V + 6,0 + POKE V + 7,0 + FOR I = Y TO 200
       * POKE V + 1, I * POKE 54273, I
1005 FOR J = 1 TO 5 + NEXT + NEXT + POKE 54273,0
1010 FOR I = 1 TO 7 + POKE V + I,0 + NEXT
```

```
1020 GOTO 5000
2000 POKE V + 4.0 + POKE V + 5.0 +
      FOR I = Y1 TO 200 + POKE V + 3, I +
      POKE 54273, I
2005 FOR J = 1 TO 5 * NEXT * NEXT * POKE 54273.0
2010 FOR I = 1 TO 7 + POKE V + I,0 + NEXT
2020 GOTO 6000
4001 FOR I = 1 TO 11
www.commanacommanacommanacommanacommanacommanacommanacommanacommanacommanacommanacommanacommanacommanacommanaco
       ############
4003 NEXT
4004 POKE V + 8.165 + POKE V + 9.100
4010 PRINT "[] L . . I . AM . RAM . OF . PLANET
       BYTE. I HAVE CHOSEN A YOU TO DEFEND
       YOUR PLANET."
4020 PRINT " I CHALLENGE YOU TO A DUEL!"
4025 PRINT "DO _ YOU _ ACCEPT?"
4026 GET A$ + IF A$ = "N" THEN PRINT " ☐ COWARD" +
      END
4028 IF A$ < > "Y" THEN 4026
4030 PRINT " _ _ THE _ DUEL _ WILL _ BE _ ABOVE _ THE
       _ PLANET _ MARS"
4040 PRINT " C] _ LINI MUST _ WARN _ YOU _ THAT _ ONLY _ ONE _ OF _ YOUR _ _ _ SHOTS _ CAN _ DESTROY _ ME."
4050 PRINT " L . YOU . HOWEVER . CAN . CRASH!"
4060 PRINT " [ O] _ _ _ PRESS _ 'SPACE' _ WHEN _ YOU _ ARE _ READY. "
4065 GET A$ + IF A$ < > " _ " THEN 4065
4066 PRINT "M" + POKE V + 9.0
4067 POKE 53281,0 + POKE 53280,0
4070 RETURN
5000 POKE 53280,4 + POKE 53281,4 + PRINT "□" +
      POKE 54273,0
5001 PRINT " "; + FOR I = 1 TO 12
www.aaaaaaaaaaaaaaa
       ատատատա":
5003 NEXT
5010 PRINT " GOODBYE, MORTAL, YOU FOUGHT WELL."
5020 PRINT " 🖪 🗵 🗹 🔘 DOES 🔦 ANOTHER 💂 HUMAN 🔩 DARE
       TO CHALLENGE ME?"
5025 GET A$ : IF A$ = "Y" THEN GOSUB 4066 : GOTO 7
5030 IF A$ < > "N" THEN 5025
5035 PRINT " LVERY WELL, THE LEARTH WILL SOON BE
       MINE!"
5040 END
6000 POKE V + 23,16 + POKE 53280,4 + POKE 53281,4 +
      POKE V + 8,150 + POKE V + 9,100 + POKE 54273,0
6005 POKE 54296,0 + POKE 54296,15 + POKE 54276,0 +
      POKE 54276.17
_ DYING _ EARTH _ MAN!"
6020 FOR I = 1 TO 200 + POKE 54273, I + NEXT +
```

```
POKE V + 9.0 + FOR I = 100 TO 1 STEP - .5
6025 POKE 54273, I + NEXT + FOR I = 10 TO 50 STEP .5
6026 POKE 54273, I + NEXT + POKE V + 23,0 +
       POKE V + 29.0 * POKE V + 8.150 *
       POKE V + 9,100
6028 FOR I = 1 TO 50 STEP .5 * POKE 54273.I * NEXT *
       POKE V + 8.0 * POKE V + 9.0 * FOR I = 20 TO 1
       STEP - .2
6029 PDKE 54273, I + NEXT + PDKE 54273, 0
6030 PRINT " | G000DBYEEE!!!!"
6035 GET A$ + FOR I = 1 TO 5000 + NEXT + PRINT " [2]"
6040 END
9000 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,3
       ,0,0,3,0,0,3,192,0,3,192,0,19,240,0
9010 DATA 7,176,0,67,247,128,7,183,32,83,247
       ,245,2,166,245,2,240,0
9020 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
9030 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
       ,0,192,0,0,192,0,3,192,0,3,192,0,15,196
9040 DATA 0,14,208,2,223,193,8,222,208,95
       ,223,197,95,218,128,0,15,128,0,0,0,0,0
9050 DATA 0,0,0,0,0,0,0,0,0,99
9060 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
       ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,4,0
9070 DATA 0,21,0,0,127,64,0,21,0,0,4,0,0,0
       ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
9090 DATA 60,0,60,12,170,48,15,170,240,14
       ,170,176,2,130,128,2,0,128,2,60,128
9100 DATA 10,60,160,10,0,160,10,0,160,8,0
       ,32,8,170,32,8,150,32,8,150,32,88,170
9110 DATA 37,88,0,37,90,0,165,21,170,84,21
       ,130,84,5,170,80,5,170,80
```



SPRITE

PLAYER/ALIEN MISSILE

CHEVELIM		
CHEXSUM	75=1926	4050=2222
0=3852	73-1326 80=1401	4060=3186
1=3668	50=1401 50=1811	4065=1492
2=4070	95=1511 95=1592	4066=1005
3=4327	100=5151	4067=1171
4=4405	101=2048	4070=143
5=2938	102=1498	5000=2305
6=351	103=1456	5001=1122
7=5336	104=1456	5002=9525
10=6009	110=888	5003=131
12=3253	120=3812	5010=2931
14=3399	130=5130	5020=3771
15=3902	131=2405	5025=2007
16=2693	132=1460	5030=1188
18=3903	150=792	5035=3502
19=3897	170=3731	5040=129
20=6172	180=4966	6000=4161
25=131 26=3417	181=2372	60 05=250 7
27=4676	182=1456	6010=2425
28=2084	190=474	6020=3641
20-2004 30=1957	1000=3482	6025=1914
	1005=1676	6026=3755
35=1742 36=1195	1010=1528	6028=4508
40=1321	1020=583	6029=1365
41=5265	2000=3561	6030=1302
43=4257	2005=1676	6035=1864
44=2626	2010=1528	6040=129
45=1460	2020=583	9000=4013
46=1280	4000=8393	9010=3247
47=4843	4001=711	9020=1896
48=237 6	4002=9525	9030=4490
49=14 56	4003=131	9040=4429
50=231 0	4004=1438	9050=1307
55= 2610	4010=6673	9060=3865
60=2 06 7	4020=2244	9070=4137
65=1917	4025=1291	9090=4079
70=1756	4026=2129	9100=4299
72=2475	4028=1205	9110=3292
73=4121	4030=3587	
74=2626	4040=6133	TOTAL= 328500
2020		

Cowboy Shootout



Shoot the computer-controlled cowboy as many times as you can without him shooting you. As you shoot it out you have to avoid the wagons passing between you. You can't shoot through them.

Your controls are:

'W' for up

'X' for down

'S' to fire

You're on the left, the computer is on the right.

Straight shooting!

PROGRAM STRUCTURE	LINES
INITIALIZATION	1—45
GET KEYBOARD CHARACTER	50
PUT PLAYER AT RESULTANT POSITION	55, 57
PUT COMPUTER	60 — 80
PLAYER SHOOTS	85, 90, 130, 135
COMPUTER SHOOTS	100, 125, 155, 160
MOVE CARRIAGE	165
SHRINK CARRIAGE	170
TEST IF PLAYER SHOT	175
TEST IF COMPUTER SHOT	176
TIME DISPLAY	182
DATA	10000 — 10115

K = KEYBOARD CHARACTER

A = ALTERNATELY HOLDS THE POSITIONS OF COMPUTER AND PLAYER

PS = PLAYER SHOOT FLAG

CS = COMPUTER SHOOT FLAG

COWBOY SHOOT-OUT

```
1 POKE 54296,0 + POKE 55,255 + POKE 56,47
     * V = 53248 * POKE 54296,15
 5 FOR I = 0 TO 510 + READ A + POKE 12 * 1024 + I,A
     * NEXT * PRINT " □"
10 POKE 2040,192 * POKE 2041,192 * POKE V,86
     + POKE V + 1,50 + POKE V + 2,244
     * POKE V + 3,200
15 POKE V + 39,14 * POKE V + 40,7 * POKE V + 33,8
     + POKE V + 32,5 + POKE V + 28,19
     * POKE V + 37,9
20 POKE V + 38,10 * POKE V + 21,19 * POKE V + 41,1
     * POKE V + 42,1 * POKE 2042,198 * POKE 2043,198
25 POKE 2044,199 * POKE V + 43,7 * POKE V + 8,160
     * POKE V + 9,248 * POKE V + 23,16
     * POKE V + 29,16
45 KB = 197 + PS = 0 + CS = 0 + PC = 0 + CC = 0
     A = PEEK (V + 30) + C0 = 0 + Y0 = 0
     * TI$ = "000000"
50 K = PEEK ( KB ) + A = PEEK ( V + 1 )
     * A = A + ( K = 23 ) * ( A < 225 )
       * 2 - ( K = 9 ) * ( A > 50 ) * 2
55 POKE V + 1,A + PC = PC + 1
     * IF PC = 3 THEN POKE 2040,192 * PC = 0
57 CC = CC + 1 + IF CC = 3 THEN POKE 2041,192
      = CC = O 
60 A = PEEK (V + 3)
     * IF RND ( 1 ) > .3
       THEN A = A + INT ( RND ( 1 ) * 3 - 1 ) * 2
     GOTO 70
65 A = A + ( A > PEEK ( V + 1 ) )
     * 2 - ( A < PEEK ( V + 1 ) ) * 2
70 IF A > 255 THEN A = 255
75 IF A < 50 THEN A = 50
80 POKE V + 3,A + IF K < > 13 OR PS THEN 100
85 POKE 2040,194 + PC = 0 + PS = 1 + POKE V + 4,98
     * POKE V + 5, PEEK ( V + 1 )
* POKE 54276,0 * POKE 54276,129
100 IF RND ( 1 ) < .9 OR CS THEN 125
105 POKE 2041,193 + CC = 0 + CS = 1 + POKE V + 6,232
      * POKE V + 7, PEEK ( V + 3 )
     * POKE V + 21, PEEK ( V + 21 ) OR 8
110 POKE 54287,17 + POKE 54286,37 + POKE 54291,24
     * POKE 54290,0 * POKE 54290,129
125 IF PS = 0 THEN 150
130 A = PEEK ( V + 4 ) + 8
     * IF A > 255
       THEN POKE V + 21, PEEK ( V + 21 ) - 4
      PS = 0 + 60T0 150
135 POKE V + 4,A
150 IF CS = 0 THEN 165
155 A = PEEK ( V + 6 ) - 8
     * IF A < 80
```


```
THEN POKE V + 21, PEEK ( V + 21 ) - 8
       CS = 0 + GOTO 175
 160 POKE V + 6,A
 165 POKE V + 9, PEEK ( V + 9 ) - 4
        # IF PEEK ( V + 9 ) = 8 THEN POKE V + 23,16
        * POKE V + 29,16 * POKE V + 9,244
 170 IF PEEK ( V + 9 ) = 120 THEN POKE V + 23,0
        * POKE V + 29.0
 175 A = PEEK ( V + 30 ) ÷ IF A = 9 THEN 1000
 176 IF A = 6 THEN 2000
 177 IF A = 20 THEN PS = 0 + POKE V + 4,0
 180 IF A = 24 THEN CS = 0 + POKE V + 6,0
 182 PRINT " 🔁 💷 "; TI$
 185 IF TI$ < "000100" THEN 50
 190 POKE V + 33,0 + POKE V + 27,255
        PRINT " ☑ MITIME LUP" + PRINT " Ø Ø SCORE + "
 195 PRINT " 🗷 🖪 🖪 🖪 🖪 🗗 YOU 🗼 🗸 🗼 "; YO
        * PRINT "COMPUTER"; CO
 200 PRINT " 📵 📵 📵 🛍 🚮 ANDTHER 🗼 GAME?"
 205 GET A$ : IF A$ = "Y" THEN POKE V + 27,0

    PRINT "□" = GOTO 10

 210 IF A$ < > "N" THEN 205
 215 POKE V + 27,0 + POKE V + 21,0 + POKE 54273,0
        * POKE 54272,0 * POKE 54287,0 * POKE 54286,0
        + END
1000 POKE 2040,196 + T$ = TI$ + POKE 54273,34
        * POKE 54272,75 * POKE 54276,0 * POKE 54277,240
1005 POKE 54276,17 * POKE V + 28, PEEK ( V + 28 ) OR 8
        * POKE V + 6, PEEK ( V )
        + POKE V + 7, PEEK ( V + 1 )
1010 PDKE V + 21, PEEK ( V + 21 ) OR 8 + PDKE 2043,197
 1015 FOR I = PEEK (V + 1) TO 0 STEP - .1
        * POKE V + 7, I * NEXT
1020 POKE 2040, 192 \div CS = 0
        * POKE V + 21, PEEK ( V + 21 ) - 8


⇒ POKE V + 28, PEEK ( V + 28 ) - 8
        * POKE 2043,198
1025 \text{ CO} = \text{CO} + 1 \div \text{GOTO} 2030
2000 POKE 2041,195 + T$ = TI$ + POKE 54287,34
        * POKE 54286,75 * POKE 54290,0 * POKE 54291,240
2005 POKE 54290,33 : POKE V + 28, PEEK ( V + 28 ) OR 4
        + POKE V + 4, PEEK ( V + 2 )
        + POKE V + 5, PEEK ( V + 3 )
2010 POKE V + 21, PEEK ( V + 21 ) OR 4 + POKE 2042,197
2015 FOR I = PEEK ( V + 3 ) TO 0 STEP - .1
        * POKE V + 5, I * NEXT
2020 POKE 2041,192 \Rightarrow PS = 0
        * POKE V + 21, PEEK ( V + 21 ) - 4
        * POKE V + 28, PEEK ( V + 28 ) - 4
        * POKE 2042,198
2025 \ YO = YO + 1
2030 A = PEEK ( V + 30 ) + TI$ = T$ + GOTO 50
10000 DATA 0,4,0,0,21,0,0,12,0,0,12,0,2,170,160,10,170,
        168,8,170,136,8,42,8
10005 DATA 8,42,8,8,85,8,11,106,56,0,21,0,0,21,0,0,17,
        0,0,81,64,0,81,64,0,64,64
```

```
10010 DATA 0,64,64,0,64,64,0,64,64,0,64,64,99
10015 DATA 0,0,0,0,4,0,0,21,0,80,12,0,48,12,0,42,42,
       64, 10, 170, 160, 0, 170, 8
10020 DATA 0,42,8,0,42,8,0,21,32,0,41,48,0,21,0,0,21,0,
       0,81,0,1,65,0,1,1,0,1,1,0
10025 DATA 1,1,64,1,0,84,5,0,4,99
10030 DATA 0,0,0,0,16,0,0,84,0,0,48,5,0,48,12,2,168,
       168, 10, 170, 160, 32, 170, 0
10035 DATA 32,168,0,32,168,0,8,84,0,12,104,0,0,84,0,0,84,
       0,0,69,0,0,65,64,0,64
10040 DATA 64,0,64,64,1,64,64,21,0,64,16,0,80,99
0,0,0,0,0,0,0,0,0,0,0,0,0,0
10050 DATA 0,0,0,0,4,0,5,21,165,80,174,165,64,2,128,
       17,0,160,4,0,128,0,2,128
10055 DATA 0,58,0,0,99
0,0,0,0,0,0,0,0,0,0,0,0,0
10065 DATA 0,0,0,0,80,0,16,5,90,84,1,90,186,68,2,128,
       16, 10, 0, 0, 2, 0, 0, 2, 128
10070 DATA 0,0,172,99
10075 DATA 0,12,0,2,12,32,10,42,40,10,170,168,10,170,
       168, 10, 170, 168, 10, 170, 168
10080 DATA 10,187,168,10,170,168,10,170,168,10,42,40,
       10,42,40,2,42,32,2,34,32
10085 DATA 2,34,32,0,34,0,0,34,0,0,34,0,0,34,0,0,34,0,
       0,0,0,99
10090 DATA 0,0,0,0,0,0,0,0,0,16,0,
0,0,0,0,0,0,0,0,0,0,0,0,0,0
10100 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
10105 DATA 0,0,0,0,8,0,0,170,128,2,170,160,10,128,168,
       10,0,40,10,0,40,10,1,40
10110 DATA 10,5,104,10,3,40,10,5,104,10,1,40,10,1,40,
       10, 1, 40, 5, 85, 84, 0, 4, 0
10115 DATA 1,4,16,1,4,16,1,85,80,1,0,16,1,0,16
```



SPRITE

PLAYER/ENEMY SHOOTING




SPRITE

CARRIAGE

CHEXSUM

J	V							
		1	=	2	9	2	5	
		5	=	2	9	3	2	
	1	Ø	=:	4	1	1	1	
	1	5	=	4	4	5	3	
	2	Ø	=	4	2	7	1	
	3	5	=	4	5	3	1	
		5						
	5	Ø	=	5	2	6	4	
		5						
		7						
		0						
		5						
		0						
		5						
		Ø						
		5						
		ð						
		Ø						
		5						
		0						
		5						
		Ø			_		4	
		5						
		Ø 5					_	
		0 0					Þ	
		ย 5					_	
		0						
1		5						
		6					'	
		7					1	
		ø						
		ε						
		5						
		0						
		5						
		Ø						
		5						
		Ø						
2	1	5	=	4	Ø	9	Ø	





10005=4259 10010=2033 10015=3561 10020=4341 10025=1322 10030=3815 10035=4178 10040=2195 10045=4315

10050=3305


10060=4315 10065=3751 10070=656

10055=710






DEAD **PLAYER**



SPRITE


PLAYER/ENEMY **GHOST**



BULLET

TOTAL = 230344

Earth Defense



You are left with insufficient fuel to make it back to earth so you embark on a suicide mission to kill as many aliens as possible with your remaining fuel.

Your controls are:

'W' up

'X' down

'A' left 'D' right

'S' to fire

'space bar' for shields

You have shields to protect your spaceship, however these use a lot of fuel and only last for a couple of seconds.

While shielded your craft will be a grey colour.

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 4
SET UP DISPLAY	5 — 9
GET KEYBOARD CHARACTER	10
UPDATE SCORE	11
TEST WHICH KEY PRESSED	13 — 18
FIRE PLAYER'S MISSILES	20 — 23, 900 — 930
SHIELD CONTROL	24
UPDATE FUEL	25
RANDOM DIRECTION OF COMPUTER	26 — 30
COMPUTER FIRES MISSILE	31 — 39, 950 — 970
TEST IF PLAYER IS HIT	40
MISSILES COLLIDE	42 — 49
PLAYER EXPLODES	800 — 840
PLAYER HITS SHIP	21, 200 — 210
DATA	9000 — 9140

PE = LAST KEYSTROKE

F = FUEL

SH = INCREMENT FOR PLAYER'S MISSILE

P = HORIZONTAL POSITION OF PLAYER

YP = VERTICAL POSITION OF PLAYER

SY = VERTICAL POSITION OF PLAYER'S MISSILE

SX = HORIZONTAL POSITION OF PLAYER'S MISSILE

X = HORIZONTAL POSITION OF COMPUTER

Y = VERTICAL POSITION OF COMPUTER

EX = HORIZONTAL POSITION OF COMPUTER'S MISSILE

EY = VERTICAL POSITION OF COMPUTER'S MISSILE

EARTH DEFENCE

```
0 POKE 55,255 + POKE 56,47 + PRINT "□"
    * POKE 53281,0 * POKE 53280,0 * V = 53248
    co = 54272
 1 \text{ SM} = 0 \div \text{ FOR J} = 1 \text{ TO } 30
    # I = RND ( 1 ) # 1000 + 55296 # PDKE I,1
    * POKE I - CO,46 * NEXT
2 POKE V + 21,31 + POKE 2040,192 + POKE 2041,193
    * POKE 2042,194 * POKE 2043,195 * POKE 2044,196
3 POKE V + 39,8 + POKE V + 40,3 + POKE V + 41,7
    * POKE V + 42,10 * POKE V + 43,5
4 FOR I = 0 TO 318 + READ Q + POKE 12288 + I,Q
    * NEXT * POKE 54296,1 * POKE 54278,240
    * POKE 54276,129
5 P = 120 * YP = 200 * POKE V,P * POKE V + 1,YP
    * X = 50 + INT (RND (1) * 180) * Y = 0
    * POKE V + 2, X * POKE V + 3, Y
7 PE = PEEK ( V + 30 ) + F = 0 + POKE 54272,108

    POKE 54273,223

* POKE V + 4,200
9 PRINT " (2) 네 네 네 네 네 네 네 ## ## (2) ## (2) ## (2)
     10 PE = PEEK ( 197 ) + F = F + .01 + POKE V + 39,8
    * TF HH < > 0 THEN POKE V + 39,12
12 POKE 55613 + INT ( F ) # 40.4
13 IF PE = 10 AND P > 50
    THEN P = P - 5 \div F = F + .01
14 IF PE = 18 AND P < 239
    THEN P = P + 5 + F = F + .01
15 IF PE = 9 AND YP > 175 THEN YP = YP - 5
    F = F + .01
16 IF PE = 23 AND YP < 230 THEN YP = YP + 5
    F = F + .01
17 IF PE = 13 AND SH = 0 THEN GOSUB 900
18 IF PE = 60 AND HH = 0 THEN HH = 1 + F = F + 1
19 IF SH = 0 THEN 24
20 FOR I = 1 TO 2 + SY = SY - SH + POKE V + 5.SY
21 IF PEEK ( V + 30 ) = 6 THEN GOSUB 200
22 IF SY < 60 THEN SY = 0 * SH = 0 * SX = 150
    * POKE V + 5,0
23 NEXT
24 IF HH < > 0 THEN HH = HH + 1
    \Rightarrow IF HH = 10 THEN HH = 0
25 POKE V,P + POKE V + 1,YP + IF F > 15 THEN 100
26 IF RND ( 1 ) < .1
    THEN RN = INT ( RND ( 1 ) *3 - 1 )
    # IF RN = 0 AND RND ( 1 ) < .1 THEN 26
27 IF X > 239 THEN RN = - 1
28 X = X + RN # 4 + IF X < 50 THEN RN = 1
29 Y = Y + 4 + 1F Y > 235 THEN Y = 0
    * X = 50 + INT (RND (1) * 180)
    * SM = SM + 1
```


```
30 POKE V + 2,X + POKE V + 3,Y
 31 IF EY = 0 AND RND ( 1 ) < .1 AND Y < 220
      THEN EY = Y + 20
      * EX = X * POKE V + 6, X * GOSUB 950
 32 IF EY = 0 THEN GOTO 10
 35 FOR I = 1 TO 2 * EY = EY + 6 * POKE V + 7,EY
      + POKE V + 6,EX
 36 IF RND ( 1 ) < .2
      THEN EX = EX + ( ( EX > P ) - ( EX < P ) ) * 5
 37 \text{ IF EX } < 35 \text{ THEN EX } = 35
 38 IF EX > 238 THEN EX = 238
 39 IF EY > 235 THEN EY = 0 \div EX = 0 \div POKE V + 7, EY
      * POKE V + 6,EX * GOTO 10
 40 IF PEEK ( V + 30 ) = 9 AND HH = 0 THEN 300
 42 NEXT + IF PEEK ( V + 30 ) < > 12 THEN 10
 43 POKE 54273,0 + POKE 54272,0 + POKE 54296,5
      * FOR I = 30 TO 1 STEP - 1 * POKE 54273, I
      * NEXT
 44 POKE 54296,1 * * POKE 54273,223 * POKE 54272,108
 46 POKE V + 5,0 + POKE V + 7,0 + POKE V + 8,EX
      POKE V + 9,EY
 47 FOR I = 1 TO 100 * NEXT
 48 EX = 50 + EY = 0 + SY = 0 + SX = 0 + SH = 0
      * POKE V + 8,0 * POKE V + 9,0
 49 GOTO 10
100 GOSUB 800
110 PRINT " I I YOU'VE RUN OUT OF ENERGY!"
120 PRINT " @ @ M HARD LUCK, WELL DONE L
      FOR _ SURVIVING _ FOR _ SO _ LONG!"
150 PRINT "5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
160 PRINT " @ @ DO _ YOU _ WANT _ ANOTHER _ GAME?"
170 GET A$ + IF A$ = "Y" THEN RUN
180 IF A$ < > "N" THEN 170
190 PRINT " L @ @BYE"
195 END
200 POKE 54272,0 + POKE 54296,10
      * FOR I = 50 TO 1 STEP - 1.5 * POKE 54273, I
      * NEXT
201 POKE 54296,1 + POKE 54273,223 + POKE 54272,108
202 POKE V + 2,0 + POKE V + 3,0 + POKE V + 8,X
      * POKE V + 9, Y
205 S = S + 10 : IF Y = SY THEN S = S + 40
206 FOR Z = 1 TO 100 * NEXT * POKE V + 8,0
      * POKE V + 9,0
210 SH = 0 + SY = 0 + SX = 0 + Y = 0 + RETURN
300 GOSUB 800
310 PRINT " ☑ YOU _ GOT _ HIT _ BY _ AN _ ENEMY _ MISSILE!!"
315 PRINT " # @ @HARD _ LINES!"
320 PRINT " @ @ SCORE: "; S
325 PRINT "ENERGY _ UNITS _ USED"; INT ( F )
330 PRINT " MENEMY _ CRAFT _ NOT _ DESTROYED"; SM
340 PRINT " ( ) ( ) ( NOT _ BAD!"
350 GOTO 150
800 FOR I = 1 TO 7 + POKE V + I.O + NEXT
801 POKE 54273,0 + POKE 54272,0 + POKE 54276,0
```

```
805 POKE 54296,15 + POKE 54276,129
 810 POKE V + 8,P + POKE V + 9,YP
 820 FOR I = 50 TO 1 STEP - 1 * POKE 54273, I * NEXT
       * POKE 54273,0 * POKE 54272,0 * POKE 54296,1
 830 POKE V + 8,0 + POKE V + 9,0
 840 RETURN
 900 POKE 53280,2 + SH = 6 + SX = P + SY = YP
       * POKE V + 4,SX * F = F + .05 * POKE 53280,0
 910 POKE 54273,0 + POKE 54272,0 + POKE 54296,10
       * FOR I = 0 TO 150 STEP 3 * POKE 54273, I
       * NEXT
 920 POKE 54273,0 + POKE 54296,1
 930 RETURN
 950 POKE 54273,0 + POKE 54272,0 + POKE 54276,0
       * POKE 54276,33
 960 POKE 54273,50 + FOR ZX = 1 TO 50 + NEXT
       * POKE 54276,129 * POKE 54273,233
       * POKE 54272,108
 970 RETURN
9000 DATA 0,0,0,0,8,0,0,28,0,0,28,0,0,62,0,0,127,0,
       0,127,0,0,127,0,0,127,0,2
9010 DATA 127,32,2,28,32,7,28,112,2,62,32,6,255,
       176, 7, 235, 240, 7, 235, 240, 15, 255
9020 DATA 248,15,62,120,28,28,60,24,0,12,0,0,0,99
9030 DATA 0,130,0,64,130,4,112,214,28,120,254,60,
       124, 124, 124, 62, 56, 248, 31, 255
9040 DATA 240,15,255,224,7,255,192,1,255,0,0,254,0,
       12,108,96,6,108,192,7,255,192
9050 DATA 3,255,128,1,255,0,0,254,0,0,56,0,0,16,0,0,
       16,0,0,16,0,99
0,0,0,0,0,0,0,0,0,0,0,0,0,2,0
9070 DATA 32,7,0,112,15,128,248,31,193,252,26,
       193, 172, 18, 65, 36, 2, 0, 32, 0, 0, 0
9080 DATA 0,0,0,2,0,32,99
9090 DATA 0,0,0,0,0,0,0,0,0,1,215,0,0,254,0,0,
       254,0,0,124,0,0,16,0,0
9100 DATA 16,0,0,16,0,0,124,0,0,56,0,0,16,0,0,16,
       0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
9110 DATA 0,0,0,0,0,0,99
9120 DATA 3,12,0,0,3,0,192,192,195,3,204,192,12,3,
       12,0,12,48,0,51,3,48,51,0
9130 DATA 3,12,0,0,3,0,192,192,195,3,204,192,12,
       3,12,0,12,48,0,51,3,48,51,0
9140 DATA 3,12,0,0,3,0,192,192,195,3,204,195,3,204,195,3,204
```

CHEXSUM

SOIVI		
0=4078	44=2081	960=3985
1=4460	46=2810	970=143
2=4072	47=964	9000=3986
3=3594	48=3733	9010=4328
4=4337	49=472	9020=2290
5=5883	100=302	9030=4196
7=2812	110=2402	9040=4557
8=2574	120=4618	9050=3223
9=7217	150=3033	9060=4317
10=3993	160=2289	9070=3964
11=1306	170=1263	9080=926
12=1343	180=1125	9090=3439
13=2724	190=673	9100=4456
14=2782	195=129	9110=863
15=3010	200=3518	9120=3912
16=3053	201=2025	9130=3912
17=1656	202=2616	9140=2875
18=2374	205=2122	
19=814	206=2345	TOTAL= 244252
20=2395	210=1968	
21=1541	300=302	
22=2931	310=2994	
23=131	315=1255	
24=2886	320=926	
25=2034	325=2034	
26=4158	330=2571	
27=1334	340=864	
28=2116	350=526	
29=43 05	800=1528	
30=1284	801=1772	
31=4612	805=1337	
32=1197	810=1376	
35=3074	820=3898	
36=3333	830=1218	
37=1233	840=143	
38=1371	900=4412	
39=3900	910=3900	
40=1950	920=1167	
42=1763	930=143	
43=3958	950=2438	
	222-6420	

Jelly Maze



How may points can you get before the jelly creature kills you?

There are 5 Power Pills in the maze, eat one of these and you will turn blue. When you are blue you can eat the jelly creature, but be careful you will not remain blue for longer than a few seconds.

You gain 1 point for moving, 100 points for eating a Power Pill and 500 points for eating a jelly creature. If you eat one, another will apear.

Your controls are:

'W' up

'X' down

'A' left

'D' right

PROGRAM STRUCTURE	LINES
INITIALIZATION	8 — 0
DISPLAY SET-UP	9 — 49
GET KEYBOARD CHARACTER	51
DISPLAY PRESENT SCORE	51
UPDATE POSITION OF PLAYER	52 — 70
TEST FOR PLAYER COLLISION	71
TAKE ACTION ON COLLISION	72 — 85
DISPLAY PLAYER AT NEW POSITION	86 — 93
MOVE JELLY	95 — 150
PLAYER EATS JELLY	1000 — 1040
JELLY EATS PLAYER	2000 — 2010
PLAYER EATS POWER PILL	5000 — 5010
DATA	9000 — 9090

SC = SCREEN REFERENCE POINT

X1 = HORIZONTAL POSITION OF PLAYER

Y1 = VERTICAL POSITION OF PLAYER

DM = ACTUAL POSITION OF PLAYER

DC = ACTUAL POSITION OF COMPUTER

RELATIVE TO SC

D = DIRECTION OF PLAYER

S = PLAYER'S SCORE

JELLY MAZE

```
0 POKE 55,255 + POKE 56,47 + PRINT "□"
    * POKE 53280,2 * POKE 53281,0
1 V = 53248 + POKE V + 22,216 + POKE V + 24,28
2 POKE V + 34,7 : POKE V + 35,5
3 FOR I = 12288 TO 12471 + READ Q + POKE I,Q
    * NEXT
4 FOR I = 12544 TO 12551 + POKE I,0 + NEXT
5 FOR I = 12672 TO 12751 + READ Q + POKE I,Q + NEXT
6 POKE 54296,10 : POKE 54276,0 : POKE 54276,33
    * POKE 54278,240
7 POKE 54273,0 + POKE 54272,0
8 SC = 1024 \div CS = 55296 \div X = 4 \div Y = 4 \div D = 1
    A = 15 + B = 20 + AD = 1 + DI = 3
10 PRINT "IIIIIG . . . . . . FIIIIIIG . .
     _FIIIIIIIIIII;
12 PRINT "IIIIG . .
                       A A A FIIIIG A A A A
    _ _ FIIIIIIIIII";
14 PRINT "IGLM . . . JK . . . . FIIG . . . . HE .
_ _ FIIIIIIIII";
15 PRINT "G _ _ _ _ LM _ _ LFG _ _ _ _
HIIE A A A FIIIIIIIII";
    _ _FIIG _ _D _ _FIIIIIIII";
20 PRINT "P . . . . . . .
      _ _FG _ _ _ _ FIIIIIII";
22 PRINT "P . . . HE . . .
                                    _ _ JK _ _
            A A A A A FIIIIII";
24 PRINT "P . . HGFE . . JK . . . HIIE . . .
25 PRINT "P A A FEHG A A LM A A HIGFIE A A A
     _JK _ _ _ FIIII";
26 PRINT "P . . . FG . . .
                                A A FIEHIG A A
     _ _ HIIP _ _ _ _ HIIII";
28 PRINT "P .
     D _ FIIP _ _ HIIIII";
30 PRINT "E . . . . . . . .
32 PRINT "IE A A A A JK A A A A
         A A A A A A A HIIIIIII";
34 PRINT "IIE . . . . LM .
         A A A A A HIIIIIIII;
36 PRINT "IIIE . .
                          _ _ _ JK _ _ _ JK
     A A HE A AFIIIIIII";
38 PRINT "IIIIE . . .
                           . . . LM . . . LM
     A AFG A A FIIIIIII";
39 PRINT "IIIIE . . . .
40 PRINT "IIIIIE AD AHE AAA
               - - - FIIIII";
42 PRINT "GNNNNFIP . . . FG . . .
        JK _ _ FIIII";
43 PRINT "P A A A A FP A A
     A A D A A LM A A A A FIII";
```


```
44 PRINT "P _ _ _ HP _ _ _ _ _
                - - - - - - - - FII";
45 PRINT "E0000HIP . . . . HE . . . . JK .
          47 FOR I = 960 TO 999 + POKE CS + I,2
    * POKE SC + I,9 * NEXT * M = SC + X + Y * 40
    + MC = CS + X + Y * 40
48 POKE MC,4 + POKE MC + 1,4 + POKE MC + 40,4
    * POKE MC + 41,4
49 POKE M, 17 + POKE M + 1, 18 + POKE M + 40, 19
    * POKE M + 41,20
50 FOR Z = 1 TO DI
51 PE = PEEK ( 197 ) + PRINT " (2) (0) (0) (0) (0) (0) (0)
     52 M = SC + X + Y * 40 * X1 = X * Y1 = Y
55 IF PE < > 9 AND PE < > 23 AND PE < > 10
    AND PE < > 18 THEN 95
58 IF PE = 9 THEN Y1 = Y1 - 1
60 IF PE = 23 THEN Y1 = Y1 + 1
65 IF PE = 10 THEN X1 = X1 - 1
66 WHER$ = "MAN"
70 IF PE = 18 THEN X1 = X1 + 1
71 DM = SC + X1 + Y1 * 40 * P1 = PEEK ( DM )
    * P2 = PEEK ( DM + 1 ) * P3 = PEEK ( DM + 40 )
     * P4 = PEEK ( DM + 41 )
72 	ext{ IF P1} = 4 	ext{ THEN GOTO 5000}
73 IF P2 = 4 THEN GOTO 5000
74 IF P3 = 4 THEN GOTO 5000
75 IF P4 = 4 THEN GOTO 5000
76 IF P1 < 4 THEN 1000
77 IF P2 < 4 THEN 1000
78 IF P3 < 4 THEN 1000
79 IF P4 < 4 THEN 1000
82 IF P1 < 17 THEN POKE 54276,0 : POKE 54276,33
     * POKE 54273,20 * 60TO 95
B3 IF P2 < 17 THEN POKE 54276,0 + POKE 54276,33
    * POKE 54273,20 * GOTO 95
84 IF P3 < 17 THEN POKE 54276,0 : POKE 54276,33
     * POKE 54273,20 * GOTO 95
85 IF P4 < 17 THEN POKE 54276,0 : POKE 54276,33
    * POKE 54273,20 * GOTO 95
86 DC = CS + X1 + Y1 # 40 + POKE M.32
     # POKE M + 1,32 * POKE M + 40,32
     POKE M + 41,32
87 IF AD = 1 THEN POKE DC.4 * POKE DC + 1.4
     * POKE DC + 40,4 * POKE DC + 41,4
88 IF AD = -1 THEN POKE DC, 3 \div POKE DC + 1, 3
     * POKE DC + 40,3 * POKE DC + 41,3
89 S = S + 1
90 POKE DM.17 + POKE DM + 1.18
91 IF D = 1 THEN POKE DM + 40,19 + POKE DM + 41,20
92 IF D = - 1 THEN POKE DM + 40,21 + POKE DM + 41,22
93 X = X1 + Y = Y1 + D = -D
95 POKE 54273,0 + NEXT + A1 = A + B1 = B
     * M = SC + A + B * 40
```

```
96 IF RND ( 1 ) < .8 THEN A1 = A1 + ( ( A1 > X )
       - ( A1 < X ) ) * AD
 98 DM = SC + A1 + B1 * 40 * P1 = PEEK ( DM )
       P2 = PEEK (DM + 1) + P3 = PEEK (DM + 40)
       P4 = PEEK (DM + 41)
 99 IF ( P1 = 32 OR P1 < 5 ) AND ( P2 = 32 OR P2 < 5 )
       AND ( P3 = 32 \text{ OR } P3 < 5 )
       AND ( P4 = 32 OR P4 < 5 ) THEN A = A1
 100 IF A1 < > A AND RND ( 1 ) < .5 THEN A1 = A \div A1 = A1 +
       INT ( RND ( 1 ) * 3 ) - 1 + GOTO 98
 101 WHER$ = "JELLY"
 104 IF RND ( 1 ) < .8 THEN B1 = B1 + ( ( B1 > Y )
       - ( B1 < Y ) ) * AD
 105 DM = SC + A + B1 * 40 * P1 = PEEK ( DM )
       P2 = PEEK (DM + 1) + P3 = PEEK (DM + 40)
       P4 = PEEK (DM + 41)
 106 IF P1 > 16 AND P1 < 32 THEN 1000
 107 IF P2 > 16 AND P2 < 32 THEN 1000
 10B IF P3 > 16 AND P3 < 32 THEN 1000
 109 IF P4 > 16 AND P4 < 32 THEN 1000
 110 IF P1 > 255 OR P2 > 255 OR P3 > 255 OR P4 > 255
       THEN 1000
 111 IF ( P1 = 32 OR P1 < 5 )
       AND ( P2 = 32 \text{ OR } P2 < 5 ) \text{ AND}
       (P3 = 32 OR P3 < 5) AND
       (P4 = 32 OR P4 < 5) THEN B = B1
 115 IF B1 < > B THEN B1 = B = B1 = B1 +
       INT ( RND ( 1 ) # 3 ) - 1 # GOTO 105
 120 DM = SC + A + B * 40 + DC = CS + A + B * 40
 130 POKE DC, 14 + POKE DC + 1, 14 + POKE DC + 40, 14
       POKE DC + 41,14
 135 POKE M,32 + POKE M + 1,32 + POKE M + 40,32
       # POKE M + 41,32
 140 POKE DM,0 + POKE DM + 1,1 + POKE DM + 40,2
       * POKE DM + 41,3
 145 IF NU \langle \rangle 0 THEN NU = NU + 1
       * IF NU = 20 THEN NU = 0 * AD = 1
 146 IF RND ( 1 ) < .03 AND DI > 1 THEN DI = DI - 1
 147 IF B = B1 OR A = A1 THEN POKE 54276,0
       * POKE 54276,33 * FOR I = 0 TO 5 STEP .3
       * POKE 54273, I * NEXT
 148 POKE 54273,0
 150 GOTO 50
1000 \text{ IF AD} = 1 \text{ THEN } 2000
1001 POKE 54276,0 \div POKE 54276,33 \div FOR I = 0 TO 150
       STEP 4 * FOR J = 1 TO 20 * NEXT
1002 POKE 54273, I + NEXT + POKE 54273, 0
1004 M = SC + X + Y * 40 + DM = SC + X1 + Y1 * 40
1005 POKE M, 32 + POKE M + 1,32 + POKE M + 40,32
       * POKE M + 41,32
1006 POKE DM, 32 + POKE DM + 1,32 + POKE DM + 40,32
       * POKE DM + 41,32
1010 M = SC + A + B * 40 + DM = SC + A1 + B1 * 40
1015 POKE M, 32 * POKE M + 1,32 * POKE M + 40,32
       * POKE M + 41,32
1016 POKE DM, 32 + POKE DM + 1,32 + POKE DM + 40,32
```

```
* POKE DM + 41,32
1020 X = 4 \div Y = 4 \div A = 15 \div B = 20
1035 S = S + 500 + AD = 1
1040 GOTO 50
2000 POKE 54276,0 + POKE 54276,129 + POKE 54273,10
2001 FOR I = 1 TO 700 + NEXT
2002 FOR I = 240 TO 0 STEP - 2 + POKE 54273, I + NEXT
2003 POKE 54273,0
2005 POKE V + 24,20 + PRINT " MARD LINES, THE
        _ JELLY _ CAUGHT _ YOU!"
2010 PRINT " [ ] [ ] YOU _ SCORED"S"POINTS. [ ] "
2020 IF S < 200 THEN PRINT " ▶ HA, HA!"
2030 IF S > 199 AND S < 400 THEN PRINT " MINOT _ BAD."
2040 IF S > 399 AND S < 800 THEN PRINT " TSUPER!"
2050 IF S > 799 THEN PRINT "MAMAZING!"
2060 PRINT " ( A MANOTHER . GO?"
2070 GET A$ : IF A$ = "Y" THEN RUN
2080 IF A$ < > "N" THEN 2070
2090 PRINT " ► BYE!"
2100 END
5000 S = S + 100 + AD = -1 + NU = 1
5002 POKE 54276,0 + POKE 54276,17 + FOR I = 10 TO 50
       * POKE 54273, I * NEXT
5005 POKE 54273,0
5010 GOTO 86
9000 DATA 32,131,47,55,63,63,255,254,8,8,224,
       112,240,240,188,172
9010 DATA 162,130,136,130,34,34,128,128,44,8,8,
       32, 32, 8, 131, 128
9015 DATA 0,0,4,29,63,29,4,0
9016 DATA 64,64,208,208,244,244,253,253,
       127, 127, 31, 31, 7, 7, 1, 1
9017 DATA 253,253,244,244,208,208,64,64,1,
       1,7,7,31,31,127,127
9018 DATA 255,255,255,255,255,255,255,255,0,
       0,0,1,7,31,31,127
9019 DATA 0,0,0,64,208,244,244,253
9020 DATA 127,31,31,7,1,0,0,0,253,244,244,208,64,0,0,0
9022 DATA 85,85,0,0,0,0,0,0,0,0,0,0,0,0,85,85
9024 DATA 64,64,64,64,64,64,64
9025 DATA 1,3,3,1,1,7,13,25,128,192,192,
       128, 128, 226, 182, 156
9030 DATA 25,49,3,6,12,12,6,30,128,128,192,96,
       56, 24, 48, 0
9040 DATA 1,3,7,12,24,48,24,48,128,128,192,
       192,96,48,48,240
9050 DATA 0.60.102.102.102.102.102.60.0.48.
       112,48,48,48,48,124
9060 DATA 0,60,102,6,12,48,96,126,0,60,
       102, 6, 28, 6, 102, 60
9070 DATA 0,6,14,30,102,127,6,6,0,126,96,
       120,6,6,102,60
9080 DATA 0,60,102,96,124,102,102,60,0,126,
       102,6,12,24,24,24
9090 DATA 0,60,102,102,60,102,102,60,0,60,
       102, 102, 62, 6, 102, 60
```

CHEXSUM			
0=2660	58=1427	115=3731	5010=482
1=2139	60=1473	120=2693	9000=3131
2=1332	65=1469	130=2929	9010=3010
3=2103	66=847	135=2667	9015=1109
4=1766	70=1477	140=2746	9016=2958
5=2098	71=5999	145=3456	9017=2954
8=2612	72=1291	146=2347	9018=2938
7=1167	73=1291	147=4533	9019=1444
8=4383	74=1291	148=528	9020=2524
9=4017	75=1295	150=476	9022=2074
10=3513	76=901	1000=905	9024=1418
12=3354	77=901	1001=3434	9025=2852
14=3334	78=901	1002=1365	9030=2690
15=3126	79=905	1004=2789	9040=2849
18=2963	82=3221	1005=2667	9050=2990
20=2793	83=3221	1006=2953	9060=2686
22=2797	84=3221	1010=2734	9070=2591
24=2945	85=3225	1015=2667	9080=2881
25=2989	86=4186	1016=2953	9090=2922
26=2988	87=3423	1020=1582	
28=2942	88=3638	1035=1137	TOTAL= 342202
30=2771	89=571	1040=476	
32=2817	90=1233	2000=1963	
34=2931	91=2226	2001=964	
36=3113	92=2418	2002=2038	
38=3089	93=1478	2003=528	
39=2905	95=3034	2005=4042	
40=2898	96=3338	2010=1913	
42=3052	98=5958	2020=1538	
43=2767	99=5863	2030=2460	
44=2448	100=4472	2040=2284	
45=2721	101=1024	2050=1658	
46=4002	104=3341	2060=1144	
47=5707	105=5932	2070=1263	
48=2737	106=1586	2080=1184	
49=2667	107=1588	2090=661	
50=765 51=1889	108=1588	2100=129	
52=2209	109=1594	5000=1768	
55=3543	110=3090	5002=3014 5005=528	
33-3 34 3	111=5863	2007-250	
		138	

Dark Star



Test your skills against the enemy and the clock!

The Death Star will obliterate your home planet, when it comes into range from behind its moon, using the immense power of its space gun. Before this happens you will attempt to take as many attacking enemy fighters with you before you are shot down or they shoot your home planet.

You fly your X wing fighter along the trench on the Death Star engaging the enemy in mortal combat, using the 'Z' and 'C' keys to move left and right and 'M' to fire.

Straight Shooting!

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 140
ROTATE COLOURS, READ KEY	150
MOVE PLAYER'S SHIP (TWO SPRITES)	155 — 167
MOVE PLANET	170 — 175
CREATE NEW ALIEN SHIP	180 — 185
MOVE ALIEN SHIP	190 — 215
ALIEN SHIP FIRES	217 — 240
PLAYER FIRES	250
SETUP SHOT SPRITE	251 — 260
KEEP MOVING SHOT, CHECKING IF IT HITS ALIEN SHIP	265
TURN OFF SHOT SPRITE, IF HIT INCREMENTS SCORE AND BLOW UP ALIEN ON SCREEN	270 — 297
TIME TO BLOW UP PLANET? IF SO THEN BLOW IT UP AND END GAME	300 — 325
GO TO START (150)	350
ROTATE COLOURS, (ANIMATE DEATH STAR)	500 — 505
GAME OVER, PRINT SCORE, ASK IF WANT NEW GAME	1000 — 1035
DATA	10000 — 20105

VARIABLES

V = VIDEO CHIP

CO = DIFFERENCE BETWEEN VIDEO AND SCREEN MEMORY

I, A, J = TEMPORARIES

B, C, M1, M2 = COLOUR VALUES

KB = LOCATION TO GET KEY PRESSED FROM

PL = PLANET POSITION

SC = SCORE

K = KEY PRESSED


X = POSITION OF PLAYER' SHIP

FT = FLAG TO INDICATE IF SHOOTING OR NOT

P = VALUE OF SPRITE HIGH POSITION REGISTER

X1 = POSITION OF ALIEN SHIP


DE = VALUE OF COLLISION REGISTER



SPRITE

LEFT SIDE OF PLAYER'S SHIP


SPRITE # 1



SPRITE RIGHT

SIDE OF PLAYER'S SHIP

SPRITE # 2



SPRITE

MOON

DARK STAR

```
0 POKE 55,255 \div POKE 56,47 \div V = 53248
    * POKE V + 32.0 * POKE V + 33.5 * CO = 54272
    * POKE 54296,15
 1 POKE 54278,128 * POKE 54277,240 * POKE 54276,0
    * POKE 54276,129
 2 POKE V + 34,6 * POKE V + 35,5 * POKE 2040,208
    * POKE 2041,209 * POKE 2044,210 * POKE V + 43,11
 3 POKE V + 2045,212 * POKE 54273,4 * POKE 54272,73
    * POKE 2045,213
 5 FOR I = 12544 TO 12551 + POKE I,O + NEXT
    FOR I = 12288 TO 12367 * READ A * POKE I,A
    * NEXT
 6 POKE V + 22, PEEK ( V + 22 ) OR 16
    * POKE V + 24,28 * POKE V + 39,14
    + POKE V + 40,14
 8 FOR I = 13312 TO 13759 * READ A * POKE I,A
    * NEXT * POKE V + 37,2 * POKE V + 38,8
 9 POKE V + 28,31 * POKE V,160 * POKE V + 1,220
    * POKE V + 2,184 * POKE V + 3,220
BBBBBBBBBBBB";
20 PRINT "AAAAAAAAAAAAAAABII22I2BAGAAAAAAAAAAAAA";
25 PRINT " _ _ _ _ _
                    ▲ ▲ ▲ ▲ ▲ CAABBBBBBBBAAF
BBBB";
40 PRINT "BBBBBBBBBBBEB . .
     ▲ BHBBBBBBBBB";
45 PRINT "BBBBBBBBBBBBB ...
       ▲ ВВНВВВВВВВВВВ" :
50 PRINT "AAAAAAAABBB _
      _ BBBGAAAAAAAA ";
55 PRINT "AAAAAAADABBBBBBBBBBBBBBBBBBBBBBBAGAAAAAAA";
60 PRINT "AAAAAADAABBBBBBBBBBBBBBBBBBBBBBBBBAAGAAAAA";
65 PRINT "AAAAADAAABBBBBBBBBBBBBBBBBBBBBBBBAAAGAAAAA";
70 PRINT " . . . CAAAABBBBBBBBBBBBBBBBBBBBBBAAAAF
         _ _ "î
_F___";
BO PRINT
                4F 4 4";
85 PRINT " _ C _ _
               _F _ ";
90 PRINT "E . . .
               ▲ AAAAAAAAAAAAAAAAAAAAAAAAAAAA
         _ _ H";
95 PRINT "B . .
                ▲ AAAAAAAAAAAAAAAAAAAAAAA
         ▲ ▲ B";
100 PRINT "B . .
105 PRINT "B . . . .
```

```
110 POKE 2023 + CO,8 + POKE 2023,2
115 FOR I = 1024 TO 1223 * POKE I + CO,8 * POKE I,0
      # IF RND ( 1 ) > .9 THEN POKE I,9
120 NEXT : POKE 2042,211 : POKE V + 41,11
      * POKE V + 23,36 * POKE V + 29,4
      * POKE V + 4,24 * POKE V + 5,50
121 FOR I = 1224 TO 2047 * POKE CO + I,8 * NEXT
125 POKE V + 42,9 + POKE V + 6,0 + POKE V + 7,60
      POKE 2043,212
130 POKE V + 21,15
140 B = 5 \div M1 = 6 \div M2 = 5 \div KB = 197 \div X = 160
      PL = 0 + FI = 0 + SC = 0
150 GOSUB 500 : K = PEEK ( KB )
155 X = X + ( K = 12 ) * 4 - ( K = 20 ) * 4
      \Rightarrow IF X < 64 THEN X = 64
157 IF X > 260 THEN X = 260
160 P = PEEK ( V + 16 )
      # IF X > 255 THEN POKE V, X - 256
      * POKE V + 16,P OR 1 * 60TO 165
162 POKE V, X + POKE V + 16, P AND 254
165 P = PEEK ( V + 16 ) + X = X + 24
      * IF X > 255 THEN POKE V + 2, X - 256
      * POKE V + 16,P OR 2 * GOTO 170
167 POKE V + 2,X + POKE V + 16,P AND 253
170 J = 75 + IF FI THEN J = 1
172 X = X - 24 + FOR I = 1 TO J + NEXT
      + PL = PL + .5 + IF PL > 80 THEN PL = 80
175 POKE V + 6,PL + IF FI > 0 THEN 190
180 IF RND ( 1 ) < .9 THEN 250
185 POKE V + 8,175 + POKE V + 9,90
      * POKE V + 21, PEEK ( V + 21 ) OR 16 * FI = 1
* X1 = PEEK ( V + 30 )
190 POKE V + 9, PEEK ( V + 9 ) + 4
      * X1 = PEEK (V + B)
      FIF PEEK ( V + 16 ) AND 16 THEN X1 = X1 + 256
195 IF PEEK ( V + 9 ) > 234
      THEN POKE V + 21, PEEK ( V + 21 ) AND 239
      * FI = 0 * GOTO 250
200 X1 = X1 - 12 \div X1 = X1 + (X1 > X) * 2
      - (X1 < X) * 2 * X1 = X1 + 12
205 IF X1 > 255 THEN POKE V + 8, X1 - 256
      * POKE V + 16, PEEK ( V + 16 ) OR 16 *GOTO 210
210 POKE V + 8,X1
      * POKE V + 16, PEEK ( V + 16 ) AND 239
215 IF PEEK ( V + 30 ) AND 16 THEN 1000
217 IF RND ( 1 ) < .92 THEN 250
218 POKE 54290,0 * POKE 54291,12 * POKE 54287,17
      * POKE 54286,37 * POKE 54292,0 * POKE 54290,17
220 IF X1 > 255 THEN POKE V + 10, X1 - 256
      * POKE V + 16, PEEK ( V + 16 ) OR 32 * GOTO 225
222 POKE V + 10, X1
      * POKE V + 16, PEEK ( V + 16 ) AND 223
225 POKE V + 11, PEEK ( V + 9 ) + 21 + POKE V + 44,8
      * POKE V + 21, PEEK ( V + 21 ) OR 32
      DE = PEEK (V + 30)
230 DE = 0 * FOR J = PEEK ( V + 11 ) TO 250 STEP 4
```

```
    POKE V + 11,J

      \Rightarrow IF PEEK ( V + 30 ) AND 32 THEN DE = 1
       J = 250
235 NEXT J # IF DE THEN 1000
240 POKE V + 21, PEEK ( V + 21 ) AND 223
250 IF K < > 36 THEN 300
251 POKE 54290,0 + POKE 54291,12 + POKE 54287,137
       + POKE 54286,43 + POKE 54292,0 + POKE 54290,33
255 X = X + 12 + IF X > 255 THEN POKE V + 10, X - 256
       * POKE V + 16, PEEK ( V + 16 ) OR 32 * GOTO 260
257 POKE V + 10, X
       * POKE V + 16, PEEK ( V + 16 ) AND 223
260 POKE V + 11, PEEK ( V + 1 ) - 42 : POKE V + 44.4
       * POKE V + 21, PEEK ( V + 21 ) OR 32
       DE = PEEK (V + 30)
265 DE = 0 + FOR J = PEEK ( V + 11 ) TO 70 STEP - 4
       * POKE V + 11,J
       \Rightarrow IF PEEK ( V + 30 ) AND 32 THEN DE = 1
        = 70 
270 NEXT J \Rightarrow X = X - 12
       * POKE V + 21, PEEK ( V + 21 ) AND 223
       * IF DE = 0 THEN 300
290 SC = SC + 10 + FI = 0
       * POKE V + 21, PEEK ( V + 21 ) AND 239
291 POKE 54290,0 : POKE 54291,133 : POKE 54287,8
       * POKE 54286,147 * POKE 54290,129
295 POKE 2045,214 + POKE V + 44,2
       * POKE V + 21, PEEK ( V + 21 ) OR 32
       * FOR I = 1 TO 100 * NEXT
297 POKE 2045,213
       * POKE V + 21, PEEK ( V + 21 ) AND 223
300 IF PL < 80 OR RND ( 1 ) < .9 THEN 350
301 POKE 54290,0 : POKE 54291,12 : POKE 54287,137
       * POKE 54286,43 * POKE 54292,0 * POKE 54290,33
305 POKE V + 44,1 + POKE V + 10,PL + POKE V + 11,69
       * POKE V + 23, PEEK ( V + 23 ) AND 223
310 POKE V + 21, PEEK ( V + 21 ) OR 32
       + FOR I = 1 TO 500 + NEXT
311 POKE 54290,0 + POKE 54291,207 + POKE 54287,8
       * POKE 54286,147 * POKE 54290,129
312 POKE V + 21, PEEK ( V + 21 ) AND 247
315 POKE V + 44,10 + POKE V + 11, PEEK ( V + 7 )
       * POKE 2045,214
       * POKE V + 23, PEEK ( V + 23 ) OR 32
320 POKE V + 29, PEEK ( V + 29 ) OR 32
       * POKE V + 32, PEEK ( V + 33 )
       * FOR I = 1 TO 4000 * NEXT * POKE V + 32.0
325 POKE V + 29, PEEK ( V + 29 ) AND 223
       $ GOTO 1007
350 GOTO 150
500 C = M2 + M2 = M1 + M1 = B + B = C
505 POKE V + 33,B + POKE V + 34,M1 + POKE V + 35,M2
       * RETURN
1000 POKE V + 21, PEEK ( V + 21 ) AND 252
       * POKE V + 10, PEEK ( V ) + 12
       * POKE V + 11, PEEK ( V + 1 )
```

```
1002 PDKE V. + 32,1
 1003 POKE 54290,0 + POKE 54291,207 + POKE 54287,8
        * POKE 54286,147 * POKE 54290,129
 1005 PDKE 2045,214 * PDKE V + 44,2
        * POKE V + 21, PEEK ( V + 21 ) OR 32
        * FOR I = 1 TO 4000 * NEXT
 1007 POKE V + 32,0 + POKE V + 33,6
 1010 POKE 2045,213 * POKE V + 21,0
 1015 POKE V + 24,20 + PRINT " ■ YOU _ SCORED"; SC
 1020 PRINT " 🖲 🗹 🗹 🗹 🗷 🗷 ANDTHER 🛦 GAME?"
 1022 PDKE 54276,0 * POKE 54290,0 * POKE 54273,0
        * POKE 54272,0 * POKE 54287,0 * POKE 54286,0
 1025 GET A$ + IF A$ < > "Y" THEN 1030
 1027 POKE V + 24,28 + POKE 54273,4 + POKE 54272,73
        * POKE 54276,0 * POKE 54276,129 * GOTO 9
 1030 IF A$ < > "N" THEN 1025
 1035 POKE V + 22, PEEK ( V + 22 ) AND 239 + END
170, 170, 170, 170, 170, 170
10005 DATA 85,85,85,85,85,85,85
10010 DATA 1,1,8,8,16,16,128,128,169,169,162,162,154,
        154, 42, 42
10015 DATA 86,86,81,81,101,101,21,21,64,64,32,32,4,4,2,2
10020 DATA 106,106,138,138,166,166,168,168,149,149,69,
        69,89,89,84,84
10025 DATA 255, 255, 255, 239, 255, 255, 255, 255
20000 DATA 0,0,3,0,0,3,0,0,15,0,0,15,0,0,10,0,128,10,
        2,0,11,20,0,11,22,0,15
20005 DATA 9,128,13,2,160,37,0,154,170,0,38,170,0,9,
        154,0,2,118,8,10,154
20010 DATA 32,170,168,42,170,154,42,128,118,40,0,16,
        0,0,0,99
20015 DATA 0,0,0,0,0,0,192,0,0,192,0,0,128,0,0,128,
        8,0,128,2,0,128,0,80
20020 DATA 192,2,80,192,9,128,112,42,0,170,152,0,170,
        96,0,153,128,0,118,0,0
20025 DATA 154,128,128,170,168,32,154,170,160,118,10,
        160, 16, 0, 160, 0, 0, 0, 99
20030 DATA 0,0,0,0,0,0,0,0,0,0,0,8,0,128,32,0,32,
        128,0,8,128,0,8,128,32,8
20035 DATA 128,168,8,170,170,168,174,170,232,138,
        154, 136, 128, 168, 8, 128, 32, 8
20040 DATA 128,0,8,32,0,32,8,0,128,0,0,0,0,0,0,0,0,0,99
20045 DATA 106,170,0,154,170,128,166,166,128,154,154,
        160, 154, 106, 168, 106
20050 DATA 90,168,170,154,154,166,154,102,169,169,
        100, 170, 169, 153, 106, 166, 106
20055 DATA 170, 102, 169, 166, 154, 169, 105, 170, 170,
        154, 165, 170, 154, 166, 170, 106, 170
20060 DATA 168,170,170,168,170,106,152,153,154,96,0,
        0,0,99
20065 DATA 0,0,0,0,0,0,0,0,0,0,0,0,40,0,2,170,128,
        10, 170, 240, 46, 186, 152, 190
20070 DATA 250,250,186,250,186,251,250,170,250,254,
        170, 174, 254, 186, 170, 190, 174
20075 DATA 170, 186, 174, 42, 186, 168, 10, 250, 160, 2, 250,
```


128,0,56,0,0,0,0,0,0,0,99
20080 DATA 0,24,0,0,34,0,7,73,112
20100 DATA 112,28,7,7,73,112,0,34,0,2,0,32,1,42,64,0,65,0,0,148,128,0,8,0
20105 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,9,9,9

CHEXSUM

AGUM		
0=4552	125=2687	257=2372
1=2756	130=677	260=5 0 79
2=4179	140=3796	265=5346
3=2827	150=1062	270=3641
5=4092	155=3322	290=2997
6=3 902	157=1194	291=3371
8=3596	160=4176	295=4134
9=3596	162=1457	297=2331
10=4301	165=5184	300=1741
15=3784	167=1677	301=3959
20=3793	170=1208	305=3969
25=2584	172=3912	310=2628
30=2575	175=1616	311=3376
35=3656	180=1110	312=1575
40=3269	185=4768	315=44 09
45=3270	190=4700	320=4889
50=3266	195=4087	325=2259
55=3793	200=4120	350=526
60=3792	205=4154	500=1765
65=3791	210=2378	505=2444
70=3397	215=1494	1000=4332
75=3385	217=1169	1002=619
80=3392	218=3924	1003=3376
85=3393	220=4209	1005=4198
90=3388	222=2447	1007=1336
95=3384	225=5087	1010=1294
100=2217	230=5260	1015=2374
105=2106	235=945	1020=1395
110=1356	240=1569	1022=3661
115=3663	250=1024	1025=1534
120=4600	251=3959	1027=3911
121=2025	255=4863	1030=1184

1035=1784 10000=3734 10005=1438 10010=2961 10015=2606 10020=3353 10025=1890 20000=3769 20005=3582 20010=2824 20015=3459 20020=3830 20025=3726 20030=3787 20035=3871 20040=2527 20045=3562 20050=4091 20055=4201 20060=2740 20065=4014 20070=4196 20075=3978 20080=4357 20085=4357 20090=596 20095=3363 20100=3577 20105=1896


TOTAL = 387009



SPRITE

HOME PLANET

Tank Attack



The aliens are coming again!

Controlling a laser tank, you must try and stop as many starships as possible from landing. If one does land it will release the aliens and fly away.

The starships are protected by a force-field which flickers on and off. When blue the craft can be destroyed, when red the force-field protects the ship. The starships will attempt to destroy you using guided lasers.

Your controls are:

- 'Z' to move the tank left
- 'C' to move the tank right
- 'M' to fire your laser

PROGRAM STRUCTURE	LINES
INITIALIZATION (PRINT SURFACE & SPACE SHIP)	1 — 10
GET KEY PRESSED	15
MOVE LEFT?	20
MOVE RIGHT?	30
FIRE CANNON?	50
HIT SPACE SHIP?	67
MOVE SPACE SHIP	100 — 106
TANK BEING ATTACKED	145 — 170
SPACE SHIP HIT AND FALLING	500 — 520
TANK UNABLE TO PREVENT LANDING	1000 — 1030
TANK HIT BY MISSILE	5000 — 5070
CONTINUE GAME	1040 — 1070

VARIABLES

P = TANK POSITION A = ALIEN POSITION PE = KEY PRESSED

B = BOMB POSITION

```
TANK ATTACK
```

```
0 POKE V + 55,255 ÷ POKE V + 56,47 ÷ PRINT "□" ÷
     POKE 53281,0 + POKE 53280,0
 1 V = 53248 * POKE 2040,192 * POKE 2041,194 *
     POKE 2042,196 * POKE 2043,197 * POKE 2044,198
 2 POKE V + 39,3 + POKE V + 40,2 + POKE V + 41,2 +
     POKE V + 42,3 : POKE V + 43,12 :
     POKE V + 28,15
 3 POKE V + 37,8 : POKE V + 38,5
 4 FOR I = 0 TO 446 * READ Q * POKE 12288 + I.Q *
     NEXT
 5 FOR I = 56136 TO 56295 * POKE I,9 *
     POKE I - 54272,160 : NEXT : POKE V + 21,31 :
     POKE 54273.0
 6 POKE 54272,0 * POKE 54276,0 * POKE 54277,0 *
     POKE 54278,0 + POKE 54296,15 + POKE 54278,240
 7 POKE 54276,129 + POKE V + 23,0 + POKE V + 29,4
     * P = 110 * POKE V + 1,200 * POKE V + 2,11
 8 POKE V + 5,50 : POKE V + 4,230 :
     A = 150 + INT (RND (1) * 70) \div B = 50 \div
     PE = PEEK ( V + 30 ) \div G = .4
 9 POKE V + 8,0 + POKE V + 9,220
10 POKE 54273,0 + PE = PEEK ( V + 30 )
15 PE = PEEK ( 197 )
20 IF PE = 12 AND P > 30 THEN P = P - 3 \Rightarrow
     POKE 2040,192 + POKE 54273,2
30 IF PE = 20 AND P < 320 THEN P = P + 3 :
     POKE 2040,193 + POKE 54273,2
35 IF P > 255 THEN POKE V,P - 256 + POKE V + 16,
     PEEK ( V + 16 ) OR 1 + GOTO 50
40 POKE V,P + POKE V + 16, PEEK ( V + 16 ) AND 254
50 IF PE < > 36 THEN 100
60 FOR I = 50 TO 0 STEP - 2 + POKE 54273, I + NEXT
62 X = P - 5 \div Y = 192 \div D = -1 \div POKE 2041,195 \div
      IF PEEK ( 2040 ) = 193 THEN D = 1 +
      X = X + 20 \div POKE 2041,194
65 IF PEEK ( V + 30 ) < > 6 THEN 70
66 POKE V + 2,0 * POKE V + 3,190 * X = 30 *
     FOR I = 0 TO 10 + POKE 54273, I + NEXT
67 IF PEEK ( V + 41 ) = 246 THEN GOSUB 500
68 POKE 54273.0
70 IF X < 40 OR X > 300 OR Y < 50 THEN X = 0 #
      Y = 0 : POKE V + 2,0 : POKE V + 3,192 :
     POKE 54273,0 # GOTO 100
80 X = X + D * 5 * Y = Y - 6
85 POKE V + 3, Y = IF X > 255 THEN
     POKE V + 2, X - 256 + POKE V + 16,
     PEEK ( V + 16 ) OR 2 + GOTO 95
90 POKE V + 2, X + POKE V + 16, PEEK ( V + 16 )
     AND 253
95 GOTO 65
100 G = G + .02 \div IF RND (1) < .6 THEN A = A - 3
101 B = B + G = IF RND ( 1 ) < .1 THEN A = A + 4
102 IF A > 320 THEN A = 240
105 IF A < 40 THEN A = 40
```


```
106 IF A > 255 THEN POKE V + 4,A - 256 $
      POKE V + 16, PEEK ( V + 16 ) OR 4 + GOTO 110
107 POKE V + 4,A + POKE V + 16, PEEK ( V + 16 )
      AND 251
110 POKE V + 5,B : IF RND ( 1 ) < .3 THEN
      POKE V + 41,2
115 IF RND ( 1 ) < .1 THEN POKE V + 41,6
120 IF B > 185 THEN 1000
130 IF RND ( 1 ) < .96 THEN GOTO 10
140 IF A < P THEN POKE 2041,195
142 IF A > P THEN POKE 2041,194
145 FOR I = 0 TO 40 STEP .4 * POKE 54273, I * NEXT *
      POKE 54273,0
146 SH = A + FOR I = B TO 215 STEP 6
150 IF RND ( 1 ) < .4 THEN
      SH = SH + ( (SH > P ) - (SH < P ) ) # 5
160 IF PEEK ( V + 30 ) = 3 THEN 5000
161 IF SH > 255 THEN POKE V + 2,SH - 256 :
      POKE V + 16, PEEK ( V + 16 ) OR 2 = 60TO 165
162 POKE V + 2, SH + POKE V + 16, PEEK ( V + 16 )
      AND 253
165 POKE V + 3, I
170 NEXT
180 POKE V + 2,0 + POKE V + 3,190
190 GOTO 10
200 A = INT ( RND ( 1 ) * 50 ) + 170 + B = 50 +
      X = 30 \div POKE V + 29,4 \div POKE V + 23,4
205 POKE V + 16, PEEK ( V + 16 ) AND 251
500 POKE V + 2,0 + POKE V + 3,192
502 POKE 54273, ( B - 40 )
505 G = G + .02 + B = B + G + POKE V + 5.B +
      IF B < 205 THEN 502
506 POKE 54273,2 * POKE V + 29,20 *
      POKE V + 9,8 - 5 + POKE V + 4,0 +
      POKE V + 5,0
507 IF A > 255 THEN POKE V + 8,A - 256 $
      POKE V + 16, PEEK ( V + 16 ) OR 16 $
      GOTO 510
508 POKE V + 8,A + POKE V + 16, PEEK ( V + 16 )
      AND 239
510 FOR Z = 10 TO 0 STEP - .2 : POKE 54273.I :
      NEXT : A = 150 + INT (RND (1) * 70)
      B = 50 \div POKE 54273,0
515 FOR Z = 1 TO 500 + NEXT + POKE V + 29,4 +
      POKE V + 8,0 : POKE V + 9,220
517 IF A > 255 THEN POKE V + 4,A - 256 $
      POKE V + 16, PEEK ( V + 16 ) OR 4 + 60TO 520
518 POKE V + 4,A + POKE V + 16, PEEK ( V + 16 )
      AND 251
520 POKE V + 5,B + G = 0 + RETURN
1000 POKE V,0 + POKE V + 1,0 + POKE V + 2,0 +
      POKE V + 3,0 * POKE 54276,0 * POKE 54276,17
1001 POKE V + 8,0 + POKE V + 9,0
1005 PRINT " କୋଟାରୀ ସ୍ରାରୀ ପ୍ରାରୀ ପ୍ରାରୀ ପ୍ରାରୀ ପ୍ରାରୀ ପ୍ରାରୀ ପ୍ରାରୀ
       THE _ ALIENS _ HAVE _ INVADED"
```

```
1006 A = A + 10 + FOR T = 1 TO 3 + IF A > 255 THEN
       POKE V + 6,A - 256 + POKE V + 16,
       PEEK ( V + 16 ) OR 8 + GOTO 1010
1007 POKE V + 6,A + POKE V + 16, PEEK ( V + 16 )
       AND 247
1010 FOR I = B TO 205 + POKE V + 7, I +
       POKE 54273, I - 185 * NEXT I
1011 \text{ FOR I = A TO O STEP - 1}
1012 POKE V + 6, I + POKE V + 16, PEEK ( V + 16 )
       AND 247
1015 POKE 54273, I + NEXT I,T
1020 FOR I = B TO 20 STEP - 1 + POKE V + 5, I +
       POKE 54273, INT ( RND ( 1 ) # 200 ) : NEXT
1025 POKE 54273,0 + POKE 54276,0 + POKE 54276,33
1030 FOR I = 50 TO 1 STEP - .4 + POKE 54273, I + NEXT
       * POKE 54273,0
1040 PRINT " I D D D PLAY _ AGAIN?"
1050 GET A$ : IF A$ = "Y" THEN RUN
1060 IF A$ < > "N" THEN 1050
1070 END
5000 POKE 54276,0 : POKE 54276,129 : POKE V + 2,0 :
       POKE V + 3,190
5001 POKE V,0 + POKE V + 1,0 + POKE V + 9,200
5002 IF P > 255 THEN POKE V + 8,P - 256 :
       POKE V + 16, PEEK ( V + 16 ) OR 16 + GOTO 5004
5003 POKE V + 8,P + POKE V + 16, PEEK ( V + 16 )
       AND 239
5004 FOR I = 20 TO 0 STEP -.1 + POKE 54273, I + NEXT
       * POKE 54273,0
5005 POKE 54276,0 + POKE 54276,33
5010 FOR I = 200 TO 0 STEP - 2 + POKE 54273. I + NEXT
5020 FOR I = 0 TO 10 STEP .2 + POKE 54273, I + NEXT
5025 POKE 54273,0 + POKE 54276,0 + POKE 54276,17
5030 FOR I = 10 TO 30 STEP .1 * POKE 54273, I * NEXT
5040 FOR I = 50 TO 0 STEP - .4 + POKE 54273,I + NEXT
5050 POKE 54273,0
5060 B = B + 1 + POKE V + 5.B + POKE 54273.B +
       IF B < 185 THEN 5060
5065 POKE V,0 + POKE V + 1,0 + POKE 54273,0
5070 GDTD 1000
9000 DATA 0,0,0,0,0,0,0,0,0,2,0,0,0,128,0,0
       ,128,0,0,32,0,0,8,8,0,9,8,0,21,8,0
9010 DATA 21,8,0,85,72,0,85,72,3,255,248,15
       ,255,252,51,51,51,51,51,51,15,255,252
9020 DATA 3,255,240,0,0,0,0,0,0,99
9030 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,32,0
       ,0,128,0,0,128,0,2,0,8,9,0,8,21,0,8
9040 DATA 21,0,8,85,64,8,85,64,11,255,240
       ,15,255,252,51,51,51,51,51,51,15,255
9050 DATA 252,3,255,240,0,0,0,0,0,0,99
9070 DATA 0,10,0,0,38,0,0,38,0,0,38,0,0
       ,40,0,0,32,0,0,128,0
9080 DATA 0,0,0,0,0,0,0,0,0,0,0
       ,0,0,0,0,0,0,0,0,0,0,99
9090 DATA 0,0,0,0,0,0,0,0,0,0,0
```


,0,0,0,0,0,0,0,0,0,0 9100 DATA 0,160,0,0,152,0,0,152,0,0,152 ,0,0,40,0,0,8,0,0,2,0 9110 DATA 0,0,0,0,0,0,0,0,0,0,0 ,0,0,0,0,0,0,0,0,0,99 9120 DATA 0,48,0,0,48,0,0,252,0,0,48,0,3,87 ,0,9,101,128,252,100,124,61,101,240 9130 DATA 15,155,192,3,255,0,1,253,0,1,49 ,0,4,0,64,16,0,16,136,0,136,0,0,0,0,0,0 9140 DATA 0,0,0,0,0,0,0,0,0,0,0,99 9160 DATA 0,4,0,0,29,0,0,29,0,0 ,4,0,0,4,0,0,34,0,0,34,0 9170 DATA 0,0,0,0,0,0,0,0,0,0,0 ,0,0,0,0,0,0,0,0,0,99 9180 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0 9181 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0 9182 DATA 0,0,0,0 9190 DATA 3,7,0,7,223,184,15,255,248,15 , 255, 252, 63, 255, 255, 255, 255, 255 9200 DATA 255,255,255,255,255,255,255,255

CHEXSUM

0=3255	85=4668	200=3856
1=3935	90=23 06	205=1572
2=4408	95=477	500=1338
3=1342	100=2251	502=926
4=2221	101=2150	505=3048
5=4292	102=1157	506=3592
6=383 6	105=1033	507=3976
7=4155	106=3921	508=2287
8=5152	107=2279	510=4771
9=1345	110=2240	515=3147
10=1640	115=1582	517=3920
15=796	120=951	518=2279
20=3202	130=1490	520=1164
30=3254	140=1250	1000=3590
35=3689	142=1249	1001=1218
40=2040	145=2505	1005=3754
50=1115	146=1536	1006=5560
60=1984	150=3327	1007=2287
62=5445	160=1456	1010=2780
65=1 525	161=4139	1011=1074
66=3503	162=2393	1012=2295
67=1635	165=587	1015=954
68=528	170=131	1020=3595
70=5454	180=1338	1025=1832
80=1492	190=472	1030=2686



Star Pilot



This program also contains some machine code routines.

In this game you, the Star Pilot, must attempt to get approaching and retreating enemy space craft into your sights and blast them.


The game's objective is to get as many enemy craft as possible within the 2 minutes playing time allowed.

- 'W' and 'X' control your up and down movement.
- 'A' and 'D' control your left and right travel.
- 'S' key is used to fire with.

PROGRAM STRUCTURE	LINES
SET UP COLOUR MODE: TURN SOUND ON	1
READ IN SPRITE DATA	5
SPRITE 0 = SIGHTS SPRITE 1 = LEFT MISSILE SPRITE 2 = RIGHT MISSILE SPRITE 3 = ALIEN PUT SIGHTS ON SCREEN	10
GIVE X, Y COORDINATES OF SIGHTS (148, 108) MAKE MISSILES MULTI-COLOUR MAKE MISSILES RED	15
CLEAR SCREEN: GIVE ADDRESS OF KEYBOARD	20
LOAD IN MACHINE LANGUAGE ROUTINE	25
GET ADDRESSES OF THE 3 MACHINE CODE ROUTINES SET CHARACTER COLOUR TO WHITE	30
PLACE STARS RANDOMLY IN BACKGROUND	35
INITIALIZE TIME = 0 SCORE = 0	40
READ KEYBOARD GET SPRITE COLLISION REGISTER MAKE SIGHTS GREEN IF SIGHTS AND ALIEN ARE TOUCHING THEN	50 N
MAKE SIGHTS RED	
IF PLAYER DID NOT HIT 'FIRE' THEN 100	52
SET UP VOICE 1 ON SID CHIP	53
PUT L AND R MISSILES ON SCREEN	55 — 60
MOVE MISSILES TOWARDS SIGHTS	65 — 75

IF BOTH L AND R MISSILE DID NOT HIT ANYTHING THEN 85	75 — 80
IF ALIEN WAS HIT THE 1000	82
MAKE SMALL EXPLOSION SOUND	83
PUT EXPLOSION SPRITE INSTEAD OF MISSILE ON SCREEN, WAIT, THEN ERASE	85 — 90
RESTORE POINTER TO MISSILE AGAIN	95
IF ALIEN IS ON SCREEN THEN 130	100
90% CHANCE EACH TIME ROUND LOOP, OF NOT CREATING AND ALIEN IF ONE ALREADY THERE. NO ALIEN TO BE CREATED THEN 200	105
SET RANDOM X, Y, Z OF ALIEN FROM SPACE- SHIP. THEN PUT ALIEN ON SCREEN, SIZE OF ALIEN DEPENDENT ON Z. AREAS 195 — 199 OF MEMORY CONTAIN DEFINITIONS FOR ALIEN SPRITE. 195 — SMALLEST, 199 — LARGEST. SET ALIEN PRESENT STATUS FLAG.	
MOVE ALIEN IN X, Y, Z DIRECTION RANDOMLY	130 — 175
IF PLAYER DID NOT HIT DIRECTION KEY THEN 300. IF NO ALIEN PRESENT THEN 232	200
MOVE ALIEN RELATIVE TO OUR SPACE SHIP IF WE ARE GOING UP THEN MOVE ALIEN DOWN, IF WE ARE GOING LEFT THEN MOVE ALIEN RIGHT AND VICE VERSA	205 — 230 :
IF UP DIRECTION SELECTED, THEN MAKE STAR FIELD MOVE DOWN RELATIVE TO SPACE SHIP. PLACE STAR RANDOMLY AT TOP OF SCREEN. GO TO 300.	232

IF LEFT DIRECTION THEN MOVE STAR FIELD RIGHT. PLACE STAR RANDOMLY ALONG RIGHT-MOST COLUMN. GO TO 300.	235
IF RIGHT DIRECTION THEN MOVE STAR FIELD LEFT. PLACE STAR RANDOMLY ALONG LEFT-MOST COLUMN. GO TO 300.	240
SCROLL SCREEN UP FOR DEFAULT DOWN DIRECTION. PLACE A STAR RANDOMLY ALONG BOTTOM LINE	245 — 250
IF TIME IS NOT UP THEN 50 ASK FOR NEW GAME	300 — 305
IF REPLY = YES THEN GO TO 30	320
OTHERWISE END	325
BLOW UP ALIEN. MAKE BIG EXPLOSION SOUNDS, PLACE EXPLOSION CLOUDS ON SCREEN. SET ALIEN PRESENT FLAG = 0	1000 — 1025
SPRITE DATA	10000 — 10130
DOWN DIRECTION SCROLLING ROUTINE	20000 — 20010
RIGHT SCROLLING ROUTINE	30000 — 30010
LEFT SCROLLING ROUTINE	40000 — 40010



```
STAR PILOT
    1 POKE 55,255 + POKE 56,47 + V = 53248 +
        POKE V + 32,12 + POKE V + 33,0 +
        POKE V + 38,5 + POKE 54296,15
    5 FOR I = 0 TO 638 + READ A + POKE 1024 * 12 + I.A
        * NEXT
   10 POKE 2040,192 : POKE 2041,193 : POKE 2042,194 :
        POKE V + 21,1 : POKE V + 39,5 : POKE V + 23,1
   15 POKE V + 29,9 : POKE V,148 : POKE V + 1,108 :
        POKE V + 28,6 + POKE V + 40,2 + POKE V + 41,2
        * POKE V + 37,8
   20 KB = 197 + PRINT " ""
   25 FOR I = 0 TO 151 * READ A * POKE 13 * 1024 + I,A
        * NEXT
   30 D = 13 * 1024 ÷ LE = D + 52 ÷ RI = D + 102 ÷
        FOR I = 55296 TO 56295 * POKE I,1 * NEXT
   35 FOR I = 1 TO 50 +
        POKE 1024 + RND ( 1 ) # 1000,46 + NEXT
   40 AL = 0 : TI$ = "000000" : SC = 0
   50 K = PEEK ( KB ) + A = PEEK ( V + 30 ) +
   POKE V + 39,5 \div IF A = 9 THEN POKE V + 39,2 52 IF K < > 13 THEN 100
   53 POKE 54276,0 + POKE 54273,72 + POKE 54272,169 +
        POKE 54277,143 + POKE 54276,129
   55 POKE V + 2,60 + POKE V + 3,220 + POKE V + 5,220
   60 POKE V + 4,4 + POKE V + 16, PEEK ( V + 16 ) OR 4
        * POKE V + 21, PEEK ( V + 21 ) OR 6
   65 FOR I = 1 TO 32 : POKE V + 2, PEEK ( V + 2 ) + 3
        * POKE V + 3, PEEK ( V + 3 ) - 3 *
        POKE V + 5, PEEK ( V + 3 )
   70 A = PEEK ( V + 4 ) - 3 + IF A < 0 THEN A = 255 +
        POKE V + 16, PEEK ( V + 16 ) - 4
   72 POKE V + 4,A
   75 A = PEEK ( V + 30 ) * NEXT * POKE V + 21,
        PEEK ( V + 21 ) - 6 + B = A AND 2 +
        IF B = 0 THEN B = A AND 4
   80 IF B = 0 THEN 85
   82 IF A AND 8 THEN 1000
   83 POKE 54276,0 + POKE 54273,17 + POKE 54277,7 +
        POKE 54276,129
   85 POKE V + 2, PEEK ( V ) + 10 + POKE V + 3,
        PEEK ( V + 1 ) + 10 + POKE 2041,201 +
        POKE V + 21, PEEK ( V + 21 ) OR 2
   90 FOR I = 1 TO 50 + NEXT + POKE V + 21,
        PEEK ( V + 21 ) - 2
   95 POKE 2041,193
  100 IF AL > 0 THEN 130
  105 IF RND ( 1 ) > .1 THEN 200
  107 IF PEEK ( V + 16 ) AND A THEN POKE V + 16,
        PEEK ( V + 16 ) - 8
  110 POKE V + 6, RND ( 1 ) * 256 ÷ IF RND ( 1 ) > .75
        THEN POKE V + 6, RND ( 1 ) * 63 : POKE V + 16,
        PEEK ( V + 16 ) OR 8
  115 POKE V + 7, RND ( 1 ) * 200 * Z = INT
        ( RND ( 1 ) * 5 ) + POKE V + 42,4
```


```
120 DZ = INT ( RND ( 1 ) * 5 - 2 ) * DY = INT
      ( RND ( 1 ) *5 - 2 ) *DX = INT
      (RND (1) * 5 - 2)
121 IF ( DX = O AND DY = O AND DZ = O ) OR
      ( DX = 0 AND DY = 0 AND DZ > 0 ) THEN 120
122 IF I = 0 THEN 129
123 IF PEEK ( V + 16 ) AND 8 THEN POKE V + 16,
      PEEK ( V + 16 ) - 8
124 IF RND ( 1 ) > .5 THEN 127
125 POKE V + 6,2 : IF RND ( 1 ) > .5 THEN
      POKE V + 6,86 + POKE V + 16, PEEK ( V + 16 )
      OR 8
126 GOTO 129
127 POKE V + 7,31 : IF RND ( 1 ) > .5 THEN
      POKE V + 7,246
129 POKE 2043,195 + Z + POKE V + 21, PEEK ( V + 21 )
      OR 8 + AL = 1
130 A = PEEK ( V + 7 ) + DY $ 2 $
      IF A < 31 OR A > 246 THEN AL = 0 \div
      POKE V + 21, PEEK ( V + 21 ) - 8 : GOTO 200
135 POKE V + 7,A + A = PEEK ( V + 6 ) + DX * 2 +
      B = PEEK (V + 16) AND 8
140 IF ( A < 2 AND B = 0 ) OR ( A > 86 AND B ) THEN
      AL = 0 \div POKE V + 21, PEEK ( V + 21 ) - 8 \div
      GOTO 200
145 IF A < 0 THEN A = 255 + POKE V + 16,
      PEEK ( V + 16 ) - 8
150 IF A > 255 THEN A = 0 + POKE V + 16,
      PEEK ( V + 16 ) OR 8
155 POKE V + 6,A + Z = Z + DZ / 20 + IF Z < 0 THEN
      AL = 0 \div POKE V + 21, PEEK (V + 21) - 8 \div
      GOTO 200
157 IF Z > 4.9 THEN Z = 4.9 + DZ = - INT
      (RND (1) * 3)
160 POKE 2043,195 + Z
165 IF RND ( 1 ) < .9 THEN 200
170 DX = INT ( RND ( 1 ) *5 - 2 ) *
      DY = INT (RND (1) * 5 - 2) =
      IF RND ( 1 ) > .7 THEN DZ = INT
      (RND (1) #5-2)
175 IF DX = 0 AND DY = 0 AND DZ = 0 THEN 170
200 IF K < > 9 AND K < > 18 AND K < > 23
      AND K < > 10 THEN 300
203 IF AL = 0 THEN 232
205 A = PEEK ( V + 7 ) - ( K = 9 ) * 8 +
      (K = 23) * B
206 IF A < 31 OR A > 246 THEN AL = 0 = POKE V + 21,
      PEEK ( V + 21 ) - 8 + GOTO 50
207 POKE V + 7,A
210 B = PEEK ( V + 16 ) AND B = A = PEEK ( V + 6 )
      - ( K = 10 ) * 8 + ( K = 18 ) * 8
215 IF (A < 2 AND B = 0 ) OR (A > 86 AND B)
      THEN AL = 0 \div POKE V + 21, PEEK ( V + 21 ) - 8
      GOTO 200
220 IF A < 0 THEN A = 255 + POKE V + 16,
      PEEK ( V + 16 ) - 8
```

```
225 IF A > 255 THEN A = 0 + PDKE V + 16.
        PEEK ( V + 16 ) OR 8
  230 POKE V + 6,A
  232 IF K = 9 THEN SYS D = POKE 1024 +
        RND ( 1 ) * 40,46 * GOTO 300
  235 IF K = 10 THEN SYS RI + POKE 1024 + INT
        ( RND ( 1 ) * 25 ) * 40,46 * GOTO 300
  240 IF K = 18 THEN SYS LE : POKE 1063 +
        INT ( RND ( 1 ) * 25 ) * 40,46 + GOTO 300
  245 PRINT " 5 0 0 0 0 0 0 0 0 0 0 0 0
        250 POKE 56295,1 + POKE 1984 + RND ( 1 ) * 40,46
 300 IF TI$ < "000200" THEN 50
 305 PRINT " 🔄 📐 TIME 🛣 UP 🕼 🕼 🕼 🕼 " ÷ PRINT " 🖭 YOU
        _ SCORED"; SC + POKE V + 27,255
 310 PRINT " @ @ @ @ @ WOULD _ YOU _ LIKE _ ANOTHER
        ▲ GAME?"
 315 GET A$ : IF A$ = "Y" THEN POKE V + 21.1 :
       PRINT "□" * POKE V + 27,0 * 60TO 30
 320 IF A$ < > "N" THEN 315
 325 END
 1000 POKE V + 21,9 + AL = 0 + POKE V + 2,
       PEEK ( V ) + 10 + POKE V + 3,
       PEEK (V + 1) + 10
 1001 PDKE 54276,0 * PDKE 54273,8 * PDKE 54272,47 *
       POKE 54277,76 # POKE 54276,129
 1005 POKE V + 4, PEEK ( V ) + POKE V + 5,
       PEEK ( V + 1 ) + POKE V + 23, PEEK ( V + 23 )
        OR 4
 1010 POKE V + 29, PEEK ( V + 29 ) OR 4 $
       POKE 2041,200 + POKE 2042,200
 1015 POKE V + 21, PEEK ( V + 21 ) OR 6 :
       FOR A = 200 TO 201 : POKE 2042, A :
       FOR B = 200 TO 201.9 STEP .05
 1020 POKE 54276,0 * POKE 54276,129 * POKE 2041,B *
       NEXT B, A + POKE V + 23,1 + POKE V + 29,9
 1025 POKE V + 21,1 : POKE 2041,193 : POKE 2042,194 :
       SC = SC + (5 - INT (Z)) * 10 * GOTO 100
10000 DATA 0,0,0,0,0,0,0,0,0,28,0,0,255,128,7
        , 128, 240, 12, 0, 24, 16, 8, 4, 32, 8, 2
10005 DATA 32,0,2,0,99,0,32,0,2,32,8,2,16,8,4
        ,12,0,24,7,128,240,0,255,128,0,28,0
10010 DATA 0,0,0,0,0,0,0,0,0,99
10015 DATA 0,0,0,0,0,0,0,2,128,0,2,128,0,41,128
        ,0,41,128,0,150,0,0,150,0,2,86,0
10020 DATA 2,86,0,2,88,0,2,88,0,9,160,0,9,160,0
        ,38,0,0,38,0,0,40,0,0,40,0,0
10025 DATA 128,0,0,128,0,0,0,0,0,99
10030 DATA 0,0,0,0,0,0,2,128,0,2,128,0,2,104
        ,0,2,104,0,0,150,0,0,150,0
10035 DATA 0,149,128,0,149,128,0,37,128,0,37,128
        ,0,10,96,0,10,96,0,0,152,0,0,152
10040 DATA 0,0,40,0,0,40,0,0,2,0,0,2,0,0,0,99
```

```
10045 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,8,0,0,62,0,0,0,0
10050 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,99
10055 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,8,0,0,28,0,0,255,128
10060 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
10065 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,34,0,0,28,0,0,127,0,3,255,224
10070 DATA 0,201,128,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10075 DATA 99,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,99,0,0,28,0,0,62,0,0,247,128
10080 DATA 7,255,240,31,255,252,1,201,192,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10085 DATA 0,0,0,0,0,0,0,99
10090 DATA 0,0,0,0,0,0,0,0,0,0,0,0,128,128,0
        ,99,0,0,28,0,0,127,0,1,227,192,15
10095 DATA 255,248,127,255,255,7,156,240,2,0
        ,32,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10100 DATA 0,0,0,0,0,0,99
10105 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,32
        ,0,0,186,128,10,247,128,47,123,128
10110 DATA 181,151,224,173,85,120,11,95,248,2
        ,222,160,2,222,0,2,222,0,0,190,0
10115 DATA 0,40,0,0,0,0,0,0,0,0,0,0,0,0,0,99
10120 DATA 0,0,0,0,0,0,0,2,128,0,138,232,2,239
        ,120,11,117,224,45,119,168,47,87
10125 DATA 254,10,213,94,11,85,248,11,87,160
        ,45,221,128,181,221,224,183,223,120
10130 DATA 46,187,94,8,34,222,0,0,184,0,0
        ,32,0,0,0,0,0,0,0,0,0
20000 DATA 162,192,189,255,6,157,39,7,202,208
        ,247,202,189,255,5,157,39,6,202,20B
20005 DATA 247,202,189,255,4,157,39,5,202,208
        ,247,202,189,255,3,157,39,4,202,208
20010 DATA 247,169,32,157,0,4,232,224,40,208,248,96
30000 DATA 169,0,133,20,169,4,133,21,160,1,177
        , 20, 136, 145, 20, 200, 200, 192, 40
30005 DATA 208,245,136,169,32,145,20,169,40,24
        ,101,20,133,20,169,0,101,21,133,21
30010 DATA 201,7,208,221,165,20,201,232,208,215,96
40000 DATA 169,0,133,20,169,4,133,21,160,39,177
        ,20,200,145,20,136,136,192,255
40005 DATA 208,245,200,169,32,145,20,169,40,24
        ,101,20,133,20,169,0,101,21,133,21
40010 DATA 201,7,208,221,165,20,201,232,208,215,96
```

CHEXSUM		
1=4616	145=2663	10025=1438
5=2438	150=2653	10030=3358
10=4187	155=5029	10035=4424
15=4981	157=2703	10040=2003
20=946	160=839	10045=3980
25=2432	165=1106	10050=3527
30=4314	170=5554	10055=3764
35=2 50 4	175=2052	10060=4222
40=1744	200=3239	10065=4127
50=3848	203=860	10070=4341
52=1021	205=2592	10075=3712
53=3441	206=3900	10080=4470
55=2151	207=579	10085=960
60=3779	210=4004	10090=4266
65=5010	215=4854	10095=4496
70=3801	220=2663	10100=960
72=576	225=2653	10105=4256
75=4748	230=578	10110=4073
80=720	232=2967	10115=1950
82=831	235=3723	10120=4165
83=2568	240=3721	10125=4280
85=5103	245=3205	10130=2905
90=2544	250=2006	20000=4468
95=574	300=1235	20005=4461
100=857	305=3480	20010=2374
105=1106	310=2706	30000=3861
107=2777	315=3551	30005=4427
110=5182	320=1122	30010=2297
115=3168	325=129	40000=4089
120=4534	1000=3989	40005=4424
121=4059	1001=3284	40010=2297
122=794	1005=3734	
123= 2760	1010=2797	TOTAL= 347791
124=1114	1015=4559	
125=3864	1020=3872	
126=535	1025=4414	
127=2348	10000=4030	
129=2941	10005=4356	
130=5539	10010=1190	
135=3453	10015=4257	
140=4854	10020=3806	

Martian Invasion



Fly your plane over the city, watching Martian Pods drop from the sky.

A tripod or a flying machine will hatch out from the crater left by the Pod. The tripods shoot at you and the flying machine will try to crash into you. All this while a red weed starts growing and crawling.

You must shoot as many Martians as possible before your inevitable defeat. If you crash into a pod you explode, so avoid them. This game has excellent graphics and should provide many hours of fun.

Your controls are:

'W' up

'X' down

'A' left

'D' right

'S' to fire your laser

See how many you can get!

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 10
PRINT GROUND/BUILDING	15 — 45
INITIALIZE VARIABLES/COLOURS	50 — 53
GET KEY PRESSED	55
FACE FIGHTER IN LEFT/RIGHT DIRECTION	56 — 58
CHECK HORIZONTAL POSITION OF CRAFT	60 — 75
MOVE CRAFT TO NEW HORIZONTAL/VERTICAL POSITION	80 — 95
PUT POD ON SCREEN	110 — 115
PUT TRIPOD ON SCREEN	150 — 170
PRINT FLYING MACHINE	250 — 270
EXPLODE FLYING MACHINE	300
FIGHTER COLLIDED WITH ANYTHING?	500
SHELL FIRED?	505
MOVE SHELL	510 — 535
COLLISION OCCURRED?	675
EXPLOSION SOUND OF ALIEN	677 — 690
DESTROY FIGHTER	1000 — 1005
DECREMENT NO. OF LIVES LEFT — FINISHED?	1035 — 1045
PLAY AGAIN?	1035 — 1045
END	1060

VARIABLES

CO = DIFFERENCE BETWEEN SCREEN AND VIDEO MEMORY

V = START OF VIDEO CHIP

A = HOLDS DATA READ IN

K = CONTAINS LAST KEY PRESSED

B = HIGH ORDER BIT FOR SCREEN ADDRESSING

A = POSITION OF FIGHTER CRAFT

MA = MARTIAN TYPE: 1 = POD; 2 = TRIPOD; 3 = FLYING MACHINE;

0 = LANDED; -1 = NOT EXISTENT


X,Y = POSITIONS FOR SPRITES ON SCREEN

KB = POINTER TO LAST KEY PRESSED REGISTER

SC = SCORE

SH = SHELL FIRED FLAG


I = VARIABLE



SPRITE

PLAYER'S SHIP MOVING RIGHT

SPRITE # 1



sprite

ALIEN MOVING RIGHT

MARTIAN INVASION

```
0 POKE 55,255 \div POKE 56,47 \div V = 53248 \div
    FOR I = 12544 TO 12551 * POKE I,0 * NEXT *
    CO = 54272
1 POKE 54296,15
2 POKE V + 34.11 * POKE V + 35.8 * POKE V + 32.0 *
    POKE V + 33,0 : PRINT " □";
5 FOR I = 13312 TO 14015 + READ A + POKE I,A +
    NEXT + POKE V + 37,11 + POKE V + 38,5
10 FOR I = 12288 TO 12375 + READ A + POKE I,A +
    NEXT + POKE V + 22, PEEK ( V + 22 ) OR 16 +
    POKE V + 24,28
BBBBBBBBBBBB";
; * POKE 2023,2 * POKE 56295,5
aaaa 🗀 💶 💵 💵 💵 💵 aaaa 🗀 🗈 💵 💵 🖼 🖼
    A [4] 33 [2] ## ## 33 [2] ## ## 33 [2] ## | ± A";
30 PRINT " 🗐 🗐 🗐 📵 📵 📵 📵 📵 🔞 🐧 🗼 🗼 A 📵 💵 💵 💵
     41 B1 B1 € 333333 € B1 41 B1 B1 B1 B1 B1 333333 € B1 B1 B1 B1
     ■# ■# aa |■ aa (€ aa" ;
35 PRINT " 🗐 🗐 🗐 🗐 📾 200 🖸 👭 👭 88000 🖸 👭 👭 88000 🖸
     ## D (E) (E) (E) (E) (E) (E) (E) (F) (F)
40 PRINT " 🗊 🗐 🖪 A 🛴 😭 อออออออ 🖃 ออ 😭 ออ 🗀 💵 💵 💵 💵
     al al al al algabobobobo 🗀 al al al al al algabobo 🗀 al
     50 POKE V + 28,3 : POKE V + 39,2 : POKE V,20 :
    POKE V + 1,99 + KB = 197 + POKE V + 16,0 +
    POKE 2042,215
52 POKE 2040,216 \div DI = 0 \div POKE V + 21,1 \div
    MA = -1 \div PO = PEEK (V + 30) \div PO = 0 \div
    SH = 0 + RW = 0 + M1 = 0
53 \text{ SC} = 0 \div \text{LI} = 3 \div \text{PS} = 0 \div \text{POKE } 54290,0 \div
    POKE 54291,0 + POKE 54292,240
55 K = PEEK ( 197 ) \Rightarrow B = PEEK ( V + 16 ) AND 1 \Rightarrow
    A = PEEK (V) + (K = 10) *8 -
     (K = 18) * 8
56 IF K = 10 THEN DI = 1
57 IF K = 18 THEN DI = 0
58 POKE 2040,216 + DI
60 IF A < 0 AND B THEN POKE V + 16,
    PEEK ( V + 16 ) AND 254 : B = 0 : A = 248
65 IF A > 255 AND B = 0 THEN POKE V + 16,
    PEEK ( V + 16 ) OR 1 = B = 1 = A = 0
70 IF A < 20 AND B = 0 THEN POKE V + 16,
    PEEK ( V + 16 ) OR 1 + B = 1 + A = 64
75 IF A > 64 AND B THEN POKE V + 16,
    PEEK ( V + 16 ) AND 254 \div B = 0 \div A = 20
80 POKE V,A \Rightarrow A = PEEK ( V + 1 ) + ( K = 9 )
     * B - ( K = 23 ) * B
85 IF A < 52 THEN A = 52
```

```
90 IF A > 203 THEN A = 203
 95 POKE V + 1,A : IF MA > - 1 THEN 120
100 IF RND ( 1 ) > .1 THEN 500
101 POKE V + 23,0
105 MA = 0 + POKE V + 2,20 + RND ( 1 ) * 236 +
      POKE V + 16, PEEK ( V + 16 ) AND 253
110 IF RND ( 1 ) > .75 THEN POKE V + 16,
      PEEK ( V + 16 ) OR 2 = POKE V + 2,
      RND (1) * 64
115 POKE V + 3,52 + POKE V + 40,2 + POKE 2041,214 +
      POKE V + 21, PEEK ( V + 21 ) OR 2 =
      POKE 54290,17
120 ON MA GOTO 150,200,250,300,300,310
122 X = (600 - PEEK (V + 3)) * 25 =
      X1 = INT (X / 256) + Y1 = X - X1 * 256
123 POKE 54287, X1 + POKE 54286, Y1
125 POKE V + 3, PEEK ( V + 3 ) + 8 :
      A = PEEK (V + 3) = IF A < 224 THEN 500
127 POKE 54276,0 * POKE 54273,5 * POKE 54272,103 *
      POKE 54277,68 + POKE 54276,129
130 X = PEEK (V + 2) - 20 =
      IF PEEK ( V + 16 ) AND 2 THEN X = X + 256
132 X = INT (X / B) + 1944 + POKE X,6 +
      POKE X + 1,32 = POKE X + 2,7
135 POKE X + 40,8 + POKE X + 42,9 +
      POKE X + CO + 41,13 = POKE X + 41,10
140 MA = INT ( RND ( 1 ) * 3 + 1 ) + POKE V + 40,12
      * IF MA = 3 THEN POKE V + 40,6 *
      CH = INT (RND (1) * 5)
142 IF MA < 3 THEN POKE V + 23,2 * POKE V + 3,192 *
      GOTO 145
143 POKE V + 3,213
145 CR = X - 39 + RW = 0 + POKE 54290.0 + GOTO 500
150 POKE 2041,208 + PO + PO = 1 - PO +
      IF PO = 0 THEN 400
155 X = PEEK (V + 2) - 8 =
      IF PEEK ( V + 16 ) AND 2 THEN X = X + 256
160 IF X < 20 THEN MA = 2 + X = 20 + GOTO 500
165 IF X > 255 THEN POKE V + 16.
      PEEK ( V + 16 ) OR 2 + POKE V + 2, X - 256 +
      GOTO 400
170 POKE V + 16, PEEK ( V + 16 ) AND 253 $
      POKE V + 2, X = GOTO 400
200 POKE 2041,210 + PO \Rightarrow PO = 1 - PO \Rightarrow
      IF P0 = 0 THEN 400
205 X = PEEK ( V + 2 ) + 8 =
      IF PEEK ( V + 16 ) AND 2 THEN X = X + 256
210 IF X > 320 THEN MA = 1 + X = 320 + GOTO 500
215 IF X > 255 THEN POKE V + 16,
      PEEK ( V + 16 ) OR 2 + POKE V + 2, X - 256 +
      GOTO 400
220 POKE V + 16, PEEK ( V + 16 ) AND 253 $
      POKE V + 2, X + GOTO 400
250 IF PEEK ( V + 3 ) > 150 THEN POKE V + 3,
      PEEK ( V + 3 ) - B + POKE 2041,213 + GOTO 500
255 POKE 2041,212 + PO \Rightarrow PO = 1 - PO \Rightarrow
```

```
X = PEEK (V + 2) = IF PEEK (V + 16) AND 2
      THEN X = X + 256
257 Y1 = PEEK ( V + 1 ) \Rightarrow X1 = PEEK ( V ) \Rightarrow
      IF PEEK ( V + 16 ) AND 1 THEN X1 = X1 + 256
260 Y = PEEK ( V + 3 ) + IF CH < 10 AND RND ( 1 )
      > .9 THEN CH = CH + 1
265 IF RND ( 1 ) < CH / 10 THEN X = X + ( X > X1 )
      *8 - (X < X1) *8 ÷ 60T0 275
270 X = X + INT (RND (1) * 3 - 1) * 8 *
      IF X < 20 THEN X = 20
272 IF X > 320 THEN X = 320
275 IF RND ( 1 ) < CH / 10 THEN Y = Y + ( Y > Y1 )
      * 8 - ( Y < Y1 ) * 8 ÷ GOTO 285
280 Y = Y + INT ( RND ( 1 ) * 3 - 1 ) * 8 *
      IF Y < 52 THEN Y = 52
285 POKE V + 3, Y \div IF X > 255 THEN POKE V + 16,
      PEEK ( V + 16 ) OR 2 * POKE V + 2, X - 256 *
      GOTO 500
290 POKE V + 16, PEEK ( V + 16 ) AND 253 $
      POKE V + 2, X = GOTO 500
300 PDKE 2041,218 \div PDKE V + 40,2 \div MA = MA + 1 \div
      GOTO 500
310 POKE V + 21, PEEK ( V + 21 ) AND 253 \div MA = - 1
      $ GOTO 500
400 IF SH < > 0 OR RND ( 1 ) < .1 THEN 500
402 POKE 54276,0 + POKE 54273,72 + POKE 54272,169 +
      POKE 54277,79 + POKE 54276,129
405 \text{ SH} = -1 \div X = \text{PEEK} (V + 2) - 18 \div
      IF MA = 2 THEN SH = 1 \Rightarrow X = PEEK ( V + 2 )+18
406 IF PEEK ( V + 16 ) AND 2 THEN X = X + 256
407 IF X > 255 THEN POKE V + 16,
      PEEK ( V + 16 ) OR 4 * POKE V + 4, X - 256 *
      GOTO 410
408 POKE V + 16, PEEK ( V + 16 ) AND 251 $
      POKE V + 4,X
410 POKE V + 5, PEEK ( V + 3 ) ÷ POKE V + 41,8 ÷ POKE V + 21, PEEK ( V + 21 ) OR 4 500 IF PEEK ( V + 30 ) AND 1 THEN 1000
505 \text{ IF SH} = 0 \text{ THEN } 530
510 X = PEEK ( V + 4 ) + SH * 16 *
       IF PEEK ( V + 16 ) AND 4 THEN X = X + 256
515 IF X < 20 OR X > 320 THEN POKE V + 21,
      PEEK ( V + 21 ) AND 251 + SH = 0 + 60T0 530
520 IF X > 255 THEN POKE V + 16, PEEK ( V + 16 )
      OR 4 * POKE V + 4, X - 256 * GOTO 530
525 POKE V + 16, PEEK ( V + 16 ) AND 251 $
      POKE V + 4.X \div I = PEEK (V + 30)
530 IF RW > 0 THEN 550
535 IF RND ( 1 ) < .95 DR MA < 1 THEN 600
540 RW = CR
550 POKE RW + CO, 2 + POKE RW, 3 + R1 = RW + INT
       (RND(1) * 3 - 1)
555 IF R1 < 1904 OR R1 > 1943 THEN RW = 0 \Rightarrow
       GOTO 600
560 POKE R1 + CO.2 + IF R1 < RW THEN POKE R1,5 +
       GOTO 575
```

```
565 IF R1 > RW THEN POKE R1,4 : GOTO 575
570 POKE R1.3
575 RW = R1
600 IF PS < > 0 DR K < > 13 THEN 650
602 POKE 54276,0 + POKE 54273,57 + POKE 54272,172 +
       POKE 54277,79 + POKE 54276,129
605 X = PEEK ( V ) + 24 + Y = PEEK ( V + 1 ) + 13 +
       IF PEEK ( V + 16 ) AND 1 THEN X = X + 256
610 PS = 1 + IF DI THEN PS = - 1 + X = X - 48
615 POKE V + 7,Y : IF X > 255 THEN
       POKE V + 6, X - 256 = POKE V + 16,
       PEEK ( V + 16 ) OR 8 = GOTO 625
620 POKE V + 6, X + POKE V + 16.
       PEEK ( V + 16 ) AND 247
625 POKE V + 42,8 + POKE 2043,215 + POKE V + 21,
       PEEK ( V + 21 ) OR 8
650 \text{ IF PS} = 0 \text{ THEN } 675
655 X = PEEK ( V + 6 ) + PS * 12 +
       Y = PEEK ( V + 7 ) + IF PEEK ( V + 16 ) AND 8
       THEN X = X + 256
660 IF X < 20 OR X > 320 THEN POKE V + 21,
       PEEK ( V + 21 ) AND 247 + PS = 0 + GOTO 675
665 IF X > 255 THEN POKE V + 6, X - 256 +
       POKE V + 16, PEEK ( V + 16 ) OR 8 + GOTO 675
670 PDKE V + 6, X + POKE V + 16,
       PEEK ( V + 16 ) AND 247
675 IF PEEK ( V + 30 ) AND 2 THEN 677
676 GDTO 690
677 SC = SC + 10 + MA = 4 + POKE V + 21,
       PEEK ( V + 21 ) AND 247 + PS = 0
680 POKE 54276,0 + POKE 54273,34 + POKE 54272.75 +
       POKE 54277,74 + POKE 54276,129
685 PDKE 54290,0
690 GOTO 55
1000 POKE 2040,218 * SH = 0 * POKE V + 21,
       PEEK ( V + 21 ) AND 251 : POKE 54276,0 :
       POKE 54277,143
1005 POKE 54273,3 + POKE 54272,155 + POKE 54276,129
       * FOR I = 1 TO 2000 * NEXT
1010 LI = LI - 1 : I = PEEK ( V + 30 ) :
       POKE V + 21, PEEK ( V + 21 ) AND 254 :
       POKE V, 20 + POKE V + 1,99
1012 POKE V + 16, PEEK ( V + 16 ) AND 254 * DI = 0
1015 IF LI > 0 THEN POKE 2040,16 + POKE V + 21,
       PEEK ( V + 21 ) OR 1 + I = PEEK ( V + 30 ) +
       GOTO 55
1017 POKE 54273,0 + POKE 54272,0 + POKE 54287,0 +
       POKE 54286.0
1020 POKE V + 24,20 + POKE V + 21,0 + PRINT " □ ■
       HARD _ LINES"
1025 PRINT " ( ) ( ) ( ) AYOU _ SCORED"; SC
1030 PRINT " ( DE THE _ MARTIANS _ WILL _ OVER _ RUN
        ▲ EARTH"
1035 PRINT " @ @ @ MANOTHER _ GAME?"
1040 GET A$ + IF A$ = "Y" THEN POKE V + 24,28 +
       PRINT ""; : GOTO 15
```

```
1045 IF A$ < > "N" THEN 1040
 1050 POKE V + 22, PEEK ( V + 22 ) AND 239
 1060 END
10000 DATA 3,192,0,0,64,0,1,64,0,1,80,0,3,84,0
        , 15, 85, 64, 5, 85, 80, 5, 85, 80, 1, 85, 64
10005 DATA 1,85,0,0,252,0,0,136,0,2,10,0,8,0,128
        ,32,0,32,32,0,8,32,0,8,32,0,8
10010 DATA 32,0,8,32,0,8,136,0,34,99
10015 DATA 60,0,0,4,0,0,20,0,0,21,0,0,53,64,0,245
        ,84,0,85,85,0,85,85,0
10020 DATA 21,84,0,21,80,0,15,192,0,8,128,0,8,128
        ,0,32,32,0,32,32,0,128,8,0
10025 DATA 128,8,0,32,8,0,32,8,0,8,8,0,34,34,0,99
10030 DATA 0,3,192,0,1,0,0,1,64,0,5,64,0,21,192
        ,1,85,240,5,85,80,5,85,80,1,85,64
10035 DATA 0,85,64,0,63,0,0,34,0,0,160,128,2,0
        ,32,8,0,8,32,0,8,32,0,8,32,0,8
10040 DATA 32,0,8,32,0,8,136,0,34,99
10045 DATA 0,0,60,0,0,16,0,0,20,0,0,84,0,1,92,0
        ,21,95,0,85,85,0,85,85,0,21,84
10050 DATA 0,5,84,0,3,240,0,2,32,0,2,32,0,8,8,0
        ,8,8,0,32,2,0,32,2,0,32,8,0,32,8
10055 DATA 0,32,32,0,136,136,99
10060 DATA 0,0,0,0,0,0,0,0,0,64,0,4,20,0,80,1
        ,1,0,0,68,0,0,32,0,0,32,0,0,168,0
10065 DATA 2,102,0,2,170,0,3,239,0,2,238,0,0
        ,168,0,0,168,0,0,100,0,1,205,0
10070 DATA 4,0,64,4,0,64,17,1,16,99
10075 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,1,1
        ,0,4,68,64,16,32,16,64,32,4,0,168,0
10080 DATA 2,102,0,2,170,0,3,239,0,2,238,0,0
        ,168,0,0,168,0,0,100,0,1,205,0
10085 DATA 4,0,64,4,0,64,17,1,16,99
10090 DATA 0,0,0,0,0,0,0,0,192,32,12,48,32
        ,48,12,32,192,3,35,0,0,84,0,0,84,0
10095 DATA 170,86,168,170,86,168,0,84,0,0,84
        ,0,3,35,0,12,32,192,48,32,48
10100 DATA 192,32,12,0,0,0,0,0,0,0,0,0,0,0,99
10105 DATA 255,204,255,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10110 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,99
10115 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,12,0,0,15,0,0
10120 DATA 15,195,192,15,255,240,42,170,170
        , 2, 250, 168, 0, 254, 0, 0, 252, 0, 3, 240, 0
10125 DATA 3,192,0,3,0,0,0,0,0,99
10130 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,48,0,0,240
10135 DATA 3,195,240,15,255,240,170,170,168,42
        ,175,128,0,63,0,0,63,0,0,15,192
10140 DATA 0,3,192,0,0,192,0,0,0,99
10145 DATA 0,0,0,0,8,0,2,8,8,0,8,32,0,42,128
        ,0,174,160,2,239,128,42,255,160
10150 DATA 11,255,224,2,255,224,2,255,128,2
        ,190,0,8,186,128,0,184,32,0,40,0
```


10155 DATA 0,32,0,32,32,0,0,0,128,2,0,2,0,0,0,0,0,0,99
10160 DATA 255,195,195,195,195,195,195,255,60
,60,24,126,24,24,102,102
10165 DATA 255,255,255,255,255,255,255,12
,51,192,48,12,51,51,192
10170 DATA 0,0,192,48,204,6,3,0,0,0,0,3,12,48,207,0
10175 DATA 0,0,0,128,128,192,224,240,0,0,0,0,1
,1,1,3,240,248,252,252,252,252
10180 DATA 254,255,3,3,7,7,15,31,127,255,0
,105,85,85,85,85,85,255

CHEXSUM

0=4223	120=1950	290=2918
1=595	122=3947	300=2791
2=3411	123=1344	310=2890
5=3647	125=3549	400=1856
10=4656	127=3331	402=3378
15=5252	130=3214	405=4348
20=4931	132=3088	406=1905
25=8416	135=3241	407=3956
30=6312	140=4996	408=2263
35=7 09 6	142=2760	410=3447
40=8041	143=676	500=1444
45=1905	145=2466	505=870
50=4595	150=2762	510=3607
52=5663	155=3158	515=4125
53=3332	160=2165	520=3956
55=4534	165=3951	525=3311
56=1056	170=2917	530=882
57=1063	200=2763	535=1739
58=904	205=3158	540=507
60=3398	210=2260	550=3148
65=3575	215=3951	555=2687
70=3571	220=2917	560=2683
75=3413	250=4023	565=1818
80=3103	255=4888	570=383
85=1036	257=3944	575=488
90=1154	260=3383	600=1824
95=1691	265=4201	602=3384
100=1111	270=3040	605=4352
101=618	272=1192	610=2250
105=3652	275=4210	615=4736
110=3799	280=3048	620=2310
115=4324	285=4744	625=2931

650=885	10080=3711
655=4636	10085=1425
660=4141	10090=4157
665=3966	10095=3561
670=2310	10100=2118
675=1384	10105=4353
676=538	10110=3768
677=3514	10115=4092
680=3331	10120=4058
685=533	10125=1326
690=477	10130=4205
1000=4191	10135=4085
1005=3207	10140=1453
1010=4756	10145=3834
1012=2051	10150=3818
1015=4538	10155=2477
1017=2393	10160=3386
1020=2746	10165=3301
1025=1409	10170=2360
1030=3018	10175=3922
1035=1478	10180=3121
1040=2971	
1045=1182	TOTAL= 480589
1050=1579	
1060=129	
10000=4319	
10005=4065	
10010=1477	
10015=3407	
10020=3805	
10025=2246	
10030=4426	
10035=3933	
10040=1477	
10045=4041	
10050=4279	
10055=1219	
10060=4112	
10065=3711	
10070=1425	
10075=4252	

Castle of Doom



Explore the rooms within the castle walls, look for treasure and try to avoid the slime monsters and killer robots.

Points are gained by moving over question marks and killing monsters or robots with your Proton gun.

As you move off the screen from one room you are presented with another. Move back and you return to the same room but now with different contents!

You are killed if you touch the electrified walls or any of the monsters. Some monsters are faster than others and the robots are very dangerous.

Controls are:

'W' up 'D' right 'X' down 'A' left 'S' to fire your gun

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 50
READ KEY PRESSED, GET POSITION OF PLAYER	55
MOVE PLAYER HORIZONTALLY, CHECKING FOR DOORS	56 — 70
MOVE PLAYER VERTICALLY, CHECKING FOR DOORS	75 — 80
CHECK IF PLAYER HIT WALL OR MONSTER OR QUESTION MARK	80 — 110
INCREASE SCORE IF HIT QUESTION MARK	115 — 125
HAS PLAYER FIRED?	150
SET UP SHOT	151 — 162
MOVE SHOT UNTIL HITS SOMETHING OR DISAPPEARS. IF HIT WALL EXIT, IF HIT MONSTER INCREASE SCORE AND EXIT	170 — 198
TURN OFF SHOT SOUNDS	199
IF MONSTER ONE EXISTS THEN MOVE IT	200 — 290
IF MONSTER TWO EXISTS THEN MOVE IT	300 — 390
TO MAIN LOOP AGAIN	400
SUBROUTINE TO GENERATE NEW ROOM, CREATE TWO NEW MONSTERS AND A QUESTION MARK (RANDOMLY)	
PLAYER KILLED, IF NO. OF LIVES LEFT EQUALS 0 THEN END GAME. ASK PLAYER IF WANT TO PLAY AGAIN	2000 — 2025
DATA	1000 — 12120

VARIABLES

V = VIDEO CHIP

R = ROOM NUMBER

L1 = LIVES LEFT

SC = SCORE

KB = PLACE TO READ KEY PRESSED FROM

K = KEY PRESSED

I, A, B, U, X, Y, YX, YY, B\$, DS = TEMPORARY STORAGE

S1, S2 = OFFSET TO MOVE MONSTERS

DI = DIRECTION OF MOVEMENT


B = HIGH X — BIT FOR SPRITES

SH = SHOT IN PROGRESS

M1 = TYPE OF MONSTER 1


M2 = TYPE OF MONSTER 2

A\$ = CONTAINS ROOM DATA




SPRITE

PLAYER




SPRITE

CREATURE 2



SPRITE

CREATURE 1



SPRITE

CREATURE 3

CASTLE OF DOOM

```
0 POKE 55,255 \div POKE 56,47 \div V = 53248 \div
     FOR I = 12544 TO 12551 + POKE I, 0 + NEXT +
     POKE V + 32.0
 1 POKE V + 33,0 + FOR I = 12288 TO 12319 + READ A
      + POKE I,A + NEXT + POKE 54296,15
 2 POKE V + 24,28 + POKE V + 22, PEEK ( V + 22 )
      OR 16 * PRINT " 2" * FOR I = 12352 TO 12991 *
     READ A * POKE I, A
 3 NEXT + POKE V + 37,10 + POKE V + 38,5
 5 DIM A$ ( 24 ) + R = 0 + POKE 54278,0 +
     POKE 54292,0
10 FOR I = 0 TO 24 + READ A$ ( I ) + NEXT +
     LI = 3 \div KB = 197 \div SC = 0
15 POKE V + 16,0 + POKE V,150 + POKE V + 1,120 +
     POKE V + 39,6 * POKE V + 28,15 *
     POKE 2040, 193 \div DI = 0
20 POKE V + 40,2
50 \text{ GOSUB } 1000 \div \text{ SH } = 0
55 K = PEEK ( KB ) + A = PEEK ( V ) + ( K = 10 )
     # 8 - ( K = 18 ) # 8 + B = PEEK ( V + 16 ) AND 1
56 IF K = 10 THEN DI = 1
57 IF K = 18 THEN DI = 0
58 POKE 2040,193 + DI
60 IF A < 0 AND B THEN B = 0 + A = 252
65 IF A > 255 AND B = 0 THEN B = 1 \Rightarrow A = 0
67 IF B AND A > 60 THEN POKE V + 16,
     PEEK ( V + 16 ) AND 254 \div POKE V, 20 \div
      R = R + 1 + 60T0 50
6B IF B = 0 AND A < 20 THEN POKE V + 16,
     PEEK ( V + 16 ) OR 1 * POKE V,60 * R = R - 1
      GOTO 50
70 POKE V,A + POKE V + 16, PEEK ( V + 16 ) OR B +
      IF B = 0 THEN POKE V + 16, PEEK ( V + 16 )
      AND 254
75 A = PEEK ( V + 1 ) + ( K = 9 ) * 8 -
      (K = 23) * B
77 IF A < 52 THEN POKE V + 1,220 + R = R + 5 +
      GOTO 50
78 IF A > 220 THEN POKE V + 1,52 \div R = R - 5 \div
      60TO 50
80 POKE V + 1,A + IF PEEK ( V + 31 ) AND 1
      THEN 2000
85 IF PEEK ( V + 30 ) AND 1 THEN 95
90 GOTO 150
95 IF PEEK ( V + 30 ) > 128 THEN 115
100 IF PEEK ( V + 30 ) AND B THEN 2000
110 IF PEEK ( V + 30 ) AND 4 THEN 2000
112 GOTO 150
115 SC = SC + INT ( RND ( 1 ) * 5 + 1 ) * 50
125 POKE V + 21, PEEK ( V + 21 ) AND 127 \div T = -1
150 IF K < > 13 THEN 200
151 POKE 54276,0 + POKE 54277,204 + POKE 54273,137
      * POKE 54272,43 * POKE 54276,33
152 POKE 54290,0 + POKE 54291,136 + POKE 54287,69 +
```

```
PDKE V + 16, PEEK ( V + 16 ) AND 253
153 POKE 54286,149 + DS = 8 + SH = 1 +
      X = PEEK ( V ) + 24 + IF PEEK ( V + 16 )
      AND 1 THEN X = X + 256
154 POKE 54290,17 \div IF DI THEN DS = -8 \div X = X - 48
155 B = 0 \Rightarrow IF X > 256 THEN B = 2 \Rightarrow X = X - 256
160 POKE V + 2,X : POKE V + 3, PEEK ( V + 1 ) :
      POKE V + 16, PEEK ( V + 16 ) OR B =
      POKE 2041,195 + DI
162 POKE V + 21, PEEK ( V + 21 ) OR 2
170 A = PEEK ( V + 2 ) + DS + B = PEEK ( V + 16 )
      AND 2 + IF A < 0 AND B THEN A = 248 + B = 0
175 IF A > 255 AND B = 0 THEN B = 2 + A = 0
180 POKE V + 2,A + POKE V + 16, PEEK ( V + 16 ) OR B
      * IF B = 0 THEN POKE V + 16, PEEK ( V + 16 )
      AND 253
185 IF PEEK ( V + 31 ) AND 2 THEN POKE V + 21,
      PEEK ( V + 21 ) AND 253 # GOTO 199
190 IF ( A < 20 AND B = 0 ) OR ( A > 60 AND B )
      THEN POKE V + 21, PEEK ( V + 21 ) AND 253 $
      GOTO 200
191 U = PEEK ( V + 30 ) + IF ( U AND 128 ) THEN
      IF ( U AND 2 ) THEN 198
192 IF U AND 2 THEN 194
193 GOTO 198
194 IF ( U AND 4 ) AND M1 < 5 THEN POKE V + 21,
      PEEK ( V + 21 ) AND 253 \div SH = 0 \div
      SC = SC + M1 * 10 * M1 = 5 * GOTO 199
195 IF ( U AND 8 ) AND M2 < 5 THEN POKE V + 21,
      PEEK ( V + 21 ) AND 253 * SH = 0 *
      SC = SC + M2 * 10 * M2 = 5 * GOTO 199
198 GOTO 170
199 POKE 54276,0 + POKE 54277,72 + POKE 54273,4 +
      POKE 54272,73 * POKE 54276,129
200 \text{ IF M1} = 0 \text{ THEN } 300
205 X = PEEK ( V + 4 ) + Y = PEEK ( V + 5 ) +
      IF PEEK ( V + 16 ) AND 4 THEN X = X + 256
210 YX = PEEK ( V ) + YY = PEEK ( V + 1 ) +
      IF PEEK ( V + 16 ) AND 1 THEN YX = YX + 256
212 IF M1 > 4 THEN 275
215 \text{ IF M1} = 4 \text{ THEN } 250
220 IF M1 = 3 AND RND ( 1 ) > .3 THEN 250
225 X1 = X + (X > YX) * S1 - (X < YX) * S1 =
      Y1 = Y + (Y > YY) * S1 - (Y < YY) * S1
227 IF X1 > 255 THEN X1 = X1 - 256 + POKE V + 16,
      PEEK ( V + 16 ) OR 4 + GOTO 235
230 POKE V + 16, PEEK ( V + 16 ) AND 251
235 POKE V + 4, X1 + POKE V + 5, Y1
247 GOTO 300
250 X1 = X + INT ( RND ( 1 ) * 3 - 1 ) * S1 \div
      Y1 = Y + INT (RND (1) * 3 - 1) * S1
251 IF X1 < 20 OR X1 > 320 OR Y1 < 52 OR Y1 > 220
      THEN X1 = X \div Y1 = Y
255 POKE V + 16, PEEK ( V + 16 ) AND 251 +
      IF X1 > 255 THEN X1 = X1 - 256 \div POKE V + 16.
      PEEK ( V + 16 ) DR 4
```

```
260 POKE V + 4.X1 + POKE V + 5.Y1
270 GOTO 300
275 \text{ IF M1} = 10 \text{ THEN } 290
280 POKE V + 41,1 + POKE V + 28, PEEK ( V + 28 )
       AND 251 \div M1 = M1 + 1 \div GOTO 300
290 POKE V + 28, PEEK ( V + 28 ) OR 4 \pm M1 = 0 \pm
       POKE V + 21, PEEK ( V + 21 ) AND 251
300 \text{ IF M2} = 0 \text{ THEN } 400
305 X = PEEK (V + 6) + Y = PEEK (V + 7) +
       IF PEEK ( V + 16 ) AND 8 THEN X = X + 256
310 YX = PEEK ( V ) \Leftrightarrow YY = PEEK ( V + 1 ) \Leftrightarrow
       IF PEEK ( V + 16 ) AND 1 THEN YX = YX + 256
312 IF M2 > 4 THEN 375
315 \text{ IF M2} = 4 \text{ THEN } 350
320 IF M2 = 3 AND RND ( 1 ) > .3 THEN 350
325 X1 = X + (X > YX) * S2 - (X < YX) * S2 =
       Y1 = Y + (Y > YY) * S2 - (Y < YY) * S2
327 IF X1 > 255 THEN X1 = X1 - 256 \div POKE V + 16,
       PEEK ( V + 16 ) OR 8 : GOTO 335
330 POKE V + 16, PEEK ( V + 16 ) AND 247
335 POKE V + 6, X1 + POKE V + 7, Y1
347 GOTO 400
350 X1 = X + INT ( RND ( 1 ) * 3 - 1 ) * S2 \div
       Y1 = Y + INT (RND (1) * 3 - 1) * S2
351 IF X1 < 20 OR X1 > 320 OR Y1 < 52 OR Y1 > 220
       THEN X1 = X \div Y1 = Y
355 POKE V + 16, PEEK ( V + 16 ) AND 247 :
       IF X1 > 255 THEN X1 = X1 - 256 + POKE V + 16.
       PEEK ( V + 16 ) OR 8
360 PDKE V + 6,X1 + PDKE V + 7,Y1
370 GOTO 400
375 \text{ IF M2} = 10 \text{ THEN } 390
380 POKE V + 42,1 + POKE V + 28, PEEK ( V + 28 )
       AND 247 \div M2 = M2 + 1 \div GOTO 400
390 POKE V + 28, PEEK ( V + 28 ) OR 8 : M2 = 0 :
       POKE V + 21, PEEK ( V + 21 ) AND 247
400 GOTO 55
1000 A$ = A$ (R) + B$ = "0000" + PRINT "□" +
       POKE V + 35,8 + INT (R / 5) = POKE V + 21,0
       FOR I = 1 TO 20
1005 IF LEN ( A$ ) > = 4 THEN B$ = LEFT$ ( A$,4 ) \Rightarrow
       A$ = RIGHT$ ( A$, LEN ( A$ ) - 4 )
1010 PRINT "□"; TAB( ( I - 1 ) * 2 ) ; ÷
       D = VAL ( LEFT$ ( B$,2 ) ) =
       U = VAL (RIGHT * (B * , 2))
1015 \text{ IF } D = 0 \text{ THEN } 1025
1020 FOR J = 1 TO D + PRINT "@A @ ## ##"; + NEXT
1025 PRINT " 🔄 📵 📵 📵 📵 📵 📵 📵 📵 📵 📵
       @ @ @ @ @ @ @ @ @ "; TAB( ( I − 1 ) * 2 );
1030 IF U > 0 THEN FOR J = 1 TO U ÷ PRINT "∂A □ 11 11"
       ; * NEXT
1035 NEXT I = T = -1 = IF RND (1) < .6 THEN 1065
1037 T = 0 + POKE V + 14,100 + RND ( 1 ) * 150
1040 PDKE V + 15,100 + RND ( 1 ) * 50 + POKE V + 16,
       PEEK ( V + 16 ) AND 127 + POKE V + 46,2
1045 POKE V + 29, PEEK ( V + 29 ) OR 128 :
```

```
POKE 2047,197 # IF KE THEN 1055
1055 POKE V + 21,128 \div I = PEEK ( V + 31 ) +
       PEEK ( V + 31 ) + PEEK ( V + 31 )
1060 IF PEEK ( V + 31 ) AND 128 THEN T = -1 \div
       POKE V + 21.0
1065 POKE V + 21, PEEK ( V + 21 ) OR 1 =
        I = PEEK (V + 31) \div I = PEEK (V + 30)
1070 M1 = 0 : M2 = 0 : IF RND ( 1 ) < .3 THEN 1110
1072 POKE V + 4, RND ( 1 ) * 236 + 20 + POKE V + 5,
       RND ( 1 ) * 168 + 52
1075 M1 = INT (RND (1) * 4 + 1) =
       POKE 2042,198 + M1 + POKE V + 41,6 + S1 = 2
1080 IF M1 = 2 THEN POKE V + 41,11 \div S1 = 6
1085 IF M1 = 3 THEN POKE V + 41.9 \div S1 = 4
1090 IF M1 = 4 THEN POKE V + 41,14 + S1 = 4
1100 POKE V + 21, PEEK ( V + 21 ) OR 4 =
        I = PEEK (V + 31)
1110 IF RND ( 1 ) < .3 THEN 1150
1112 POKE V + 6, RND ( 1 ) * 236 + 20 \div
       POKE V + 7, RND ( 1 ) * 168 + 52
1115 M2 = INT ( RND ( 1 ) * 4 + 1 ) *
       POKE 2043,198 + M2 \div POKE V + 42,6 \div S2 = 2
1120 IF M2 = 2 THEN POKE V + 42,11 \div S2 = 6
1125 IF M2 = 3 THEN POKE V + 42,9 \div S2 = 4
1130 IF M2 = 4 THEN POKE V + 42,14 \div S2 = 4
1135 POKE V + 21, PEEK ( V + 21 ) OR 8 =
        I = PEEK (V + 31)
1150 PRINT " 55 60 60 60 60 60 60 60 60 60 60 60 60
        Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø ...; ÷ FOR I = 1 TO LI ÷
       PRINT " B B L "; + NEXT
1155 POKE V + 28,15
1200 RETURN
2000 POKE V + 28, PEEK ( V + 28 ) AND 254 $
       POKE 54276,0 + POKE 54277,143 + POKE 54273,34
2001 POKE 54272,75 : POKE 54276,129 : POKE V + 39,1 :
       FOR I = 1 TO 2000 * NEXT
2004 POKE V,150 + POKE V + 1,120
2005 POKE V + 28, PEEK ( V + 28 ) OR 1 +
       POKE V + 39.6 \div POKE V + 21.0 \div LI = LI - 1 \div
       R = 0 \div IF LI > 0 THEN 50
2010 POKE V + 24,20 ÷ PRINT " ₩ MARD LINES, YOU
        _ WERE _ KILLED"
2012 PRINT " (I) (I) (II) TO YOU _ SCORED "SC
2015 PRINT " 图 图 編ANOTHER L GAME L ?"
2017 POKE 54273,0 + POKE 54272,0 + POKE 54287,0 +
       POKE 54286,0
2020 GET A$ + IF A$ = "Y" THEN SC = 0 + LI = 3 +
        POKE V + 24,28 + GOTO 15
2025 IF A$ < > "N" THEN 2020
2030 END
10000 DATA 255,234,234,234,234,234,234,255,255
        , 171, 171, 171, 171, 171, 171, 255
10005 DATA 24,24,255,24,60,108,108,108,0,6,249,70,0
        ,0,0,0
11000 DATA 0,0,0,0,21,0,0,21,0,0,4,0,0,170,0,2
        ,170,138,2,42,164,2,42,0,2,42,0
```

```
11005 DATA 2,42,0,1,42,0,0,63,0,0,63,0,0,51,0
        ,0,51,0,0,243,0,0,195,192,0,192,192
11010 DATA 0,192,192,0,240,240,0,0,0,99
11015 DATA 0,0,0,0,84,0,0,84,0,0,16,0,0,170,0
        , 162, 170, 128, 26, 168, 128, 0, 168, 128
11020 DATA 0,168,128,0,168,128,0,168,64,0,252
        ,0,0,252,0,0,204,0,0,204,0,0,207,0
11025 DATA 3,195,0,3,3,0,3,3,0,15,15,0,0,0,0,99
11030 DATA 0,0,0,0,0,0,3,0,0,0,32,0,12,168,0
        , 194, 168, 0, 12, 168, 0, 0, 32, 0, 3, 0, 0, 0, 0
11035 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
11040 DATA 99,0,0,0,0,0,0,0,192,0,8,0,0,42
        , 48, 0, 42, 131, 0, 42, 48, 0, 8, 0, 0, 0, 192
11045 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
11050 DATA 0,0,99,0,56,0,0,126,0,1,231,128,3,
        1,192,6,0,224,0,0,224,0,0,224
11055 DATA 0,1,192,0,3,128,0,7,0,0,14,0,0,28
        ,0,0,56,0,0,48,0,0,48,0,0,48,0,0,0,0
11060 DATA 0,0,0,0,48,0,0,120,0,0,48,0,99,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,48,0,0,206
11065 DATA 0,3,3,15,252,3,3,3,3,3,0,206,0,0
        ,48,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
11070 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,99
11075 DATA 0,0,0,0,0,0,0,192,0,3,48,0,12,0
        , 12, 12, 0, 48, 42, 0, 12, 170, 128
11080 DATA 3,153,176,0,170,140,0,42,3,0,12
        ,12,0,12,0,3,48,0,0,192,0,0,0,0,0,0,0
11085 DATA 0,0,0,0,0,0,0,0,0,0,0,99,0,8,0
        ,0,42,0,0,38,0,0,42,0,0,8,0,2,170,160
11090 DATA 2,46,32,2,46,32,3,42,48,2,21,32
        , 2, 42, 32, 0, 42, 0, 0, 34, 0, 0, 128, 128
11095 DATA 0,192,192,0,128,128,0,128,128,0
        ,34,0,0,34,0,0,162,128,2,162,160,99
11100 DATA 0,0,0,0,9,92,0,46,0,0,191,128,2
        ,110,96,194,89,96,73,89,88,73,89,88
11105 DATA 110,170,174,9,89,89,2,89,89,2,89
        ,97,0,174,99,0,191,128,0,46,0
11110 DATA 0,8,0,3,84,0,0,0,0,0,0,0,0,0,0,0,0,99
11115 DATA 0,0,0,0,0,0,0,0,0,0,16,0,0,16,0
        ,0,64,0,1,2,0,4,8,0,1,8,0,4,2
11120 DATA 40,16,130,130,154,34,128,112,8,1
        ,48,0,4,60,0,16,15,192,64,0,192
11125 DATA 16,0,252,4,0,0,16,0,0,64,0,0,99
12000 DATA 24002400050405040504030403040004000
        40004000400041009
12005 DATA 100910091009050405040504050405150004000
        40004000410091009100410041009
12010 DATA 1009
12015 DATA 1009100910091009100910091009000
        900090009000900090024
12020 DATA 00240024002405040504050405040504000
        900090009000900090504050405040024
12025 DATA 2400240010091009100910091009
        10001000100010001009
```

- 12050 DATA 2400240024002400240024002 40000090009000900091009

- 12080 DATA 2400240024002400240024002400000 900090090091009


- 12110 DATA 1009100910091009050405040504050405 0405040504050405040024
- 12115 DATA 2400240024002400240024002400 10001000100010001009

C	Ľ	_	v	C			
·	п	ᆮ	л	3	u	и	п

COM		
0=4275	185=3526	355=5013
1=3523	190=4501	360=1404
2=4979	191=2821	370=529
3=1592	192=800	375=899
5=2087	193=542	380=3746
10=2985	194=5910	390=3637
15=4706	195=5922	400=477
20=614	198=528	1000=4913
50=814	199=3278	1005=3619
55=4568	200=839	1010=3696
56=1056	205=3951	1015=836
57=1063	210=4115	1020=1734
58=900	212=849	1025=1825
60=1670	215=844	1030=2568
65=1921	220=1648	1035=1379
67=4360	225=5380	1037=2012
68=4509	227=3890	1040=4013
70=4371	230=1572	1945=3 04 7
75=259 2	235=1400	1055=3551
77=26 02	247=525	1060=2549
78=259 8	250=4133	1065=3558
80=2099	251=3737	1070=2034
85=1319	255=5004	1072=3122
90=526	260=1400	1075=3573
95=15 05	270=525	1080=1806
100=1444	275=898	1085=1754
110=1448	280=3740	1090=1803
112=526	290=3638	1100=2525
115=2031	300=839	1110=1171
125=2146	305=3953	1112=3126
150=1022	310=4115	1115=3574
151=3424	312=849	1120=1808
152=3717	315=844	1125=1755
153=4823	320=1648	1130=1805
154=2447	325=5382	1135=2525
155=2233	327=3894	1150=2682
160=4585	330=1577	1155=685
162=1483	335=1404	1200=143
170=4330	347=529	2000=3626
175=1920	350=4133	2001=3219
180=4610	351=3737	2004=1220

2005=5251	12025=3040
2010=3535	12030=3043
2012=1438	12035=3506
2015=1501	12040=3054
2017=2393	12045=4317
2020=3383	12050=3042
2025=1183	12055=3047
2030=129	12060=3842
10000=3726	12065=4334
10005=2660	12070=3043
11000=4018	12075=4315
11005=4394	12080=3042
11010=1695	12085=3047
11015=4201	12090=4306
11020=4294	12095=3043
11025=2119	12100=4334
11030=4376	IB105=3054
11035=4088	12110=3285
11040=4159	12115=3030
11045=4088	12120=4311
11050=3712	
11055=4408	TOTAL= 519162
11055=4408 11060=4334	TCTAL= 519162
11055=4408 11060=4334 11065=4146	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783	TGTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436	TGTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705	TGTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11080=3705 11095=4066 11100=4095	TGTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705 11095=4066 11100=4095 11105=3587	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705 11095=4066 11100=4095 11105=3587	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557	TOTAL = 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11085=4359 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718	TOTAL = 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11085=4359 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718 11125=1881	TGTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11085=4066 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718 11125=1881 12000=3042	TOTAL= 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11085=4066 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718 11125=1881 12000=3042 12005=4338	TOTAL = 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11090=3705 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718 11125=1881 12000=3042 12005=4338 12010=346	TOTAL = 519162
11055=4408 11060=4334 11065=4146 11070=1783 11075=3436 11080=4272 11085=4359 11085=4066 11095=4066 11100=4095 11105=3587 11110=2262 11115=3557 11120=3718 11125=1881 12000=3042 12005=4338	TOTAL = 519162

U.F.O.



Another U.F.O. game with aliens attacking your craft. This one however contains a Machine Code routine to scroll the screen.

Shoot down the attacking U.F.O.'s with one of your missiles.

The game ends if you crash or if a U.F.O. gets past you.

Your controls are:

'W' up

'X' down

'S' to fire

PROGRAM STRUCTURE	LINES
INITIALIZE SPRITE	0 — 17
PRINT GROUND	20
MACHINE CODE ROUTINE	25
GET CURRENT KEY	30 — 35
IF NO UFO ON SCREEN GENERATE ONE	40 — 55
IF CRASH — END	60 — 65
IF UFO — MOVE UFO	70 — 95
IF UFO HIT — GO DOWN	100
IF UFO CRASH	105 — 145
END	150
IF KEY — 'S' FIRE	155 — 171
IF SHELL FIRED - MOVE SHELL	175 — 190
NEXT LOOP (GO TO 25)	200
CLEAR SCREEN PRINT MESSAGE	1000 — 1030
DATA	10000 — 10055

VARIABLES

CR = -1: NO UFO

0: UFO

1: UFO — HIT

 $\mathsf{HI} = \mathsf{HIGH}\,\mathsf{SCORE}$

SC = SCORE

K = CURRENT KEY PRESSED

Y = PLANE POSITION

 $\mathsf{SH} = \mathsf{SHELL}\,\mathsf{FIRED}\,\mathsf{OR}\,\mathsf{NOT}$

```
U.F.O.
    0 POKE 55,255 + POKE 56,44
    1 FOR I = 0 TO 35 + READ A + POKE 14 * 1024 + I,A
        * NEXT
    2 IF PEEK ( 53270 ) AND 8 THEN POKE 53270,
       PEEK ( 53270 ) - 8
    3 FOR I = 0 TO 126 : READ A : POKE 832 + I,A :
        NEXT + V = 53248 + MC = 14 * 1024 + KB = 197
    4 FOR I = 0 TO 126 + READ A + POKE 15 * 1024 + I,A
        * NEXT
    6 FOR I = 0 TO 31 : READ A : POKE 12 * 1024 + I,A
        * NEXT * HI = 0
    7 POKE V + 32,6 + POKE V + 33,6 + POKE 54296,15
   10 POKE V + 37,3 \div POKE V + 38,2 \div SC = 0 \div
        POKE V + 24,28
   15 POKE 2040,13 + POKE V + 39,5 + POKE V,100 +
        POKE V + 1,100 + POKE V + 21,1 + POKE V + 28,1
   17 POKE 2041,14 + POKE V + 40,5 + CR = - 1 +
        SH = -1 \div POKE 2042,240 \div POKE V + 41,0
   20 PRINT " 💟 🐚 🗑 📵 📵 📵 📵 📵 📵 📵 📵
        aabbcaacbbbcaaaaccb";
   22 A = PEEK (V + 30)
   25 SYS MC + IF PEEK ( V + 22 ) = 199 THEN
        PDKE 2022, RND ( 1 ) # 4
   30 \text{ K} = \text{PEEK ( KB )}
   35 Y = PEEK ( V + 1 ) +
        Y = Y - 2 * (K = 9) * (Y > 45) +
        (K = 23) * (Y < 234) * 2
   36 IF Y > = 234 THEN 1000
   40 PDKE V + 1,Y + IF CR > - 1 THEN 60
   45 IF RND ( 1 ) > .1 THEN 150
   50 POKE V + 21, PEEK ( V + 21 ) OR 2 :
        POKE V + 2,80 + POKE V + 16, PEEK ( V + 16 )
        OR 2
   55 POKE V + 3, INT ( RND ( 1 ) * 175 + 44 ) :
        CR = 0
   60 F = 0 : A = PEEK ( V + 2 ) :
        B = PEEK (V + 16) AND 2 = A = A - 2 =
        IF A < 0 AND B THEN B = 0 : A = 254 : F = 1
   65 IF A < 0 AND CR = 0 THEN 1000
   67 IF A < 0 THEN CR = - 1 + GOTO 150
   70 POKE V + 2,A + POKE V + 16, PEEK ( V + 16 ) OR B
        * IF F THEN POKE V + 16, PEEK ( V + 16 ) - 2
   80 IF CR THEN 100
   85 A = PEEK ( V + 3 ) + INT ( RND ( 1 ) * 3 - 1 )
        * 3 * IF A < 44 THEN A = 44
   90 IF A > 235 THEN A = 235
   95 POKE V + 3,A = GOTO 150
  100 PDKE ( V + 3 ) , PEEK ( V + 3 ) + 2 :
        IF PEEK ( V + 3 ) < 235 THEN 150
  105 POKE V + 28,3 + POKE V + 40,8 + POKE 2041,241
  110 POKE 54276,0 : POKE 54277,15 : POKE 54273,72 :
        POKE 54272,169 + POKE 54276,129
  115 FOR I = 1 TO 2000 + NEXT
```

```
140 POKE V + 21, PEEK ( V + 21 ) - 2 + POKE V + 28,1
  145 CR = - 1 + POKE V + 40,5 + POKE 2041,14
  150 A = PEEK ( V + 30 ) + IF A = 3 THEN 1000
  155 IF A = 6 AND CR = 0 THEN SH = -1 \div CR = 1 \div
        POKE V + 21, PEEK ( V + 21 ) - 4 =
        A = PEEK (V + 30) = SC = SC + 10
  160 IF K < > 13 THEN 175
  165 SH = 1 * POKE V + 21, PEEK ( V + 21 ) OR 4 *
        POKE V + 4, PEEK ( V ) + 10 : POKE V + 5,
        PEEK (V + 1)
  170 IF PEEK ( V + 16 ) AND 4 THEN POKE V + 16,
        PEEK ( V + 16 ) - 4
  171 POKE 54276,0 * POKE 54277,31 * POKE 54273,8 *
        POKE 54272,147 + POKE 54276,129
  175 IF SH < 1 THEN 200
  180 A = PEEK ( V + 4 ) + B = PEEK ( V + 16 ) AND 4
        A = A + 3 + IF A > 255 THEN B = 4 + A = 1
  185 IF A = 80 AND B THEN POKE V + 21,
        PEEK ( V + 21 ) - 4 + SH = -1 +
        POKE 54273,0 + POKE 54272,0 + GOTO 200
  190 POKE V + 4,A = POKE V + 16, PEEK ( V + 16 )
        OR B
  200 GOTO 25
 1000 PDKE 2040,241 * PDKE V + 39,8 * PDKE 54273,72 *
        POKE 54272,169 * POKE 54277,47
 1001 POKE 54276,0 * POKE 54276,129 *
        FOR I = 1 TO 3000 * NEXT * POKE 54273,0 *
        POKE 54272,0
 1005 POKE V + 24,20 + POKE V + 21,0 +
        POKE V + 22,200 : PRINT " PAYOU _ SCORED"; SC
        : IF SC > HI THEN HI = SC
 1010 PRINT "HI & SCORE & IS"; HI + PRINT " @ @ @ WANT
         _ ANOTHER _ GAME?"
 1020 GET A$ + IF A$ = "Y" THEN 10
 1025 IF A$ < > "N" THEN 1020
 1030 END
10000 DATA 174,22,208,202,224,191,240,4,142,22
        , 208, 96, 162, 199, 142, 22, 208
10005 DATA 162,0,189,193,7,157,192,7,232,224
        ,40,208,245,169,32,141,231,7,96
10010 DATA 0,0,0,0,0,0,0,0,0,0,0,128,0,0,128
        ,0,0,224,0,0,232,1,0,234,149,64
10015 DATA 170,170,168,63,170,255,22,169,80,10
        ,160,0,42,148,0,42,0,0,0,0,0,0,0,0
10020 DATA 0,0,0,0,0,0,0,0,0,0,0,99
10025 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,24,0,0,255,0
10030 DATA 7,255,224,9,36,144,15,255,240,1
        ,255,128,0,126,0,0,0,0,0,0,0,0,0,0,0
10035 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
        ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10040 DATA 0,0,0,0,0,0,0,194,0,0,63,128,0
        ,194,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
10042 DATA 0,0,0,0,99,0,0,0,12,0,0,63,0,0
        ,59,0,0,59,0,252,59,0,59,251,240
```


10044 DATA 58,171,176,14,170,255,3,170,171
,0,250,172,0,234,240,0,59,0,0,59,0
10046 DATA 0,238,192,3,174,192,14,190,192,14
,206,192,59,3,0,0,0,0,0,0
10050 DATA 0,0,0,0,98,247,255,0
,0,0,4,14,31,127,255
10055 DATA 0,0,16,24,60,124,254
,255,0,0,0,0,4,46,127,255

CHEXSUM

KOUM		
0=980	145=1858	
1=2350	150=1797	
2=2477	155=5940	
3=4336	180=1032	
4=2437	165=4584	
6≃2845	170=2768	
7=2005	171=3322	
10=2583	175=868	
15=4064	130=4333	
17=3984	185= 5041	
20=5313	130=2189	
22=895	200=473	
25=27 76	1000=3416	
30=688	1001=3759	
35= 4527	1005=5838	
38=11 65	1010=3339	
40=1677	1020=1243	
45=1111	1025=1184	
50=3820	1030=129	
55=2253	10000=3563	
60=5498	10005=3868	
65=1430	10010=4003	
67=1791	10015=4399	
70=4255	10020=1533	
80=618	10025=4212	
85=3 571	10030=4186	
90=1154	10035=3861	
95=12 00	10040=4211	
100=3079	10042=3812	
105=1985	19044=3955	
110=3378	10046=3492	
115=1020	10050=2424	
140=2182	10055=2611	TOTAL =

136684

Galaxy Raid



A fleet of aliens looms above you, one by one they dive to attack you with their guided missiles.

You must avoid their missiles and destroy the alien ships. The main group is protected by a force field and only diving craft are vulnerable to your counter-fire. If you destroy the fleet another appears to replace it.

Your controls are:

- 'Z' for left
- 'C' for right
- 'M' to fire a missile

PROGRAM STRUCTURE	LINES
INITIALIZATION	0 — 9
PUT RAIDERS	10, 612, 614, 700 — 720
DISPLAY SCORE	500
GET KEYBOARD CHARACTER	510
MOVE ACCORDING TO KEY	520 — 530
FIRE IF (SPACE BAR) PRESSED	535, 900 — 905
TEST IF PLAYER HIT	545
TURN OFF SOUND	546
MOVE PLAYER'S MISSILE UP SCREEN	570
CHECK IF PLAYER'S AND RAIDER'S MISSILES COLLIDE	571
UPDATE SCORE	575
ELIMINATE PLAYER'S MISSILE IF PAST RANGE	580
HOME RAIDER'S MISSILE TOWARD PLAYER	582 — 584
PLAY MUSIC BETWEEN GAMES	800 — 850
CHECK IF RAIDER'S MISSILE HIT PLAYER	1000 — 1040
DATA	9000 — 10070

VARIABLES

S = SCORE

SP = NUMBER OF RAIDERS LEFT

SC = SCREEN REFERENCE POINT

X1 = HORIZONTAL POSITION OF PLAYER'S MISSILE

Y1 = VERTICAL POSITION OF PLAYER'S MISSILE

PE = VALUE PEEKED FROM KEYBOARD

P = HORIZONTAL POSITION OF PLAYER

I = LEFT HAND END OF RAIDER FORMATION

GALAXY RAID

```
O PRINT " D TOFGHIJK . .
  1 PRINT "回回面MINO L 編" + POKE V + 24,28 +
      FOR I = 12288 TO 12463 * READ Q * POKE I,Q *
      NEXT
  2 FOR I = 12544 TO 12551 + POKE I.O + NEXT
  3 POKE 54273,0 + FOR I = 12672 TO 12751 + READ Q +
      POKE I,Q : NEXT
  4 POKE V + 21,7 * POKE 2040,208 * POKE 2041,209 *
      POKE V + 39,8 + POKE V + 40,7 + POKE 2042,210
  5 POKE V + 41,2 + FOR I = 0 TO 190 + READ Q +
      POKE 13312 + I,Q : NEXT
  6 P = 120 + S = 0 + SP = 4 + AL = 7 + CO = 55296 +
      SC = 1024 + POKE V.P + POKE V + 1,200
  7 X = 5 + INT (RND (1) * 20) ÷ Y = 120 ÷
      X2 = X \div Y2 = 160
  8 GOSUB 800 + POKE 54277,0 + POKE 54278,240 +
      GOSUB 700
  9 POKE V + 28,4 + POKE V + 38,5 +
      PE = PEEK (V + 31)
 10 FOR I = 1 TO 18 + PRINT "  ( ) ( ) ( ) ( ) ";
      TAB( I - 1 ) ; C$ + PRINT " [ [ ] [ ] [ ] "; TAB( I )
      ; A$
 20 GOSUB 500
 60 PRINT " [ [ ] [ ] [ ] [ ] ; TAB( I ) ; B$
 70 GOSUB 500
 75 NEXT
100 IF SP > 1 THEN SP = SP - 1
110 FOR I = 17 TO 1 STEP - 1 + PRINT " 등 @ @ @ ";
      TAB( I + 1 ) ; C$ + PRINT " [3] [0] [0] [0] "; TAB( I )
      ; A$
120 GOSUB 500
160 PRINT " [ () () () "; TAB( I ) ; B$
170 GOSUB 500
180 NEXT
190 GOTO 10
500 PRINT " 😸 🗇 🗩 🗩 🗩 🗩 🗩 🗩 🗩 🗩 🗩
      日日日日日日日";S;"編"
502 IF SP < 2 THEN PRINT ""
505 \text{ FOR J} = 1 \text{ TO INT (SP)}
510 PE = PEEK ( 197 )
520 IF PE = 12 AND P > 35 THEN P = P - 4
530 IF PE = 20 AND P < 320 THEN P = P + 4
535 IF Y1 = 0 AND PE = 36 THEN GOSUB 900
537 IF P > 255 THEN POKE V,P - 256 : POKE V + 16,
      PEEK ( V + 16 ) OR 1 + GOTO 545
540 POKE V,P + POKE V + 16, PEEK ( V + 16 ) AND 254
545 IF PEEK ( V + 31 ) = 1 THEN 1000
546 POKE 54273,0
560 IF Y1 = 0 THEN 581
570 \text{ Y1} = \text{Y1} - 6 \div \text{POKE V} + 3. \text{Y1}
571 IF PEEK ( V + 31 ) < > 2 THEN 580
572 POKE 54296,15 + POKE 54276,0 + POKE 54276,129
573 IF PEEK ( V + 16 ) AND 2 THEN POKE V + 16,
```

```
PEEK ( V + 16 ) OR 4 + GOTO 575
574 POKE V + 16, PEEK ( V + 16 ) AND 251
575 POKE V + 4, PEEK ( V + 2 ) : POKE V + 5,Y1 :
      Y1 = 0 \div S = S + 30 - Y / 40
576 POKE SC + X + Y,32 + POKE SC + X + Y + 1,32 +
      Y = 840
578 FOR Z = 40 TO 1 STEP - .6 + POKE 54273, Z + NEXT
      * POKE 54273.0 * POKE V + 4.0 * POKE V + 5.0
580 IF Y1 < 90 THEN Y1 = 0 : POKE V + 2.0 :
      POKE V + 3,0
581 POKE SC + X2 + Y2,32
582 IF RND ( 1 ) < .1 THEN X2 = X2 +
      (X2 > (P - 20) / 8) -
      (X2 < (P - 20) / B)
583 Y2 = Y2 + 40 + IF Y2 > 840 THEN Y2 = Y + 40 +
      x_2 = x
584 POKE CO + X2 + Y2,3 + POKE SC + X2 + Y2,21
600 \text{ NEXT} \div DX = X \div DY = Y
601 IF DY < 680 DR RND ( 1 ) < .6 THEN DY = DY + 40
602 IF DY < 360 AND DX > 20 AND DX < 38 THEN
      DX = DX + 1
604 IF DY < 360 AND DX < 21 AND DX > 1 THEN
      DX = DX - 1
605 IF DY > 400 AND DX > 20 AND DX > 1 THEN
      DX = DX - 1
606 IF DY > 400 AND DX < 21 AND DX < 38 THEN
      DX = DX + 1
608 IF DY < 840 THEN 620
609 \text{ AL} = \text{AL} - 1 \div \text{IF AL} = 0 \text{ THEN AL} = 6 \div \text{DY} = 120
      DX = I + INT (RND (1) * 6) * 4 
      SP = SP - 1 \div GOSUB 700
610 DX = INT (RND (1) * 6) * 4 + 1 =
      IF MID$ ( A$,DX,2 ) = " _ _ " THEN 610
612 A1$ = LEFT$ ( A$,DX - 1 ) + " _ _ " + RIGHT$
       (A\$, 24 - DX - 1) + A\$ = A1\$
614 \text{ A1$} = \text{LEFT$} ( B$, DX - 1 ) + "
       (B\$, 24 - DX - 1) + B\$ = A1\$
615 POKE 54296,5 + POKE 54276,0 + POKE 54276,17 +
      POKE 54273,50 \div FOR Z = 1 TO 100 \div NEXT
616 POKE 54273,0
619 DY = 120 \div DX = I + DX - 1
620 POKE SC + Y + X,32 + POKE SC + Y + X + 1,32
625 POKE SC + DY + DX,4 + POKE SC + DY + DX + 1,5 +
      POKE CO + DY + DX.4 \Rightarrow POKE CO + DY + DX + 1.4
626 X = DX + Y = DY
630 RETURN
700 POKE 54296,8 + POKE 54276,0 + POKE 54276,33
705 A$ = "@A _ @A _ @A _ @A _ @A _ @A _
      B = "BC \land BC \land BC \land BC \land BC \land BC \land BC \land "
712 FOR Z = 1 TO 20 + POKE 54273, Z + NEXT +
      POKE 54273,0
720 RETURN
800 POKE 54276,0 + POKE 54277,0 + POKE 54278,0
802 POKE 54296,15 + POKE 54277,190 + POKE 54278,64 +
```

```
POKE 54276,17
805 FOR I = 1 TO 10 STEP .05 : POKE 54273, I : NEXT
 810 FOR I = 1 TO 30 STEP .2 + POKE 54273, I + NEXT
815 FOR I = 50 TO 20 STEP - .2 * POKE 54273, I *
       NEXT
820 FOR I = 80 TO 140 STEP 2.5 * POKE 54273, I *
       NEXT
825 FOR I = 200 TO 50 STEP - 3 \div POKE 54273, I ÷
       NEXT
830 FOR I = 10 TO 40 STEP .2 + POKE 54273, I + NEXT
835 FOR I = 80 TO 140 STEP 2 + POKE 54273, I + NEXT
840 FOR I = 10 TO 1 STEP - .04 + POKE 54273, I + NEXT
842 FOR I = 1 TO 10 STEP .05 + POKE 54273, I + NEXT
845 FOR I = 100 TO 70 STEP - 2 + POKE 54273, I + NEXT
850 POKE 54273,0 * RETURN
900 POKE 54296,10 * POKE 54276,0 * POKE 54276,129
901 IF P > 255 THEN POKE V + 2,P - 256 $
       POKE V + 16, PEEK ( V + 16 ) OR 2 : GOTO 905
902 POKE V + 2,P + POKE V + 16, PEEK ( V + 16 )
       AND 253
905 Y1 = 180 * FOR Z = 1 TO 30 STEP 2 *
       POKE 54273, Z + NEXT + RETURN
1000 POKE V,0 * POKE V + 1,0 * POKE V + 2,0 *
       POKE V + 3,0 + POKE V + 5,200
1005 IF P > 255 THEN POKE V + 4,P - 256 =
       POKE V + 16, PEEK ( V + 16 ) OR 4 = GOTO 1010
1007 POKE V + 4,P + POKE V + 16, PEEK ( V + 16 )
       AND 251
1010 PDKE 54296,15 + PDKE 54276,0 + PDKE 54276,129
1020 FDR I = 1 TO 100 + POKE 54273, I + NEXT
1030 FOR I = 100 TO 50 STEP - 2 * POKE 54273, I * NEXT
1032 FOR I = 80 TO 1 STEP - .4 * POKE 54273, I *
       NEXT # POKE 54273.0
1035 POKE V + 4,0 + POKE V + 5,0 + POKE V + 29,0
1040 RUN
9000 DATA 96,125,31,15,2,1,0,0,3,31,124,248
       ,160,192,128,128
9010 DATA 0,0,127,31,6,1,0,0,0,0,127
       ,252,176,192,128,128
9020 DATA 28,14,7,3,2,1,0,0,28,56,112
       .224, 160, 192, 128, 128
9030 DATA 255,192,192,192,207,195,195,255,255
       ,0,12,12,51,63,51,51
9040 DATA 0,0,48,48,48,48,48,63,0,0,12,12,51,63,51,51
9050 DATA 0,0,51,51,12,12,51,51,0
9060 DATA 0,0,51,51,27,27,12,12,12,48,48,96,96,192,0
9070 DATA 0,0,60,51,51,60,54,51,0,0,63,12,12,12,12,63
9075 DATA 0,0,60,51,51,51,51,60
9080 DATA 0,243,195,195,243,51,51,243,0,207
       ,12,12,12,12,12,207
9090 DATA 0,207,204,204,207,204,204,204,0,15,204
       ,204,15,204,204,207
9095 DATA 0,0,48,0,0,48,0,0,0,24,126,60,24,24,24,24
9100 DATA 0,120,126,102,102,102,126,0,0,24
       ,120,24,28,28,126,0
9110 DATA 0,126,6,24,96,102,126,0,0
```


,30,126,6,62,6,126,0 9120 DATA 0,96,108,108,126,28,28,0,0 ,14,126,96,24,6,126,0 9130 DATA 0,126,112,126,102,102,126,0,0,126 ,102,12,24,48,48,0 9140 DATA 0,126,102,24,102,102,126,0,0,126 ,102,102,126,14,14,0 10000 DATA 0,12,0,0,30,0,0,63,0,0,63,0,0,63,0 ,0,63,0,0,30,0,0,12,0,0,30,0,0,63,0 10010 DATA 8,255,196,9,255,228,9,255,228,11 ,127,180,15,127,188,14,63,28,12,12,12 10020 DATA 8,30,4,0,63,0,0,63,0,0,0,99 10030 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0 ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0 10040 DATA 0,0,0,12,0,0,12,0,0,30,0,0,30,0,0 ,12,0,0,12,0,0,30,0,0,63,0,0,109,128 10050 DATA 99,0,0,0,0,8,0,2,8,8,0,8,32,0,42,128,0 ,174,160,2,239,128,42,255,160 10060 DATA 11,255,224,2,255,224,2,255,128,2,190 ,0,8,186,128,0,184,32,0,40,0 10070 DATA 0,32,0,32,32,0,0,0,128,2,0,2,0,0,0,0,0,0

CHEXSUM

Ø=3 6 89	505=1053	601=2488
1=4141	510=796	S02=2901
2=1766	520=1344	684=2832
3=2732	530=1992	605=2828
4=4129	535=1654	608=2897
5=29 29	537=3742	SOS=1 00 8
6=4473	540=2040	609 =5634
7=2347	545=1456	810=3410
3=2041	546=528	812=3614
9=8471	560=851	614=3614
10=2983	570=1443	815=3699
20≃299	571=1582	616=528
60=846	572=1966	619=1559
70=299	573=3412	620=2342
75=131	574=1572	625 =5514
100=1486	575=3634	626 =936
110=3464	576 = 2855	630=143
120=239	578=4101	700=1837
160=846	580=2447	705=4304
170=299	581=1112	710=1549
180=131	582=4125	712=2213
130=472	583=2856	720=143
500=1461	534=2275	300=1765
502=954	600=1134	802=2710

305=1920	10000=4367	
810=1861	13010=4457	
815=2075	10020=1738	
820=2031	10030=4088	
825=2094	10040=4369	
830=1912	10050=4217	
835=1 936	10060=3818	
840=2075	10070=2311	
842=1920		
845=2094	TCTAL= 281468	
850=729		
300=1962		
901=3953		
902=2298		
905=2612		
1000=3 05 6		
1005=4007		**・本公のの公公会会会 *******************************
1007=2294	OPDITE	
1010=1966	SPRITE	
1020=1651	PLAYER'S	
1030=2092	SHIP	
1032≃2693		
1035=1930		
1040=139		<u> </u>
9000=2860		
9010=2682		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
9020=2738		
9030=3204		┧ ┩╽┆╽┆┦┦╃╃╃╇╬╬┼┿╃╇╇
9040=2522	SPRITE	
9050=1383		
9060=2455	PLAYER'S MISSILE	
9070=2497	MISSILE	
9075=1261		
9080=2986		
9030=3286		
9085=2363		
9100=2929		
9110=2602		
9120=2746		
9130=2955	SPRITE	
9140=3008	JENIL	
	EXPLOSION	

Invaders



Battle the invaders with your base on the ground. The arcade classic should have you addicted in no time at all.

Controls are: 'Z' left, 'C' right and 'M' to fire.

This program contains a large amount of machine code to control the invaders. Even if you don't as yet fully understand what is being done, don't worry. Just key the lines in carefully — especially the data lines. Check them thoroughly before trying to play the game.

PROGRAM STRUCTURE	LINES
INITIALIZE	0-2
ALTER MEMORY LIMIT	5
TEST IF 'Z' OR 'C' KEY PRESSED	100
MOVE LEFT/RIGHT	105 — 115
FIRE SHELL/SOUND/MOVE	200
SHELL HIT ANYTHING?	210
MOVE INVADERS	300
COLLISION WITH BARRIERS	315 — 325
MOVE BOMBS FROM ALIENS	500
CALL TO MACHINE CODE ROUTINE TO MANIPULATE INVADERS	1100
INVADERS' SOUND	1110 — 1115
END OF GAME?	1118
PRINT SCORE	1125

VARIABLES

V = START ADDRESS OF VIDEO CHIP

SC = SCORE

X, Y = COORDINATES OF BLASTER

K = CONTAINS KEY PRESSED ON KEYBOARD

P = CONTAINS THE CHARACTER ON THE SCREEN THAT THE SHELL HAS MADE CONTACT WITH (32 = SPACE)

SX = X COORDINATE OF SHELL

SY = Y COORDINATE OF SHELL

I = TEMPORARY VARIABLE

S(J) — ARRAY CONTAINING POSITIONS (6) OF ALIENS

INVADERS

```
0 V = 53248 \div POKE 54276,0 \div POKE 54290,0 \div
      POKE 54278,240 + POKE 54292,240 +
      POKE 54276, 129
  1 POKE 54290,17 + POKE V + 33,0 + POKE V + 32,0 +
      SC = 1024 \div CL = 55296 \div CO = 54272 \div
      POKE 54296,15
  5 POKE 56,28 + POKE 55,0 + FOR I = 12544 TO 12551
      * POKE I,O * NEXT
 10 GOSUB 8000 + GOSUB 8060 + GOTO 1000
99 IF K = 1 THEN 99
100 IF K < > 12 AND K < > 20 THEN 150
105 POKE SC + Y * 40 + X,32 \div X = X - ( K = 12 ) *
      (X > 0) + (K = 20) * (X < 39) 
      IF PEEK ( SC + Y * 40 + X ) < > 32 THEN D = 1
110 POKE CL + Y * 40 + X,3 + POKE SC + Y * 40 + X,0
115 RETURN
150 IF K = 36 AND SX < 0 THEN SX = X \div SY = Y - 1 \div
      POKE 54273,72 + POKE 54272,169
155 RETURN
200 POKE SC + SY * 40 + SX,32 + SY = SY - 1 +
      IF SY < 1 THEN SX = - 1 : RETURN
205 P = PEEK ( SC + SY * 40 + SX )
210 POKE CL + SY * 40 + SX,7 + POKE SC + SY * 40
      + SX,2 + IF P = 32 THEN RETURN
215 POKE 54273,34 * POKE 54272,75 * POKE SC + SY *
      40 + SX, 4
220 IF P < > 1 THEN 250
225 FOR Y1 = 8 TO 0 STEP - 2 $
      FOR X1 = 10 TO 0 STEP - 2 =
      P = IN + Y1 * 6 + X1
230 IF PEEK ( P ) < > SY OR PEEK ( P + 1 ) < > SX
      THEN 245
235 S = S + (12 - Y1) * 5 * N0 = N0 - 1 *
      POKE P + 1,255 \div X1 = 0 \div Y1 = 0
245 NEXT + NEXT + GOTO 275
250 IF P < > 3 THEN 275
255 FOR J = 0 TO 5 \Rightarrow IF S ( J ) = SC + SY \Rightarrow 40 + SX
      THEN S = S + 5 + S (J) = 0 + J = 5
260 NEXT
275 POKE SC + SY # 40 + SX,32 + SX = - 1 + RETURN
300 POKE S ( J ) ,32 ÷ S ( J ) = S ( J ) + 40 ÷

IF S ( J ) > 1983 THEN S ( J ) = 0 ÷ RETURN
305 P = PEEK ( S ( J ) ) \div POKE S ( J ) + CO,3 \div
      POKE S ( J ) ,3
310 IF P = 32 THEN RETURN
315 POKE S ( J ) ,4 + POKE 54273,43 + POKE 54272,52
      * IF P = 0 THEN D = 1
320 IF S ( J ) = SC + SX + SY * 40 THEN SX = -1
325 POKE S ( J ) ,32 * S ( J ) = 0 * RETURN
500 S1 = INT ( RND ( 1 ) * 6 ) \div IF S ( S1 ) > 0
      THEN RETURN
505 FOR Y1 = 8 TO 0 STEP - 2 : IF PEEK
      (IN + Y1 * 6 + S1 * 2 + 1) = 255 THEN 550
510 S (S1) = SC + (PEEK
```

```
( IN + Y1 * 6 + S1 * 2 ) + 1 ) * 40 + PEEK
       (IN + Y1 * 6 + S1 * 2 + 1) \div Y1 = 0
550 NEXT + RETURN
1000 D = 0 + FOR I = 1 TO SP + K = PEEK ( PE ) +
       IF K < > 64 THEN GOSUB 99
1005 IF SX > = 0 THEN GOSUB 200
1010 FOR J = 0 TO 5 ÷ IF S ( J ) > 0 THEN GOSUB 300
1015 NEXT + POKE 54273,0 + POKE 54272,0 +
       POKE 54287,0 + POKE 54286,0
1020 IF RND ( 1 ) > .5 THEN GOSUB 500
1100 NEXT + SYS 7168 + IF NO < 21 THEN SP = 3 +
       IF NO < 11 THEN SP = 2 + IF NO < 6 THEN SP = 1
1101 POKE 54287,2 + POKE 54286,37 + IF
       PEEK ( 12303 ) = 36 THEN POKE 12303,129 $
       GOTO 1104
1102 POKE 12303,36
1104 IF PEEK ( 7604 ) = 0 AND D = 0 AND NO > 0
       THEN 1000
1105 IF NO = 0 THEN GOSUB 8050 + GOTO 1000
1110 POKE SC + Y * 40 + X,4 + POKE 54273,61 +
       POKE 54272,126
1115 FOR I = 15 TO 0 STEP - .1 + POKE 54296, I + NEXT
       * POKE 54287,0 * POKE 54286,0 *
       POKE SC + Y * 40 + X,0
1117 POKE 54273,0 + POKE 54272,0
1118 IF PEEK ( 7604 ) = 0 THEN B = B + 1 =
       IF B < 4 THEN POKE 54296,15 : GOTO 1000
1120 POKE V + 24,20 + PRINT " 1 ( ) ( ) ( ) ( ) ( ) ( )
       * * * * A A A A A A A * * * * GAME _ OVER * * "
1125 PRINT " YOU _ SCORED"S + RUN
8000 \text{ FOR AD} = 7168 \text{ TO } 7393
8005 READ A + POKE AD, A + NEXT
8010 FOR AD = 12288 TO 12351 + READ A + POKE AD, A +
       NEXT
8015 POKE V + 24,28
8050 FOR Y1 = 0 TO 4 + FOR X1 = 0 TO 5 +
       POKE 7620 + Y1 * 12 + X1 * 2, Y1 * 2 + 1 *
       POKE 7621 + Y1 * 12 + X1 * 2,X1 * 3
BO52 NEXT + NEXT
8055 POKE 7605,1 \Rightarrow POKE 7604,0 \Rightarrow SX = -1 \Rightarrow SY = 0 \Rightarrow
       NO = 30 \div SP = 4 \div RETURN
8060 B = 1 * PRINT " " * FOR I = 1984 TO 2023
8065 POKE I,5 + POKE I + CO,6 + NEXT + X = 1 + Y = 23
       PE = 197 + S = 0
8070 IN = 7620 \div DIM S ( 5 ) \div POKE CL + Y * 40 + X,3
       * POKE SC + Y * 40 + X,0
8075 FOR Y1 = 1 TO 4 + PRINT " 1 5 0 0 0 0 0
       "EEE 🙆 💶 💶 💶 EEEE 😢 💵 💵 📭 EEEE" ;
8077 PRINT " ( ) ## ## ##F _ G";
BOBO NEXT : RETURN
9000 DATA 162,7,142,179,29,162,0,142,180,29
       , 189, 197, 29, 201, 255, 240, 56, 141, 177, 29
9001 DATA 189,196,29,141,176,29,169,32,141
       , 178, 29, 32, 162, 28, 189, 197, 29, 24, 109
```

9005 DATA 181,29,157,197,29,201,0,208,5,160,1 ,140,180,29,201,39,208,5,160,1,140 9010 DATA 180,29,141,177,29,169,1,141,178,29 , 32, 162, 28, 232, 232, 224, 60, 208, 187 9015 DATA 173,180,29,208,1,96,169,0,141,180,29 ,169,32,141,178,29,162,0,189 9020 DATA 197,29,201,255,240,27,141,177,29,189 , 196, 29, 141, 176, 29, 32, 162, 28, 254 9025 DATA 196,29,189,196,29,201,22,208,5,160 ,1,140,180,29,232,232,224,60,208 9028 DATA 216,173,181,29,201,1,240,4 ,169,1,208,2,169,255 9030 DATA 141,181,29,173,180,29,208,3,76,0,28,96 9035 DATA 138,72,152,72,172,176,29,169,0,133,31 , 169, 4, 133, 32, 162, 0, 24, 169 9037 DATA 40,109,31,0,133,31,169,0,109,32,0, 133, 32, 232, 236, 176, 29 9040 DATA 208,235,172,177,29,173,178,29,145,31 ,24,169,212,109,32,0,133 9045 DATA 32,173,179,29,145,31,104,168,104 , 170, 96, 0, 16, 16, 56, 124 9050 DATA 124,254,254,126,90,255,189,189,36 ,66,36,0,0,0,16,16,16,56,84,0,84,56 9055 DATA 16,56,56,16,0,108,213 ,128,132,39,174,197,78 ,254,252,248,240,224,192,128 9065 DATA 255,127,63,31,15,7,3,1

CHEXSUM

0=4023	245=934	1020=1260
1=4890	25 0=982	1100=4497
5=2723	255=4336	1101=3928
10=1447	260=131	1102=585
99=739	275=2348	1104=2380
100=1773	300=3553	1105=1729
105=7265	3 0 5=2 38 9	1110=2645
110=2596	310=820	1115=4791
115=143	315=2 902	1117=1167
150=3937	320=2512	1118=3651
155=143	325=1345	1120=3974
200=4001	500=2283	1125=1348
205=1730	505=3910	8000=1089
210=3902	510=5670	8005=868
215=2848	550=332	8010=2246
220=974	1000=3269	8015=672
225=3304	1005=1215	8050=6147
230=2757	1010=1844	8052=3 20
235=38 54	1015=2562	8055=3487

8060=1839 8065=3103 8070=3756 8075=4923 8077=970 8080=332 9000=4559 9001=4277 9005=4447 9010=4248 9015=3902 9020=4364 9025=4081 9028=2683 9030=2261 9035=3708 9037=3181 9040=3523 9045=3118 9050=4286 9055=2513 9060=3753 9065=1341

TOTAL = 218938

APPENDIX A

The purpose of this appendix is to provide you with information beyond just the program listings and stuctures.

The information presented here is an extract from our own programmers' notes.

Before we publish any games our programmers go through the programs in detail and in doing so come up with hints, tips and general information which would be useful to the programmer.

Be sure to progressively SAVE the programs onto cassette as you enter the listings. From time to time, the keyboard may 'lock up', expecially if you try to RUN a program that contains an error. We strongly recommend that you keep SAVEing copies of the program as you enter it into the computer and 'debug' any typing errors.

We also appreciate that some people like to 'customise' some of the games by enhancing them or changing them in some way. Anticipating this we have also suggested some changes you might like to make.

You will note that some of the programs contain machine code language subroutines. These are required to achieve effects that would be too slow in BASIC.

Don't worry if you are not familiar with machine language — the programs include all the instructions to initialize the machine language subroutine and to implement it. You must be especially careful with the DATA statments in these programs. Be sure to SAVE a copy of the program onto cassette before trying to RUN a program that contains machine language subroutines.

In Appendix D, we show the subroutines that make up the machine language subroutine in the program "U.F.O.". This subroutine scrolls the landscape at the bottom of the screen.

If there are any novices among you we have given a very detailed breakdown of "Start Pilot" under "Program Structure". You will be able to follow the program step-by-step and understand all it does.

A sprite generator with which to create sprites for your own games has been added. Use this to create good games to send to us for publishing together with the card in the back.

The true arcade games addict has been catered for with instructions on

how to convert the programs so that they are joystick compatable (in Appendix B).

All in all we feel that, whatever your purpose in purchasing this book, we have provided you with enough material to make your purchase more than worthwhile.

GENERAL HINTS

If you encounter difficulty trying to SAVE a program while in colour mode, hit RUN/STOP and RESTORE.

To get a completely black background and border : POKE 53280, 0 (border)

POKE 53281, 0 (background) and CTRL 8 for white characters

If you crash the program during graphics mode and you can't read the line number in which you crashed, then type:

POKE 53272, 21 : POKE 53265, 155

If you type in a line that is exactly 2 screen lines long and can't get it accepted, use the cursor keys to move the cursor back into the line (at least one cursor left movement) and then save the line. If it still doesn't save, you have probably added redundant spaces or an extra character.

Some games use the space bar and others the 'M' key for firing. If you prefer one or the other you can alter as follows:

PEEK 197 checks last key pressed (returns an ASCII value)

When testing the value of last key pressed: 'M' = 36 and 'space bar' = 60

If you find that some games, that you know are correct, just don't work properly, try resetting and loading. We have found that previous games can sometimes corrupt pointers.

HINTS FOR SPECIFIC GAMES

PARANOID

This game takes about 30 seconds to initialize so don't assume you've made an error somewhere, just wait.

TURKEY

To speed up movement of the turkey change line 60 to read:

Y1 = Y1 + 2 * YD : X1 = X1 + 2 * XD

To speed up the waiter change lines 26 and 32 to P=P-3 and P=P+3 respectively.

HIGHER OR LOWER

Use the card selector and drawing routines as a basis for other card games.

FLIGHT SIMULATOR

To increase the rate of fuel consumption, and so force a faster landing and a time limit, decrease the 3200 in line 110. (A value of about 1500 seems to work well.)

SLALOM

To make the game more difficult, and thus more challenging, change line 30 to: 30 IF RND(1) < 1 etc.

This decreases the distance between flags and increases the number of trees. You could write a routine to incorporate different skill levels.

COWBOY SHOOTOUT

To change background and border colours change the values POKEd into (V + 33) and $^*V + 32)$ in line 15.

DARK STAR

We encountered some problems loading Dark Star from cassette, presumably because of its length, if it happens just persevere. You might also like to change the sound on your shots to something more gutsy.

MARTIAN INVASION

Those of you who are observant will notice that at times a tripod will blow up before your bullet hits him — this is caused by a collision with the high X — bit.

UFO

To increase the speed of the game you can speed up the moving objects by making the following changes.

Line 35: To increase craft speed increase the value 2 in Y=Y-2 and also the 2 at the very end of the line

Line 60: To increase UFO speed increase the value subtracted from A in A=A-2

Line 180: To increase bullet speed increase the value added to A in A=A+3

The UFO will not crash into the sea but should you desire it to do so just remove line 90.

APPENDIX B

TO CONVERT KEYBOARD GAMES TO JOYSTICK GAMES

plug joystick into control port 1.

Where in the game you see PEEK (197) or a variable has been assigned to the value 197 (e.g. KB or PE in some cases) and you see PEEK (variable) then change the 197 to 56321. Using the above you would have PEEK (56321) or KB = 56321 or K = PEEK (56321).

The next step is to replace key tests with joystick value tests. Using the table below change the key tests as shown.

If you don't know the code values for keys and therefore don't know which key a value represents then run this little routine:

```
10 PRINT PEEK (197); : GOTO 10
```

RUN it and press the keys used in a game. The values for the keys will appear on the screen. Just relate these values according to the function of the key they represent to the joystick test values in the table.

e.g. North Sea Copter

```
40 PE = PEEK (56321)
45 IF PE AND 8 AND F > 0 THEN X = X + 2 : F = F -.1
etc.
```

APPENDIX C

SPRITE GENERATOR Copyright (c) 1983 Beam Software

This program provides a fast and simple means for creating your own sprites.

The program provides a 24 x 21 grid on the screen on which to draw your sprites, the relevant key to be pressed being listed on the screen.

The real size sprite is shown on the screen, as well as the expanded (double resolution) sprite.

Kevs used are:

A = MOVE CURSOR LEFT

D = MOVE CURSOR RIGHT

W = MOVE CURSOR UP

X = MOVE CURSOR DOWN

S = PLOT POINT ON GRID

SPACE BAR = ERASE POINT ON GRID

SHIFT CLR = CLEAR ENTIRE GRID

RETURN = CLEAR SCREEN AND PRINT OUT DATA

When return is pressed the sprite data is printed out, this may then be used in your own programs as follows:

- 10 V = 53248 : REM START OF DISPLAY CHIP
- 20 POKE V + 21, 1: REM ENABLE SPRITE 0
- 30 POKE 2040. 13 : REM SPRITE DATA POINTER
- 40 POKE V + 39, 4 : REM COLOUR OF SPRITE
- 50 FOR I = 0 TO 62 : READ A : POKE 832 + I, A : NEXT : REM SPRITE DATA STORED HERE (13 * 64)
 - 60 FOR X = 0 TO 200 REM MOVE SPRITE (EXAMPLE)
 - 70 POKE V, X REM UPDATE X COORDINATE
 - 80 POKE V + 1, X REM UPDATE Y COORDINATE
 - 90 NEXT X
- 100 GOTO 60
- 200 REM DATA STATEMENTS WOULD FOLLOW

This program sets up the sprite and moves it accross the screen.

```
SPRITE GENERATOR Copyright (c) 1983 Beam Software
    1 SC = 1024
    2 POKE 649,0
   10 PRINT " ""
   11 FOR I = 0 TO 7 + O (7 - I) = 2 个 I + NEXT
   12 FOR I = 0 TO 7 \div A (I) = 255 - 0 (I) \div NEXT
   15 POKE 53281,6 + POKE 53280,6
  20 GOSUB 2000
  60 FOR I = 55296 TO 56319 + POKE I.O + NEXT
  100 POKE 209,25 + POKE 210,4
  110 PRINT " # SPACE _ _ _ _ TO ERASE"
120 POKE 209,65 : PRINT " # S _ _ _ _ _ TO PLOT"
  140 POKE 209,145 + PRINT
        "細D」」 ユュュュュ 面RIGHT"
  160 POKE 209,225 ÷ PRINT " 編 X 🗼
                                     A A A A A TO DOWN"
  170 POKE 209,9 + POKE 210,5 + PRINT
        " 編 SHFT _ CLR _ 面 CLEAR"
  180 POKE 209,49 + PRINT " #RETURN _ _ _ 面DATA"
 200 S0 = 832 + POKE 2040,13 + POKE 53287,8
 201 POKE 2041,13 : POKE 53288,4 : POKE 53250,11 :
        POKE 53251,190
 205 GOSUB 3000
 210 POKE 53248,24
 220 POKE 53249,135
 225 POKE 53264,3
 230 POKE 53269,3
 240 POKE 53271,2 : POKE 53277,2
 300 \text{ CX} = 0 \div \text{ CY} = 0
 500 \text{ FOR I} = 0 \text{ TO } 5
 505 FOR TP = 1 TO 20 + NEXT
 510 IF I = 0 THEN POKE SC + CX + CY # 40,
       PEEK ( SC + CX + CY * 40 ) OR 128
 520 IF I = 3 THEN POKE SC + CX + CY * 40,
        PEEK ( SC + CX + CY * 40 ) AND 127
 530 K = PEEK ( 197 )
 540 IF K = 10 THEN 5000
 550 IF K = 18 THEN 5100
 560 IF K = 13 THEN 5200
 570 IF K = 9 THEN 5300
 580 IF K = 23 THEN 5400
 590 IF K = 60 THEN 5500
 600 IF K = 51 THEN 5600
 610 IF K = 1 THEN 7000
 700 NEXT I
 800 GOTO 500
 1000 GDTD 1000
 2000 \text{ FOR I} = 0 \text{ TO } 20
 2010 \text{ FOR J} = 0 \text{ TO } 23
 2020 POKE SC + I # 40 + J.43
 2030 NEXT J # NEXT I
 2040 RETURN
 3000 FOR I = 0 TO 62 + POKE SO + I,0 + NEXT + RETURN
 5000 \text{ IF CX} = 0 \text{ THEN } 700
```

```
5010 POKE SC + CX + CY * 40,
       PEEK ( SC + CX + CY * 40 ) AND 127
5020 \text{ CX} = \text{CX} - 1 \div 60T0 700
5100 IF CX = 23 THEN 700
5110 POKE SC + CX + CY * 40,
       PEEK ( SC + CX + CY * 40 ) AND 127
5120 CX = CX + 1 + 60T0 700
5200 POKE SC + CX + CY # 40,81
5210 TP = S0 + CY # 3 + INT ( CX / 8 )
5220 POKE TP, PEEK ( TP ) OR
       O ( CX - 8 * INT ( CX / 8 ) )
5230 GOTO 700
5300 IF CY = 0 THEN 700
5310 POKE SC + CX + CY * 40,
       PEEK ( SC + CX + CY * 40 ) AND 127
5320 \text{ CY} = \text{CY} - 1 \div 60T0 700
5400 IF CY = 20 THEN 700
5410 POKE SC + CX + CY # 40,
       PEEK ( SC + CX + CY * 40 ) AND 127
5420 CY = CY + 1 + 60TO 700
5500 POKE SC + CX + CY # 40,43
5510 TP = S0 + 3 # CY + INT ( CX / 8 ) #
       POKE TP, PEEK ( TP ) AND
       A ( CX - 8 * INT ( CX / 8 ) )
5520 GOTO 700
5600 GOSUB 2000
5610 GOSUB 3000 + GOTO 700
7000 PRINT " ""
7010 FOR I = 0 TO 62 * PRINT PEEK ( S0 + I ) ;
7020 IF I < > 62 THEN PRINT ",";
7030 NEXT I
7040 END
```

CHEXSUM	1000=579
1=544	2000=709
2=420	2010=708
10=372	2020=1252
11=1931	2030=475
12=2061	2040=143
15=1183	3000=1858
20=347	5000=867
60=1783	5010=3217
100=968	5020=1349
110=1542	5100=934
120=1948	5110=3217
130=2009	5120=1348
140=2031	5200=1446
150=1833	5210=1936
180=2018	5220=2517
170=2766	5230=529
180=2148	5300=867
200=1718	5310=3217
201=2539	5320=1350
205=348	5400=933
210=592	5410=3217
220=653	5420=1349
225=526	5500=1446
230=535	5510=4642
240=1170	5520=529
300=860	5600=347
500=655	5610=969
505=1007	7000=372
510=3828	7010=1690
520=3824	7020=1198
530=704	7030=206
540=892	7040=129
550=901	
560=896	TOTAL= 98267
570=844	
580=899	
590=898	
600=898	
610=836	
700=206	
800=529	

APPENDIX D

ASSEMBLY LANGUAGE ROUTINE FROM U.F.O.

FINE SCROLLS SCREEN BY USING FINE SCROLL X
REGISTER. WHEN THIS REGISTER HAS BEEN DECREMENTED
BY 8 THE ENTIRE BOTTOM LINE IS COARSE SCROLLED.

```
READ SCROLL REGISTER
3800
     LDX $D016
3803 DEX
                 ; DECREMENT THE VALUE
3804 CPX #191
                 ; IF DECREMENTED BY 8
                 ( 1 CHARACTER )
                THEN GOTO COARSE SCROLL SCREEN
3806
    BEQ $380C
    STX $D016
3808
380B RTS
                 ; RETURN
    LDX #199
380C
380E STX $D016
                 ; RESET SCROLL REGISTER
    LDX #O
3811
                 SCROLL BOTTOM LINE OF SCREEN
3813
     LDA $7C1.X
3816
     STA $7CO, X
     INX
3819
381A CPX #40
381C
    BNE $3813
381E LDA #32
                STORE NEW CHARACTER AT RIGHT
                EDGE OF LINE
3820 STA $7E7
3823 RTS
               ; RETURN
```

COMMODORE 64 GAMES BOOK

REGISTRATION CARD

Please fill out this page and return it promptly in order that we may keep you informed of new software and special offers that arise. Simply cut along the dotted line and return it to the correct address selected from those overleaf.

Where did you learn of this product?							
☐ Magazine. If so, which one?							
☐ Through a friend.							
Saw it in a Retail Store							
Other. Please specify							
Which Magazines do you purchase?							
Regularly:							
Occassionally:							
What age are you?							
☐ 10-15 ☐ 16-19 ☐ 20-24 ☐ Over 25 We are continually writing new material and would appreciate receiving your comments on our product.							
How would you rate this book?							
□ Excellent □ Value for money □ Good □ Priced right □ Poor □ Overpriced							
Please tell us what software you would like to see produced for your COMMODORE 64							
Name							
Address							
Code							

ED3

PUT THIS IN A STAMPED ENVELOPE AND SEND TO: In the United States of America return page to:

Melbourne House Software Inc., 347 Reedwood Drive. Nashville TN 37217.

In the United Kingdom return page to:

Melbourne House (Publishers) Ltd., Melbourne House, Church Yard, Tring, Hertfordshire, HP23 5LU

In Australia & New Zealand return page to:

Melbourne House (Australia) Pty. Ltd., Suite 4, 75 Palmerston Crescent, South Melbourne, Victoria, 3205.

